Local EAS Plan Template

in the

or property.

EMERGENCY ALERT SYSTEM (EAS)

PROCEDURES FOR THE (insert city here) EAS LOCAL AREA

INCLUDES THE FOLLOWING BOROUGHS AND TOWNS

	Insert picture here	
	Insert picture here (as needed)	
	Insert picture here (as needed)	
	Insert picture here (as needed)	
I. INTI	RODUCTION	
	ncy Alert System (EAS) Local Area Plan was developed by the	
Emergency C	ommunications Committee in cooperation with local broadcast and cal	ble operators. The

plan outlines the methods used to disseminate emergency information and warning to the general public

cable system service areas, at the request of local, State and Federal officials. This local EAS plan may be

disorders, earthquakes, heavy snows, toxic chemical leaks or any occurrence which poses a danger to life

activated in response to common local emergency situations such as power outages, floods, civil

EAS Local Area or any portion thereof, within the broadcast coverage and

Acceptance of/or participation in this plan shall not be deemed as a relinquishment of program control, and shall not be deemed to prohibit a broadcast licensee or cable operator from exercising his independent discretion and responsibility in any given situation. Broadcast stations and cable systems originating emergency communications shall be deemed to have conferred rebroadcast authority. The concept of management of each broadcast station and cable system to exercise discretion regarding the transmission of emergency information and instructions to the general public is provided by the FCC Rules and Regulations.

II. AUTHORITY

Title 47 U.S.C. 151, 154 (i) and (o), 303 (r), 524(g) and 606; and 47 C.F.R. Part 11, FCC Rules and Regulations, Emergency Alert System (EAS)

III. KEY EAS SOURCES

A. Local Primary Source (LP-1)

Location	
EAS Codes in Encoder/Decoder	
EAS Monitoring Assignments	
Contact	
Telephone	
Unlisted Telephone	
Hours of Operation	
Communications Facilities	

B. Local Primary Source (LP-2)

Location	
EAS Codes in Encoder/Decoder	
EAS Monitoring Assignments	
Contact	
Telephone	
Unlisted Telephone	
Hours of Operation	
Communications Facilities	

IV. AUTHENTICATION (See ANNEX B)

The following two steps should be performed, in order, when an EAS alert or test is first received in order to determine the legitimacy of the alert.

A. Test and Emergency Code Words

Authenticate the alert or test by comparing the preset code word to the authentication word in the EAS alert.

Testing Code Word (if used)	
Actual Emergency Code Word	

B. Return Telephone Call

Return telephone call to appropriate number (listed in Annex A).

Note: National Weather Service (NWS) warnings received via NOAA Weather Radio, NOAA Weather Wire or AP, Reuters and UPI wire services do not need additional authentication.

V. IMPLEMENTATION

The following procedures should be used to implement EAS alerts.

A. Procedures for Designated Officials

1. Activation Request

Request activation of the EAS facilities through the LP-1 (or LP-2 if the LP-1 cannot be contacted) via phone or other available communications facilities.

Note: When "severe weather" warnings are issued by the NWS, the NWS can notify the LP-1 directly.

2. Contact Format

Designated officials use the following format when contacting the key EAS sources:

"This is (Name/Title) of (Organization). I request that the Emergency Alert System be activated for the Local Area because of (Description of emergency)."

Use Authentication as noted in paragraph IV above.

3. Details of Transmission

Upon authentication, designated officials, EAS source personnel determine transmission details (i.e., live or recorded, immediate or delayed). Officials should provide emergency program material including a description of the emergency, actions being taken by local government, and instructions to the public.

4. Lines of Communication

Keep line of communication open if necessary.

5. Specific Area Activation

For a unique emergency not involving the entire local area, local authorities may request activation of the EAS through the broadcast station and cable system serving only the affected area.

B. Procedures for Broadcast and Cable System Personnel

1. LP-1 Response to EAS Alert

Upon receipt of a request to activate the local EAS from appropriate authority (verify authenticity via method described in IV above), the LP-1 (or alternate LP-2) may proceed as follows:

a. ANNOUNCEMENT

Broadcast the following announcement:

"WE INTERRUPT THIS PROGRAM BECAUSE OF A LOCAL EMERGENCY. IMPORTANT INFORMATION WILL FOLLOW."

b. TRANSMISSION OF EAS CODES

Transmit the EAS header codes and Attention Signal.

c. ANNOUNCEMENT

Transmit the following announcement and material:

"WE INTERRUPT THIS PROGRAM TO ACTIVATE THE EMERGENCY ALERT SYSTEM FOR THE ______ LOCAL AREA BECAUSE OF A LOCAL EMERGENCY. IMPORTANT INSTRUCTIONS WILL FOLLOW."

*** Follow with emergency program ***

d. TERMINATION

To terminate the EAS message (immediately or later), make the following announcement:

"THIS CONCLUDES EAS PROGRAMMING. ALL BROADCAST STATIONS AND CABLE SYSTEMS MAY NOW RESUME NORMAL OPERATIONS."

e. END-OF-MESSAGE CODE

Transmit the EAS End of Message (EOM) code.

Important Note: For State and local emergencies, broadcasters and cable operators have the option of transmitting only the EAS header and EOM codes without an audio emergency message. This is acceptable so that EAS coded messages can be unobtrusively relayed through areas unaffected by the emergency.

2. Procedures for Monitoring Stations and Cable Systems

All other broadcast stations and cable systems are monitoring key sources via EAS monitor receiver/decoders and will be alerted by the header codes and attention signal. Each station and cable system upon receipt of the signal will, at the discretion of management, perform the same procedures as in step 1 above by transmitting the emergency message from the LP-1 or LP-2.

3. Responsibility to Provide Confirmed Information

To avoid unnecessary escalation of public confusion, all stations and cable systems must be cautious in providing news and information pertaining to the emergency. All messages must be based on definite and confirmed facts. The public must not be left to decide what is or is not fact.

4. Resume Normal Programming

Upon completion of the above transmission procedures, resume normal programming. Appropriate notations should be made in the station and cable

system records. A very brief summary may be sent to the FCC for information purposes only.

VI. TESTS

Tests of these EAS procedures shall be conducted on a random or scheduled basis from a point which would originate the common emergency message.

VII. ANNEXES

ANNEX A	List of designated officials and phone numbers

ANNEX B Authentication procedures

ANNEX C Approvals

ANNEX D List of EAS codes transmitted by key EAS sources

ANNEX E List of broadcast stations and cable systems

ANNEX A		
Designated Officials for the	EAS Plan	



This _____ EAS Local Area plan was developed and approved by the EAS Local Emergency Communications Committee. The plan is coordinated with and distributed to all designated officials listed in Annex A and all broadcast stations and cable systems listed in Annex E. Broadcast EAS Local Area Chair Date Cable EAS Local Area Chair Date National Weather Service Date Local Government Official Date

ANNEX C

ANNEX D

LIST OF EAS CODES TRANSMITTED BY EAS KEY SOURCES

Key EAS Source	ORG - Originator	EEE - Event
(County FIPS #)		

ANNEX E				
LIST OF BROADCA	AST STATIONS ANI	O CABLE SYSTEM	I S	
				1
				-