

**NATIVE VILLAGE OF CHITINA
DRAFT HAZARD MITIGATION PLAN (HMP)
AUGUST, 2015**

HMP Draft – Review

This page intentionally left blank

Village of Chitina
Draft Hazard Mitigation Plan

Table of Contents

1.	Introduction.....	1-1
	1.1 Overview.....	1-1
	1.2 Grant Programs with Mitigation Plan Requirements.....	1-1
	1.2.1 Hazard Mitigation Assistance (HMA) Grant Programs.....	1-4
2.	Community Description.....	2-1
	2.1 Location, Geography, and History.....	2-1
	2.2 Demographics.....	2-3
	2.3 Economy.....	2-3
3.	Planning Process.....	3-1
	3.1 Overview.....	3-1
	3.2 Planning Team.....	3-3
	3.3 Public and Agency Involvement.....	3-3
	3.4 Existing Data Incorporation.....	3-5
	3.5 Plan Maintenance.....	3-6
	3.5.1 Implementing HMP Precepts.....	3-6
	3.5.2 Continued Public Involvement.....	3-7
	3.5.3 Monitoring, Reviewing, Evaluating, and Updating the HMP.....	3-7
4.	Jurisdictional Adoption.....	4-1
	4.1 Jurisdictional Adoption.....	4-1
5.	Hazard Analysis.....	5-1
	5.1 Overview.....	5-1
	5.2 Hazard Identification and Screening.....	5-1
	5.3 Hazard Profiles.....	5-2
	5.3.1 Earthquake.....	5-4
	5.3.2 Flood.....	5-11
	5.3.3 Ground Failure.....	5-17
	5.3.4 Severe Weather.....	5-21
	5.3.5 Wildland Fire.....	5-31
6.	Vulnerability Assessment.....	6-1
	6.1 Overview.....	6-1
	6.2 Land Use and Development Trends.....	6-2
	6.2.1 Land Use.....	6-2
	6.3 Current Asset Exposure Analysis.....	6-3
	6.3.1 Asset Inventory.....	6-3
	6.4 Repetitive Loss Properties.....	6-8
	6.5 Vulnerability Assessment Methodology.....	6-8
	6.6 Data Limitations.....	6-9
	6.7 Vulnerability Exposure Analysis.....	6-9
	6.7.1 Exposure Analysis – Narrative Summaries.....	6-11
	6.8 Future Development.....	6-14
	(DHS&EM 2014b).....	6-15
7.	Mitigation Strategy.....	7-1
	7.1 Overview.....	7-1
	7.2 Chitina’s Capability Assessment.....	7-2

Village of Chitina

Draft Hazard Mitigation Plan

	7.3 Developing Mitigation Goals.....	7-4
	7.4 Identifying Mitigation Actions	7-5
	7.5 Evaluating and Prioritizing Mitigation Actions	7-9
	7.6 Mitigation Action Plan.....	7-11
	7.7 Implementing Mitigation Strategy into Existing Planning Mechanisms	7-17
8.	References.....	8-1

Tables

Table 1-1	HMA Eligible Activities.....	1-4
Table 3-1	Hazard Mitigation Planning Team.....	3-3
Table 3-2	Public Involvement Mechanisms.....	3-4
Table 3-3	Documents Reviewed	3-5
Table 5-1	Identification and Screening of Hazards.....	5-2
Table 5-2	Hazard Magnitude/Severity Criteria	5-3
Table 5-3	Hazard Recurrence Probability Criteria.....	5-4
Table 5-4	Historical Earthquakes for Chitina.....	5-7
Table 5-5	Historical Flood Events and Impacts	5-12
Table 5-6	Station: 501824, Chitina	5-25
Table 5-7	Station: 501824, Chitina	5-26
Table 5-8	Severe Weather Events	5-29
Table 5-9	Wildfire Locations Exceeding 100 Acres Since 1939	5-32
Table 6-1	Vulnerability Overview	6-2
Table 6-2	Estimated Population and Building Inventory.....	6-3
Table 6-3	Chitina’s Completed Capital Improvement Project List.....	6-3
Table 6-4	Chitina’s Critical Facilities and Infrastructure.....	6-5
Table 6-5	Potential Hazard Exposure Analysis – Critical Facilities.....	6-10
Table 6-6	Potential Hazard Exposure Analysis – Critical Infrastructure.....	6-10
Table 6-7	Planned and Funded Projects	6-15
Table 7-1	Chitina’s Regulatory Tools.....	7-2
Table 7-2	Chitina’s Technical Specialists.....	7-3
Table 7-3	Chitina’s Financial Resources.....	7-3
Table 7-4	Mitigation Goals	7-5
Table 7-5	Potential Mitigation Actions.....	7-6
Table 7-6	Evaluation Criteria for Mitigation Actions.....	7-9
Table 7-7	Potential Funding Source Acronym List.....	7-11
Table 7-8	Village of Chitina’s Mitigation Action Plan (MAP).....	7-13

Village of Chitina

Draft Hazard Mitigation Plan

Figures

Figure 2-1	Chitina’s Location Map	2-1
Figure 2-2	Chitina Historic Main Street with Store Front	2-1
Figure 2-3	Fish Wheel on the Copper River near Chitina	2-2
Figure 2-4	Chitina’s Historic Population.....	2-3
Figure 2-5	Aerial Photograph of the Village of Chitina	2-4
Figure 5-1	Modified Mercalli Intensity	5-6
Figure 5-2	Active and Potentially Active Faults in Alaska	5-8
Figure 5-3	Earthquake Fault Proximity to Chitina	5-9
Figure 5-4	Chitina’s Earthquake Recurrence Probability.....	5-10
Figure 5-5	Debris and Boulders in O’Brien Creek Moved by the 2006 Flood	5-14
Figure 5-6	Chitina’s Baseline Erosion Locations	5-15
Figure 5-7	2014 Landslide on McCarthy Road near	5-19
Figure 5-8	Permafrost and Ground Ice Map of Alaska	5-20
Figure 5-9	Statewide Rainfall Map.....	5-23
Figure 5-10	Chitina Historic and Predicted Precipitation.....	5-28
Figure 5-11	Chitina Historic and Predicted Temperature.....	5-28
Figure 5-12	Chitina Historical Wildfire Locations.....	5-33

Appendices

A	Funding Resources
B	FEMA HMP Review Tool
C	Community HMP Adoption Resolution
D	Public Outreach
E	Benefit-Cost Analysis Fact Sheet
F	Plan Maintenance Documents

Village of Chitina

Draft Hazard Mitigation Plan

Acronyms/Abbreviations

°F	Degrees Fahrenheit
ACCIMP	Alaska Climate Change Impact Mitigation Program
ACWF	Alaska Clean Water Fund
ADWF	Alaska Drinking Water Fund
AECOM	AECOM Corporation
AEA	Alaska Energy Authority
AEED	Alternative Energy And Energy Efficiency
AFG	Assistance To Firefighters Grant
AHFC	Alaska Housing Finance Corporation
AICC	Alaska Interagency Coordination Center
AK	Alaska
ANA	Administration For Native Americans
ARC	American Red Cross
AVEC	Alaska Village Electric Cooperative
BIA	Bureau Of Indian Affairs
CCP	Citizen Corps Program
CDBG	Community Development Block Grant
CFR	Code Of Federal Regulations
CFP	Community Forestry Program
CGP	Comprehensive Grant Program
CWSRF	Clean Water State Revolving Fund
DCCED	Department Of Commerce, Community, And Economic Development
DCRA	Division Of Community And Regional Affairs
DEC	Department Of Environmental Conservation
Denali	Denali Commission
DHS	Department Of Homeland Security
DHS&EM	Division Of Homeland Security And Emergency Management
DHSS	Department Of Health And Social Services
DGGS	Division Of Geological And Geophysical Survey
DMA 2000	Disaster Mitigation Act Of 2000
DMVA	Department Of Military And Veterans Affairs
DNR	Department Of Natural Resources
DOE	Department Of Energy
DOF	Division Of Forestry
DOI	Division Of Insurance
DOL	Department Of Labor
DOT/PF	Department Of Transportation And Public Facilities
DSS	Division Of Senior Services
EOC	Emergency Operations Center
EMPG	Emergency Management Performance Grant
EPA	Environmental Protection Agency
EQ	Earthquake

Village of Chitina
Draft Hazard Mitigation Plan

Acronyms/Abbreviations

ER	Erosion
EWP	Emergency Watershed Protection Program
FAA	Federal Aviation Administration
FEMA	Federal Emergency Management Agency
FL	Flood and Erosion
FMA	Flood Mitigation Assistance
FP&S	Fire Prevention And Safety
ft	Feet
FY	Fiscal Year
g	Gravity
GF	Ground Failure
GIS	Geospatial Information System
Hazus	Hazard United States – Multi-Hazard Software
HMA	Hazard Mitigation Assistance
HMGP	Hazard Mitigation Grant Program
HMP	Hazard Mitigation Plan
HSGP	Homeland Security Grant Program
HUD	Housing And Urban Development
IBHS	Institute For Business And Home Safety
ICDBG	Indian Community Development Block Grant
IGAP	Indian General Assistance Program
IHBG	Indian Housing Block Grant
IHLGP	Indian Home Loan Guarantee Program
INAP	Indian And Native American Programs
IRS	Internal Revenue Service
Kts	Knots
LEG	Legislative Energy Grant
LEPC	Local Emergency Planning Committee
M	Magnitude
MAP	Mitigation Action Plan
MGL	Municipal Grants And Loans
MMI	Modified Mercalli Intensity
mph	Miles Per Hour
msl	Mean Sea Level
NAHASDA	Native American Housing Assistance And Self Determination Act
NFIP	National Flood Insurance Program
NIMS	National Incident Management System
NOAA	National Oceanic And Atmospheric Administration
NRF	National Response Framework
NRCS	Natural Resources Conservation Service
NWS	National Weather Service
PDM	Pre-Disaster Mitigation
PGA	Peak Ground Acceleration

Village of Chitina
Draft Hazard Mitigation Plan

Acronyms/Abbreviations

PNP	Private Non-Profits
RCASP	Remote Community Alert Systems
RD	Rural Development
REAP	Renewable Energy Alaska Project
RL	Repetitive Loss
RurALCAP	Rural Alaska Community Action Program Incorporated
SAFER	Staffing For Adequate Fire And Emergency Response
SBA	U.S. Small Business Administration
SHMP	Alaska State Hazard Mitigation Plan
SHSP	State Homeland Security Program
SOA	State Of Alaska
Sq.	Square
Stafford Act	Robert T. Stafford Disaster Relief And Emergency Assistance Act
STAPLEE	Social, Technical, Administrative, Political, Legal, Economic, And Environmental
SW	Severe Weather
URS	URS Corporation
US or U.S.	United States
USACE	United States Army Corps Of Engineers
USC	United States Code
USDA	United States Department Of Agriculture
USGS	United States Geological Survey
VFA-RFA	Volunteer Fire Assistance And Rural Fire Assistance Grant
Village	Native Village of Chitina
VSW	Village Safe Water
WF	Wildfire
WARN	Warning, Alert, And Response Network
WHIP	Wildlife Habitat Incentives Program
WX	Weather

Section One provides a brief introduction to hazard mitigation planning, the grants associated with these requirements, and a description of this Hazard Mitigation Plan (HMP).

1.1 OVERVIEW

In recent years, local hazard mitigation planning has been driven by a new Federal law. On October 30, 2000, Congress passed the Disaster Mitigation Act of 2000 (DMA 2000) (P.L. 106-390) which amended the Robert T. Stafford Disaster Relief and Emergency Assistance Act (Stafford Act) (Title 42 of the United States Code [USC] 5121 et seq.) by repealing the act's previous mitigation planning section (409) and replacing it with a new mitigation planning section (322). This new section emphasized the need for State, Tribal, and local entities to closely coordinate mitigation planning and implementation efforts. In addition, it provided the legal basis for the Federal Emergency Management Agency's (FEMA) mitigation plan requirements for mitigation grant assistance.

To implement these planning requirements, FEMA published an Interim Final Rule in the Federal Register on February 26, 2002 (FEMA 2002a), 44 CFR Part 201 with subsequent updates. The planning requirements for local entities are described in detail in Section 2 and are identified in their appropriate sections throughout this HMP.

In October 2007 and July 2008, FEMA combined and expanded flood mitigation planning requirements with local hazard mitigation plans (44 CFR §201.6). Furthermore, all hazard mitigation assistance program planning requirements were combined eliminating duplicated mitigation plan requirements. This change also required participating National Flood Insurance Program (NFIP) communities' risk assessments and mitigation strategies to identify and address repetitively flood damaged properties. Local hazard mitigation plans now qualify communities for several Federal Hazard Mitigation Assistance (HMA) grant programs.

This HMP complies with Title 44 CFR current as of March 11, 2015 and applicable guidance documents. (FEMA 2015a)

1.2 GRANT PROGRAMS WITH MITIGATION PLAN REQUIREMENTS

FEMA HMA grant programs provide funding to States, Tribes, and local entities that have a FEMA-approved State, Tribal, or Local Mitigation Plan. Two of the grants are authorized under the Stafford Act and DMA 2000, while the remaining three are authorized under the National Flood Insurance Act and the Bunning-Bereuter-Blumenauer Flood Insurance Reform Act. Excerpts from FEMA's 2015 HMA Guidance, Part I, is as follows:

"The U.S. Department of Homeland Security (DHS) FEMA HMA programs present a critical opportunity to reduce the risk to individuals and property from natural hazards, while simultaneously reducing reliance on Federal disaster funds. On March 30, 2011, the President signed Presidential Policy Directive 8 (PPD-8): National Preparedness, and the National Mitigation Framework was finalized in May 2013. The National Mitigation Framework comprises seven core capabilities, including:

- ◆ *Threats and Hazard Identification*
- ◆ *Risk and Disaster Resilience Assessment*
- ◆ *Planning*

- ◆ *Community Resilience*
- ◆ *Public Information and Warning*
- ◆ *Long-Term Vulnerability Reduction*
- ◆ *Operational Coordination*

HMA programs provide funding for eligible activities that are consistent with the National Mitigation Framework’s Long-Term Vulnerability Reduction capability. HMA programs reduce community vulnerability to disasters and their effects, promote individual and community safety and resilience, and promote community vitality after an incident. Furthermore, HMA programs reduce response and recovery resource requirements in the wake of a disaster or incident, which results in a safer community that is less reliant on external financial assistance.

Hazard mitigation is defined as any sustained action taken to reduce or eliminate long-term risk to people and property from natural hazards and their effects. This definition distinguishes actions that have a long-term impact from those that are more closely associated with immediate preparedness, response, and recovery activities. Hazard mitigation is the only phase of emergency management specifically dedicated to breaking the cycle of damage, reconstruction, and repeated damage. Accordingly, States, territories, federally-recognized tribes, and local communities are encouraged to take advantage of funding that HMA programs provide in both the pre- and post-disaster timelines.

In addition to hazard mitigation, FEMA’s Risk Mapping, Assessment, and Planning (Risk MAP) Program provides communities with education, risk communication, and outreach to better protect its citizens. The Risk MAP project lifecycle places a strong emphasis on community engagement and partnerships to ensure a whole community approach that reduces flood risk and builds more resilient communities. Risk MAP risk assessment information strengthens a local community’s ability to make better and more informed decisions. Risk MAP allows communities to better invest and determine priorities for projects funded under HMA. These investments support mitigation efforts under HMA that protect life and property and build more resilient communities.

The whole community includes children, individuals with disabilities, and others with access and functional needs; those from religious, racial, and ethnically diverse backgrounds; and people with limited English proficiency. Their contributions must be integrated into mitigation/resilience efforts, and their needs must be incorporated as the whole community plans and executes its core capabilities.

WHOLE COMMUNITY

A. HMA Commitment to Resilience and Climate Change Adaptation

FEMA is committed to promoting resilience as expressed in PPD-8: National Preparedness; the President’s State, Local, and Tribal Leaders Task Force on Climate Preparedness and Resilience; the Administrator’s 2011 FEMA Climate Change Adaptation Policy Statement (Administrator Policy 2011-OPPA-01); and the 2014–2018 FEMA Strategic Plan. Resilience refers to the ability to adapt to changing conditions and withstand and rapidly recover from disruption due to emergencies. The concept of resilience is closely related to the concept of hazard mitigation, which reduces or eliminates potential losses by breaking the cycle of damage, reconstruction, and repeated damage. Mitigation capabilities include, but are not limited to, community-wide risk

reduction projects, efforts to improve the resilience of critical infrastructure and key resource lifelines, risk reduction for specific vulnerabilities from natural hazards and climate change, and initiatives to reduce future risks after a disaster has occurred.

FEMA is supporting efforts to streamline the HMA programs so that these programs can better respond to the needs of communities nationwide that are addressing the impacts of climate change. FEMA, through its HMA programs:

- ◆ *Develops and encourages adoption of resilience standards in the siting and design of buildings and infrastructure*
- ◆ *Modernizes and elevates the importance of hazard mitigation*

FEMA has issued several policies that facilitate the mitigation of adverse effects from climate change on the built environment, structures and infrastructure. Consistent with the 2014–2018

FEMA Strategic Plan, steps are being taken by communities through engagement of individuals, households, local leaders, representatives of local organizations, and private sector employers and through existing community networks to protect themselves and the environment by updating building codes, encouraging the conservation of natural and beneficial functions of the floodplain, investing in more resilient infrastructure, and engaging in mitigation planning. FEMA plays an important role in supporting community-based resilience efforts, establishing policies, and providing guidance to promote mitigation options that protect critical infrastructure and public resources.

FEMA encourages better integration of Sections 404 and 406 of the Robert T. Stafford Disaster Relief and Emergency Assistance Act, as amended (Stafford Act), Title 42 of the United States Code (U.S.C.) 5121 et seq., to promote more resilience during the recovery and mitigation process. FEMA regulations that implement Sections 404 and 406 of the Stafford Act allow funding to incorporate mitigation measures during recovery activities. Program guidance and practice limits Section 406 mitigation to the damaged elements of a structure. This limitation to Section 406 mitigation may not allow for a comprehensive mitigation solution for the damaged facility; however, Section 404 funds may be used to mitigate the undamaged portions of a facility.

Recognizing that the risk of disaster is increasing as a result of multiple factors, including the growth of population in and near high-risk areas, aging infrastructure, and climate change, FEMA promotes climate change adaptation by:

- ◆ *Incorporating sea level rise in the calculation of Benefit-Cost Analysis (BCA)*
- ◆ *Publishing a new HMA Job Aid on pre-calculated benefits for hurricane wind retrofit measures, see HMA Job Aid (Cost Effectiveness Determination for Residential Hurricane Wind Retrofit Measures Funded by FEMA)*
- ◆ *Encouraging floodplain and wetland conservation associated with the acquisition of properties in green open space and riparian areas*
- ◆ *Reducing wildfire risks*
- ◆ *Preparing for evolving flood risk*
- ◆ *Encouraging mitigation planning and developing mitigation strategies that encourage community resilience and smart growth*

1

- ◆ Encouraging the use of building codes and standards (the American Society of Civil Engineers/Structural Engineering Institute [ASCE/SEI] 24-14, Flood Resistant Design and Construction) wherever possible.

For additional information, see <http://www.fema.gov/climate-change>” (FEMA 2015b).

1.2.1 Hazard Mitigation Assistance (HMA) Grant Programs

HMA grant program activities include:

Table 1-1 HMA Eligible Activities

Activities	HMGP	PDM	FMA
1. Mitigation Projects	✓	✓	✓
Property Acquisition and Structure Demolition	✓	✓	✓
Property Acquisition and Structure Relocation	✓	✓	✓
Structure Elevation	✓	✓	✓
Mitigation Reconstruction	✓	✓	✓
Dry Floodproofing of Historic Residential Structures	✓	✓	✓
Dry Floodproofing of Non-residential Structures	✓	✓	✓
Generators	✓	✓	
Localized Flood Risk Reduction Projects	✓	✓	✓
Non-localized Flood Risk Reduction Projects	✓	✓	
Structural Retrofitting of Existing Buildings	✓	✓	✓
Non-structural Retrofitting of Existing Buildings and Facilities	✓	✓	✓
Safe Room Construction	✓	✓	
Wind Retrofit for One- and Two-Family Residences	✓	✓	
Infrastructure Retrofit	✓	✓	✓
Soil Stabilization	✓	✓	✓
Wildfire Mitigation	✓	✓	
Post-Disaster Code Enforcement	✓		
Advance Assistance	✓		
5 Percent Initiative Projects	✓		
Miscellaneous/Other ⁽¹⁾	✓	✓	✓
2. Hazard Mitigation Planning	✓	✓	✓
Planning Related Activities	✓		
3. Technical Assistance			✓
4. Management Cost	✓	✓	✓
<small>⁽¹⁾ Miscellaneous/Other indicates that any proposed action will be evaluated on its own merit against program requirements. Eligible projects will be approved provided funding is available.</small>			

(FEMA 2015b)

The Hazard Mitigation Grant Program (HMGP) is a competitive, disaster funded, grant program. Whereas the other Unified Mitigation Assistance Programs: Pre-Disaster Mitigation (PDM) and Flood Mitigation Assistance (FMA) programs although competitive, rely on specific pre-disaster

grant funding sources, sharing several common elements. The 2015 HMA Guidance provides the following programmatic information:

HMGP is authorized by Section 404 of the Stafford Act, 42 U.S.C. 5170c. The key purpose of HMGP is to ensure that the opportunity to take critical mitigation measures to reduce the risk of loss of life and property from future disasters is not lost during the reconstruction process following a disaster.

HMGP funding is available, when authorized under a Presidential major disaster declaration, in the areas of the State requested by the Governor. Federally-recognized tribes may also submit a request for a Presidential major disaster declaration within their impacted areas (see <http://www.fema.gov/media-library/assets/documents/85146>). The amount of HMGP funding available to the Applicant is based on the estimated total Federal assistance, subject to the sliding scale formula outlined in Title 44 of the Code of Federal Regulations (CFR) Section 206.432(b) that FEMA provides for disaster recovery under Presidential major disaster declarations. The formula provides for up to 15 percent of the first \$2 billion of estimated aggregate amounts of disaster assistance, up to 10 percent for amounts between \$2 billion and \$10 billion, and up to 7.5 percent for amounts between \$10 billion and \$35.333 billion. For States with enhanced plans, the eligible assistance is up to 20 percent for estimated aggregate amounts of disaster assistance not to exceed \$35.333 billion.

The Period of Performance (POP) for HMGP begins with the opening of the application period and ends no later than 36 months from the close of the application period.

PDM is designed to assist States, territories, federally-recognized tribes, and local communities to implement a sustained pre-disaster natural hazard mitigation program to reduce overall risk to the population and structures from future hazard events, while also reducing reliance on Federal funding in future disasters. Congressional appropriations provide the funding for PDM.

The total amount of funds distributed for PDM is determined once the appropriation is provided for a given fiscal year. It can be used for mitigation projects and planning activities.

The POP for PDM begins with the opening of the application period and ends no later than 36 months from the date of subapplication selection.

FMA is authorized by Section 1366 of the National Flood Insurance Act of 1968, as amended (NFIA), 42 U.S.C. 4104c, with the goal of reducing or eliminating claims under the National Flood Insurance Program (NFIP). FMA was created as part of the National Flood Insurance Reform Act (NFIRA) of 1994. The Biggert-Waters Flood Insurance Reform Act of 2012 (Public Law 112-141) consolidated the Repetitive Flood Claims and Severe Repetitive Loss grant programs into FMA. FMA funding is available through the National Flood Insurance Fund (NFIF) for flood hazard mitigation projects as well as plan development and is appropriated by Congress. States, territories, and federally-recognized tribes are eligible to apply for FMA funds. Local governments are considered subapplicants and must apply to their Applicant State, territory, or federally-recognized tribe.

The Village of Chitina does not currently participate in FEMA's National Flood Insurance Program (NFIP) and is therefore ineligible/eligible for Flood Mitigation Assistance (FMA) associated grant funding opportunities.

The POP for FMA begins with the opening of the application period and ends no later than 36 months from the date of subapplication selection” (FEMA 2015b)

As the State Hazard Mitigation plan states:

“The [FMA] provides pre-disaster grants to State and Local Governments for planning and flood mitigation projects. Created by the National Flood Insurance Reform Act of 1994, its goal is to reduce or eliminate NFIP claims. It is an annual nationally competitive program. Residential and non-residential properties may apply for FMA grants through their NFIP community and are required to have NFIP insurance to be eligible. FMA grant funds may be used to develop the flood portions of hazard mitigation plans or to do flood mitigation projects. FMA grants are funded 75% Federal and 25% applicant.

The Biggert-Waters Flood Insurance Reform Act of 2012 eliminated the Repetitive Flood Claims (RFC) and Severe Repetitive Loss (SRL) grant programs. Elements of these flood programs have been incorporated into FMA. The FMA program now allows for additional cost share flexibility:

- *Up to 100-percent Federal cost share for severe repetitive loss properties.*
- *Up to 90-percent Federal cost share for repetitive loss properties.*
- *Up to 75-percent Federal cost share for NFIP insured properties.*

The FMA program is available only to communities participating in the NFIP. In the State of Alaska, the Department of Commerce, Community, and Economic Development (DCCED) manages this program” (SHMP 2013).

HMP Layout Description

The HMP consists of the following sections and appendices:

Section 1 Introduction

Section One defines what a hazard mitigation plan is, delineates federal requirements and authorities, and introduces the Hazard Mitigation Assistance program listing the various grant programs and their historical funding levels.

Section 2 Community Description

Section Two provides a general history and background of the Village of Chitina (Village), including historical trends for population and the demographic and economic conditions that have shaped the area.

Section 3 Planning Process

Section Three describes the HMP update’s planning process, identifies the Planning Team Members, the meetings held as part of the planning process, and the key stakeholders within the Village of Chitina and the surrounding area. This section documents public outreach activities (support documents are located in Appendix D); including document reviews and relevant plans, reports, and other appropriate information data utilized for HMP development; actions the plans to implement to assure continued public participation; and their methods and schedule for keeping the plan current.

This section also describes the Planning Team’s formal plan maintenance process to ensure that the HMP remains an active and applicable document throughout its 5-year lifecycle. The process

includes monitoring, reviewing, evaluating (Appendix F – Maintenance Documents), updating the HMP as well as implementation initiatives.

Section 4 Jurisdictional Adoption

Section Four describes the community’s HMP adoption process (support documents are located in Appendix C)

Section 5 Hazard Analysis

Section Five describes the process through which the Planning Team identified, screened, and selected the hazards to for profiling in this version of the HMP. The hazard analysis includes the nature, previous occurrences (history), location, extent, impact, and future event recurrence probability for each hazard. In addition, historical impact and hazard location figures are included when available.

Section 6 Vulnerability Assessment

Section Six identifies the Village of Chitina’s potentially vulnerable assets—people, residential and nonresidential buildings, critical facilities, and critical infrastructure. The resulting information identifies the full range of hazards that the Village could face and potential social impacts, damages, and economic losses. Land use and development trends are also discussed.

Section 7 Mitigation Strategy

Section Seven defines the mitigation strategy which provides a blueprint for reducing the potential losses identified in the vulnerability analysis. This section lists the community’s governmental authorities, policies, programs and resources.

The Planning Team developed a list of mitigation goals and potential actions to address the risks facing The Village of Chitina. Mitigation actions include preventive actions, property protection techniques, natural resource protection strategies, structural projects, emergency services, and public information and awareness activities. Mitigation strategies were developed to address NFIP insured properties (if applicable) while encouraging participation with the NFIP and the reduction of flood damage to flood-prone structures.

Section 8 References

Section Eight lists reference materials and resources used to prepare this HMP.

Appendices

Appendix A: Delineates Federal, State, and other potential mitigation funding sources. This section will aid the community with researching and applying for funds to implement their mitigation strategy.

Appendix B: Provides the FEMA Local Mitigation Plan Review Tool, which documents compliance with FEMA criteria.

Appendix C: Provides the adoption resolution for the Village of Chitina.

Appendix D: Provides public outreach information, including newsletters.

Appendix E: Contains the Benefit-Cost Analysis Fact Sheet used to prioritize mitigation actions.

Appendix F: Provides the plan maintenance documents, such as an annual review sheet and the progress report form.

This page intentionally left blank

2. Community Description

Section Two provides the Village of Chitina’s location, geography, history, and demographic information.

2.1 LOCATION, GEOGRAPHY, AND HISTORY

Chitina is an unincorporated, census-designated place within the Valdez-Cordova Census Area. Chitina is at mile 34 of the Edgerton Highway, about 53 miles southeast of Copper Center and 66 miles southeast of Glennallen. It is on the west bank of the Copper River where it meets the Chitina River. Chitina is just outside of the western boundary of Wrangell-St. Elias National Park (DCRA 2015). Figure 2-1 shows Chitina’s location within Alaska.



Figure 2-1 Chitina’s Location Map

The Village of Chitina covers approximately 95.8 square miles of land with 11.1 square miles of water. Chitina is in a continental climate zone with long, cold winters and warm summers. The area receives approximately 12 inches of precipitation and 52 inches of snow annually. Summer temperatures range from about 43 to 67°F in summer, and from about -17 to 17 degrees in winter (WRCC 2015). Record highs and lows of 91 °F and -58°F have been recorded. Chitina is usually about 10 degrees warmer than Kenny Lake, a neighboring community 26 miles to the northwest.



Figure 2-2 Chitina Historic Main Street with Store Front (DCCED 2000)



Figure 2-3 Fish Wheel on the Copper River near Chitina (Follett 2013)

The Native Village of Chitina is a federally-recognized tribe of Ahtna Athabascan heritage that exercises its sovereign authority to conduct the day to day business for the tribal members to promote the social, economic, and cultural well-being. Historically, the Ahtna people have occupied the Copper River basin for the past 5,000 to 7,000 years. Before contact with Europeans, Chitina was the site of a large native village estimated at 1,000 people, and there are archaeological sites south and east of Chitina. Population levels dropped from influxes of people, disease, and conflicts until miners seeking copper deposits in the Chitina River Valley came to the area in the early 1900s. The Copper River & Northwestern Railway facilitated Chitina's growth into a flourishing community by 1914. Chitina had a general store, a clothing store, a meat market, stables, a tinsmith, five hotels, several rooming houses, a pool hall, bars, restaurants, dance halls, and a movie theater. Chitina's population again dropped dramatically after the closure of the mines in 1938. Most of Chitina was owned by Otto Adrian Nelson, a Kennecott Mine surveying engineer, until Mudhole Smith, a bush pilot, purchased the Nelson estate and sold the townsite and buildings. The railroad is no longer in operation, but the route and bridge compose some parts of the Copper River Highway. Chitina currently attracts a large number of Alaskan dipnetters in the summer who join subsistence dipnetters along the Copper River (Ahtna, Inc. 2015). Figure 2-2 shows Chitina's historic main street with architecture reflecting its history, and Figure 2-3 shows a fish wheel.

2.2 DEMOGRAPHICS




Figure 2-4 Chitina’s Historic Population

The 2010 census recorded 126 residents. The median age was 28 years, indicating a relatively young population. The population of Chitina is expected to remain steady because over half of the population is under 30 years of age. The Village population is principally of Caucasian or Athabascan heritage, with about 64 percent white residents, 20 percent Alaska Native residents, and about 16 percent of two or more races. The male and female composition is approximately 48 and 52 percent respectively. The 2010 census documented 52 households with the average household having approximately 3 individuals (DCRA 2015). The 2013 DCCED certified population is 116. Figure 2-4 illustrates Chitina’s population over time.

2.3 ECONOMY

The Village of Chitina’s economy is based upon subsistence activities. Local government, trade, transportation, and utilities are the principle industries in Chitina. Other general employment opportunities do exist within the community, including leisure, hospitality, and construction (DCRA 2015).

According to the 2009-2013 American Community Survey 5-Year Estimates, the median household income was \$46,875 with a per capita income of \$22,444. Approximately 20% were reported to be living below the poverty level. The potential work force (those aged 16 years or older) in the Village was estimated to be 85, of which 47 were actively employed. In 2013 the number of unemployment insurance claimants was 25. Practical unemployment or underemployment is likely to be significantly higher as the employment data includes seasonal or part-time jobs.

Figure 2-5 shows an aerial photograph of the Village.




Figure 2-5 Aerial Photograph of the Village of Chitina (DCRA 2005)

Section Three provides an overview of the planning process; identifies the Planning Team Members and key stakeholders; documents public outreach efforts; and summarizes the review and incorporation of existing plans, studies, and reports used to develop this HMP. Outreach support documents and meeting information regarding the Planning Team and public outreach efforts are provided in Appendix F.

DMA 2000 and its implementing regulations for the planning process:

DMA 2000 Requirements
<p>Local Planning Process §201.6(b): An open public involvement process is essential to the development of an effective plan. In order to develop a more comprehensive approach to reducing the effects of natural disasters, the planning process shall include: Element §201.6(b)(1): An opportunity for the public to comment on the plan during the drafting stage and prior to plan approval; §201.6(b)(2): An opportunity for neighboring communities, local and regional agencies involved in hazard mitigation activities, and agencies that have the authority to regulate development, as well as businesses, academia and other private and nonprofit interests to be involved in the planning process; and §201.6(b)(3): Review and incorporation, if appropriate, of existing plans, studies, reports, and technical information. §201.6(c)(1): [The plan shall document] the planning process used to develop the plan, including how it was prepared, who was involved in the process, and how the public was involved. §201.6(c)(4)(i): The plan maintenance process shall include a) section describing the method and schedule of monitoring, evaluating, and updating the mitigation plan within a five-year cycle. §201.6(c)(4)(iii): The plan maintenance process shall include a) discussion on how the community will continue public participation in the plan maintenance process.</p>
1. REGULATION CHECKLIST
ELEMENT A. Planning Process
<p>A1. Does the Plan document the planning process, including how it was prepared and who was involved in the process for each jurisdiction? (Requirement §201.6(c)(1)) A2. Does the Plan document an opportunity for neighboring communities, local and regional agencies involved in hazard mitigation activities, agencies that have the authority to regulate development as well as other interests to be involved in the planning process? (Requirement §201.6(b)(2)) A3. Does the Plan document how the public was involved in the planning process during the drafting stage? (Requirement §201.6(b)(1)) A4. Does the Plan describe the review and incorporation of existing plans, studies, reports, and technical information? (Requirement §201.6(b)(3)) A5. Is there discussion of how the community(ies) will continue public participation in the plan maintenance process? (Requirement §201.6(c)(4)(iii)) A6. Is there a description of the method and schedule for keeping the plan current (monitoring, evaluating and updating the mitigation plan within a 5-year cycle?) (Requirement §201.6(c)(4)(i))</p>
<p><i>Does the <u>updated plan</u> document how the planning team reviewed and analyzed each section of the plan and whether each section was revised as part of the update process? (Not applicable until 2013 update).</i></p>
<p><i>Source: FEMA, March 2015.</i></p>

3

3.1 OVERVIEW

The State of Alaska, Division of Homeland Security and Emergency Management (DHS&EM) provided funding and project oversight to the hazard mitigation planning consultant (AECOM) to facilitate and guide Planning Team development and HMP development

The planning process began on January 21, 2015 with a teleconference with Chitina Environmental Protection Agency (EPA)/Indian General Assistance Program (IGAP) Director

Fred Dahl, who relayed meeting information to other Planning Team members. The teleconference was conducted to explain how the community of Chitina was selected by the Division of Homeland Security and Emergency Management 2014 Pre-Disaster Mitigation Grant award. AECOM staff described the HMP development requirement to enable the Village to qualify for Hazard Mitigation Grant Program grants and the overall HMP development process.

AECOM explained how the HMP differed from current emergency plans, the importance of having a Planning Team, and other aspects of the hazard mitigation planning process. A discussion followed of the community's roles, which include acting as an advocate for the planning process, assisting with information gathering, and supporting public participation opportunities. Fred Dahl with assistance from other Planning Team members identified applicable Village resources and capabilities.

AECOM asked the teleconference participants to help identify hazards that affect the Village. The Planning Team discussed existing hazards that affect Chitina, such as erosion, high winds, and permafrost impacts, which are increasing in intensity due to climate changes.

Jonathan Doty with Chitina Electric, a subsidiary of the Chitina Native Corporation, provided key input for critical facilities. Dan Boone Jr. and Martin Finnesand also provided some input for critical facilities, and Toni Goodlataw aided in communication and some hazard information.

In summary, the following five-step process took place from January 2015 through July 2015:

1. Organize resources: Members of the Planning Team identified resources, including staff, agencies, and local community members, who could provide technical expertise and historical information needed in the development of the hazard mitigation plan.
2. Monitor, evaluate, and update the plan: The Planning Team developed a process to ensure the plan was monitored to ensure it was used as intended while fulfilling community needs. The team then developed a process to evaluate the plan to compare how their decisions affected hazard impacts. They then outlined a method to share their successes with community members to encourage support for mitigation activities and to provide data for incorporating mitigation actions into existing planning mechanisms and to provide data for the plans five year update.
3. Assess risks: The Planning Team identified the hazards specific to Chitina and with the assistance of a hazard mitigation planning consultant (AECOM), developed the risk assessment for seven identified hazards. The Planning Team reviewed the risk assessment, including the vulnerability analysis, prior to and during the development of the mitigation strategy.
4. Assess capabilities: The Planning Team reviewed current administrative and technical, legal and regulatory, and fiscal capabilities to determine whether existing provisions and requirements adequately address relevant hazards.
5. Develop a mitigation strategy: After reviewing the risks posed by each hazard, the Planning Team developed a comprehensive range of potential mitigation goals and actions. Subsequently, the Planning Team identified and prioritized the actions for implementation.

3.2 PLANNING TEAM

The local Planning Team members are Fred Dahl (Environmental Coordinator and Planning Team Leader), with additional members from the Native Village of Chitina and Chitina Native Corporation.

Table 3-1 identifies the complete hazard mitigation Planning Team.

3-1 Hazard Mitigation Planning Team

Name	Title	Organization	Key Input
Fred Dahl	Chitina Environmental Protection Agency (EPA)/Indian General Assistance Program (IGAP) Director	Native Village of Chitina	Planning Team Lead, data input and HMP review.
Jonathan Doty	Chitina Electric, Inc.	Chitina Native Corporation	Planning Team Member, data input and HMP review.
Dan Boone, Jr.	Fire Department	Native Village of Chitina	Planning Team Member, data input and HMP review.
Toni Goodlataw	Tribal Administrator	Native Village of Chitina	Planning Team Member, communication facilitator, hazard data input and HMP review.
Martin Finnesand	President of Chitina Electric, Inc.	Chitina Native Corporation	Planning Team Member, data input and HMP review.
Elizabeth Appleby	Hazard Mitigation Planner	AECOM	Temporary Team Member. Responsible for HMP development, lead writer, project coordination.

3

3.3 PUBLIC AND AGENCY INVOLVEMENT

AECOM extended an invitation to all individuals and entities identified on the project mailing list described the planning process and announced the upcoming communities’ planning activities. The announcement was emailed to relevant academia, nonprofits, and local, state, and federal agencies on November 20, 2014. The following agencies were invited to participate and review the HMP:

- University of Alaska Fairbanks, Geophysical Institute, Alaska Earthquake Information Center (UAF/GI/AEIC)
- Alaska Native Tribal Health Consortium-Community Development (ANTHC)
- Alaska Volcano Observatory (AVO)
- Association of Village Council Presidents (AVCP)
- Denali Commission
- Alaska Department of Environmental Conservation (DEC)
- DEC Division of Spill Prevention and Response (DSPR)
- DEC Village Safe Water (VSW)
- Alaska Department of Transportation and Public Facilities (DOT/PF)
- Alaska Department of Community, Commerce, and Economic Development (DCCED)
- DCCED, Division of Community Advocacy (DCRA)

3

- Alaska Department of Military and Veterans Affairs (DMVA)
- DMVA, Division of Homeland Security and Emergency Management (DHS&EM)
- US Environmental Protection Agency (EPA)
- National Weather Service (NWS) Northern Region
- NWS Southeast Region
- NWS Southcentral Region
- Natural Resources Conservation Service (NRCS)
- US Department of Agriculture (USDA)
- USDA Division of Rural Development (RD)
- US Army Corps Of Engineers (USACE)
- US Bureau of Indian Affairs (BIA)
- US Bureau of Land Management (BLM)
- US Department of Housing and Urban Development (HUD)
- US Fish & Wildlife Service (USFWS)

Table 3-2 lists the community’s public involvement initiatives focused to encourage participation and insight for the HMP effort.

Table 3-2 Public Involvement Mechanisms

Mechanism	Description
Agency Involvement email (November 20, 2014)	Invited agencies to participate in mitigation planning effort and to review applicable newsletters located on the DHS&EM Local/Tribal All Hazard Mitigation Plan Development website at: http://ready.alaska.gov/plans/localhazmitplans
Newsletter #1 Distribution (January 2015)	On January 21, 2015, the Planning Team distributed a newsletter introducing the upcoming planning activity. The newsletter encouraged the whole community to provide hazard and critical facility information.
Newsletter #2 Distribution (August 2015)	In August 2015, the Planning Team distributed a newsletter describing the HMPs availability and present potential HMP projects for review. The newsletter encouraged the whole community to provide comments or input. It was posted at the tribal office.

Initial contact was made with Environmental Coordinator Fred Dahl on January 19, 2015. Fred was enthusiastic and supportive about Chitina’s inclusion within DHS&EM’s Pre-Disaster Mitigation grant and the prospects of completing the hazard mitigation plan. Mr. Dahl proceeded with organizing a planning team and communicating with the Native Village of Chitina Tribal Council and Chitina Native Corporation.

The first newsletter was placed on the DSH&EM website and sent to the Planning Team for distribution. The Planning Team identified five natural hazards: earthquake, erosion/flood, ground failure, severe weather, and wildland fire which periodically impact the Village.

AECOM described the specific information needed from the Planning Team to assess critical facility vulnerability and population risk by the location, value, and population within residential properties and critical facilities. The Planning Team evaluated these facilities and their associated risks to facilitate creating a viable or realistic risk analysis and subsequent

vulnerability assessment for Chitina. Meetings were held in April and May to discuss critical facilities and hazard risks.

A Planning Team meeting was held on May 13, 2015 to review and prioritize the mitigation actions identified based on the results of the risk assessment. A second newsletter was prepared and delivered in July 2015. The second newsletter described the planning process to date, presented the prioritized mitigation actions, and announced the availability of the draft HMP for public review and comment.

The Planning Team held a special meeting , 201x to review the draft HMP for accuracy – ensuring it meets the Village of Chitina’s needs. The meeting was productive with the Team highlighting several minor corrections or refinements. Changes were specifically targeted to plan development information, hazard impacts, community vulnerability analysis, and the mitigation strategy.

3

3.4 EXISTING DATA INCORPORATION

During the planning process, the Planning Team reviewed and incorporated information from existing plans, studies, reports, and technical reports (Table 3-3) into the HMP. The following were available from various sources and were reviewed and referenced where applicable for the HMP’s jurisdictional information, hazard profiles, and vulnerability assessment.

Table 3-3 Documents Reviewed

Existing plans, studies, reports, ordinances, etc.	Contents Summary (How will this information improve mitigation planning?)
Community Wildfire Protection Plan – Chitina, Alaska, June 2007	Developed a risk assessment and mitigation plan for wildfire
Community Plan – Chitina, Alaska, April 2009	Provided community goals and history
Chitina Community Energy Plan, August 2012	Provided energy and energy project information
Comprehensive Economic Development Strategy Plan – Copper River Region, Alaska, August 2012	Provided economic context for the plan and project history
US Army Corps of Engineers, Erosion Information Paper, - Chitina, Alaska, December 2007	Defined the community's erosion impacts
State of Alaska, Department of Commerce, Community and Economic Development Community Profile	Provided historical and demographic information
State of Alaska Hazard Mitigation Plan (SHMP), 2013	Defined statewide hazards and their potential locational impacts

A complete list of references list is provided in Section 8.

3.5 PLAN MAINTENANCE

This section describes a formal plan maintenance process to ensure that the HMP remains an active and applicable document. It includes an explanation of how the Village’s Planning Team intends to organize their efforts to ensure that improvements and revisions to the HMP occur in a well-managed, efficient, and coordinated manner.

The following three process steps are addressed in detail here:

1. Implementation into existing planning mechanisms
2. Continued public involvement
3. Monitoring, reviewing, evaluating, and updating the HMP

3

3.5.1 Implementing HMP Precepts

DMA 2000 and its implementing regulation for HMP implementation through existing planning mechanisms:

DMA 2000 Requirements
Incorporation into Existing Planning Mechanisms §201.6(b)(3): Review and incorporation, if appropriate, of existing plans, studies, reports, and technical information.
1. REGULATION CHECKLIST
ELEMENT A Planning Process (Continued)
A4. Does the Plan describe the review and incorporation of existing plans, studies, reports, and technical information?
<i>Source: FEMA, March 2015.</i>

Once the HMP is community adopted and receives FEMA’s final approval, Each Planning Team Member ensures that the HMP, in particular each Mitigation Action Project, is incorporated into existing planning mechanisms whenever possible. Each member of the Planning Team has undertaken the following activities.

- Conduct a review of the community-specific regulatory tools to assess the integration of the mitigation strategy. These regulatory tools are identified in the following capability assessment section
- Work with pertinent community departments to increase awareness of the HMP and provide assistance in integrating the mitigation strategy (including the Mitigation Action Plan) into relevant planning mechanisms. Implementation of these requirements may require updating or amending specific planning mechanisms

3.5.2 Continued Public Involvement

DMA 2000 and its implementing regulation for continued public involvement:

DMA 2000 Requirements
<p>Continued Public Involvement</p> <p>§201.6(c)(4)(iii): The plan maintenance process shall include a) discussion on how the community will continue public participation in the plan maintenance process.</p>
1. REGULATION CHECKLIST
ELEMENT A Planning Process (Continued)
<p>A5. Is there discussion of how the community(ies) will continue public participation in the plan maintenance process? (Requirement §201.6(c)(4)(iii))</p>
<p><i>Source: FEMA, March 2015.</i></p>

3

The Village is dedicated to involving the public directly in the continual reshaping and updating the HMP. A paper copy of the HMP and any proposed changes will be available at the Tribal Office. An address and phone number of the Planning Team Leader to whom people can direct their comments or concerns will also be available at the Tribal Office.

The Planning Team will continue to identify opportunities to raise community awareness about the HMP and the hazards that affect the area. This effort could include attendance and provision of materials at Village-sponsored events, outreach programs, and public mailings. Any public comments received regarding the HMP will be collected by the Planning Team Leader, included in the annual report, and considered during future HMP updates.

3.5.3 Monitoring, Reviewing, Evaluating, and Updating the HMP

DMA 2000 and its implementing regulation for monitoring, reviewing, evaluating, and updating the HMP:

DMA 2000 Requirements
<p>Monitoring, Evaluating and Updating the Plan</p> <p>§201.6(c)(4)(i): The plan maintenance process shall include a) discussion on how the community will continue public participation in the plan maintenance process.</p> <p>§201.6(d)(3): A local jurisdiction must review and revise its plan to reflect changes in development, progress in local mitigation efforts, and changes in priorities, and resubmit if for approval within 5 years in order to continue to be eligible for mitigation project grant funding.</p>
1. REGULATION CHECKLIST
ELEMENT A. Planning Process (Continued)
<p>A6. Is there a description of the method and schedule for keeping the plan current (monitoring, evaluating and updating the mitigation plan within a 5-year cycle?)</p>
<p><i>Source: FEMA, March 2015.</i></p>

This section provides an explanation of how Chitina’s Planning Team intends to organize their efforts to ensure that improvements and revisions to the HMP occur in a well-managed, efficient, and coordinated manner.

The following three process steps are addressed in detail here:

1. Review and revise the HMP to reflect development changes, project implementation progress, project priority changes, and resubmit
2. HMP resubmittal at the end of the plan's five year life cycle for State and FEMA review and approval
3. Continued mitigation initiative implementation

3.5.3.1 *Monitoring the HMP*

The HMP was prepared as a collaborative effort. To maintain momentum and build upon previous hazard mitigation planning efforts and successes, the will continue to use the Planning Team to monitor, review, evaluate, and update the HMP. Each authority identified in the Mitigation Action Plan (MAP) matrix (Table 7-8) will be responsible for implementing the Mitigation Action Plan and determining whether their respective actions were effectively implemented. The Director of Public Safety, the hazard mitigation Planning Team Leader, (or designee), will serve as the primary point of contact and will coordinate local efforts to monitor, evaluate, revise, and tabulate HMP actions' status.

3.5.3.2 *Reviewing the HMP*

The Planning Team will review their success for achieving the HMP's mitigation goals and implementing the Mitigation Action Plan's activities and projects during the annual review process.

During each annual review, each agency or authority administering a mitigation project will submit a Progress Report (Appendix F) to the Planning Team. The report will include the current status of the mitigation project, including any project changes, a list of identified implementation problems (with an appropriate strategies to overcome them), and a statement of whether or not the project has helped achieve the appropriate goals identified in the plan.

3.5.3.3 *Evaluating the HMP*

The Annual Review Questionnaire (Appendix F) provides the basis for future HMP evaluations by guiding the Planning Team with identifying new or more threatening hazards, adjusting to changes to, or increases in, resource allocations, and garnering additional support for HMP implementation.

The Planning Team Leader will initiate the annual review two months prior to the scheduled planning meeting date to ensure that all data is assembled for discussion with the Planning Team. The findings from these reviews will be presented at the annual Planning Team Meeting. Each review, as shown on the Annual Review Worksheet, will include an evaluation of the following:

- Determine authorities, outside agency, stakeholders, and resident's participation in HMP implementation success
- Identify notable risk changes for each identified and newly considered natural or human-caused hazards
- Consider land development activities and related programs' impacts on hazard mitigation

- Mitigation Action Plan implementation progress (identify problems and suggest improvements as necessary)
- Evaluate HMP local resource implementation for HMP identified activities

3.5.3.4 Updating the HMP

In addition to the annual review, the Planning Team will update the HMP every five years. This section explains how they will review, evaluate, and explain implementation successes.

3

DMA 2000 Requirements
Reviewing, Evaluating, and Implementing the Plan §201.6(d)(3): A local jurisdiction must review and revise its plan to reflect changes in development, progress in local mitigation efforts, and changes in priorities, and resubmit if for approval within 5 years in order to continue to be eligible for mitigation project grant funding.
1. REGULATION CHECKLIST
ELEMENT A. Planning Process (Continued)
D1. Was the plan revised to reflect changes in development? (Requirement §201.6(d)(3))
D2. Was the plan revised to reflect progress in local mitigation efforts? (Requirement §201.6(d)(3))
D3. Was the plan revised to reflect changes in priorities? (Requirement §201.6(d)(3))
<i>Source: FEMA, March 2015</i>

The Village of Chitina will annually review the HMP as described in Section 3.5.3.2 and update the HMP every five years (or when significant changes are made) by having the identified Planning Team review all Annual Review Questionnaires (Appendix F) to determine the success of implementing the HMP’s Mitigation Action Plan.

A complete Annual Review Questionnaire will enable the Team to identify possible changes (successes, failures, and roadblock experiences) in the HMP Mitigation Action Plan by refocusing on new or more threatening hazards, resource availability, and acquiring stakeholder support for the HMP project implementation.

No later than the beginning of the fourth year following HMP adoption, the Planning Team will undertake the following activities:

- Request grant assistance from DHS&EM to update the HMP (this can take up to one year to obtain and one year to update the plan)
- Ensure that each authority administering a mitigation project will submit a Progress Report to the Planning Team
- Develop a chart to identify those HMP sections that need improvement, the section and page number of their location within the HMP, and describing the proposed changes
- Thoroughly analyze and update the natural hazard risks
 - Determine the current status of the mitigation projects
 - Identify the proposed Mitigation Plan Actions (projects) that were completed, deleted, or delayed. Each action should include a description of whether the

project should remain on the list, be deleted because the action is no longer feasible, or reasons for the delay

- Describe how each action’s priority status has changed since the HMP was originally developed and subsequently approved by FEMA
 - Determine whether or not the project has helped achieve the appropriate goals identified in the plan
 - Describe whether the community has experienced any barriers preventing them from implementing their mitigation actions (projects) such as financial, legal, and/or political restrictions and stating appropriate strategies to overcome them
 - Update ongoing processes, and to change the proposed implementation date/duration timeline for delayed actions the Village of Chitina still desires to implement
 - Prepare a “new” MAP matrix for the Village of Chitina
- Prepare a new Draft Updated HMP
 - Submit the updated draft HMP to the Division of Homeland Security and Emergency Management (DHS&EM) and FEMA for review and approval

3

3.5.3.5 *Formal State and FEMA HMP Review*

Completed Hazard Mitigation Plans do not qualify the Village for mitigation grant program eligibility until they have been reviewed and approved by the State received State of Alaska promulgation and received FEMA final approval.

The Village of Chitina’s participation is in lieu of completing a 44 CFR §201.7 tribal specific hazard mitigation plan due to limited available funding needed for the Tribe to meet Tribal HMP project funding match requirements.

The Village of Chitina or their subcontractor will submit the draft HMP to the State Hazard Mitigation Officer (SHMO) for initial State review and preliminary approval. Once any corrections are made, the State will send the draft HMP to FEMA Region X for formal review and tentative pre-approval.

Once the plan has fulfilled all FEMA criteria, the State will promulgate the HMP and return to FEMA for final approval. FEMA’s final approval ensures the Village is eligible for applying for appropriate mitigation grant programs.

The State-promulgated, FEMA-approved HMP will then be returned to the Village.

Section Four is included to fulfill the Village of Chitina’s HMP adoption requirements.

4.1 JURISDICTIONAL ADOPTION

DMA 2000 and its implementing regulations for governing body formal HMP adoption:

DMA 2000 Requirements
Local Plan Adoption §201.6(c)(5): [The plan shall include...] Documentation that the plan has been formally adopted by the governing body of the jurisdiction requesting approval of the plan (e.g., City Council, County commissioner, Tribal Council). For multi-jurisdictional plans, each jurisdiction requesting approval of the plan must document that it has been formally adopted.
1. REGULATION CHECKLIST
ELEMENT E. Plan Adoption
E1. Does the Plan include documentation that the plan has been formally adopted by the governing body of the jurisdiction requesting approval??) (Requirement §201.6(c)(5))
<i>Source: FEMA, March 2015.</i>

4

The Village of Chitina is represented in this HMP and meet the requirements of Section 409 of the Stafford Act and Section 322 of DMA 2000, and 44 CFR §201.6(c)(5). The Native Village of Chitina has participated with this HMP’s development and it intends to follow and implement applicable tribal activities to qualify the Village Tribal Council for tribal grant opportunities.

Tribal participation is in lieu of completing a 44 CFR §201.7 tribal specific hazard mitigation plan due Tribal participation is in lieu of completing a 44 CFR §201.7 Tribal Specific Hazard Mitigation Plan due to limited available funding needed for the Tribe to meet §201.7 Tribal HMP project funding match requirements.

DHS&EM promulgated the Village of Chitina’s HMP on [redacted], 2015 and submitted the final draft HMP to FEMA for formal approval.

A scanned copy of the State’s Promulgation letter is included in Appendix C.

This page intentionally left blank

Section Five identifies and profiles the hazards that could affect the Village of Chitina.

5.1 OVERVIEW

A hazard analysis includes the identification, screening, and profiling of each hazard. Hazard identification is the process of recognizing the natural events that threaten an area. Natural hazards result from unexpected or uncontrollable natural events of sufficient magnitude. Human and Technological, and Terrorism related hazards are beyond the scope of this plan. Even though a particular hazard may not have occurred in recent history in the study area, all natural hazards that may potentially affect the study area are considered; the hazards that are unlikely to occur or for which the risk of damage is accepted as being very low, are eliminated from consideration.

Hazard profiling is accomplished by describing hazards in terms of their nature, history, magnitude, frequency, location, extent, and recurrence probability. Hazards are identified through historical and anecdotal information collection, existing plans, studies, and map reviews, and study area hazard map preparations when appropriate. Hazard maps are used to define a hazard’s geographic extent as well as define the approximate risk area boundaries.

DMA 2000 and its implementing regulations for hazard identification:

5

DMA 2000 Requirements
<p>Identifying Hazards</p> <p>§201.6(c)(2)(i): The risk assessment shall include a) description of the type, location and extent of all natural hazards that can affect the jurisdiction. The plan shall include information on previous occurrences of hazard events and on the probability of future hazard events.</p> <p>§201.6(c)(2)(iii): For multi-jurisdictional plans, the risk assessment section must assess each jurisdiction's risks where they vary from the risks facing the entire planning area.</p>
1. REGULATION CHECKLIST
ELEMENT B. HAZARD IDENTIFICATION AND RISK ASSESSMENT
<p>B1. Does the Plan include a description of the type, location, and extent of all natural hazards that can affect each jurisdiction?</p> <p>B2. Does the Plan include information on previous occurrences of hazard events and on the probability of future hazard events for each jurisdiction?</p> <p>B3. Is there a description of each identified hazard’s impact on the community as well as an overall summary of the community’s vulnerability for each jurisdiction?</p> <p>B4. Does the Plan address NFIP insured structures within the jurisdiction that have been repetitively damaged by floods?</p>
<small>Source: FEMA, March 2015.</small>

5.2 HAZARD IDENTIFICATION AND SCREENING

This is the first step of the hazard analysis. The Planning Team reviewed seven possible hazards that could affect the Copper River REAA in January 2015. The Planning Team then evaluated and screened the comprehensive list of potential hazards based on a range of factors, including prior knowledge or perception of their threat and the relative risk presented by each hazard, the ability to mitigate the hazard, and the known or expected availability of information on the hazard (Table 5-1). The Planning Team determined that five hazards pose a great threat to the

Village: earthquake, flood, ground failure, severe weather, and wildland fire. Some of these hazards are influenced by increasing changing climate conditions such as late ice formation, early thaw conditions, increased rain, lack of, or inconsistent rain.

Table 5-1 Identification and Screening of Hazards

Hazard Type	Should It Be Profiled?	Explanation
Natural Hazards		
Earthquake	Yes	The Village has experienced 776 earthquakes between 3.0M and 5.7M since 1973. The Village has experienced 11 earthquakes over 5.0M with a maximum of 5.7M, with epicenters located from 62 to 98 miles from the area since 1973.
Flood (Riverine and/or coastal related floods and resultant erosion)	Yes	The Village experiences snowmelt run-off and high rainfall. Shoreline and area river, stream, and creek embankment cause high water flow scour, riverine high water ice flows, wind, and surface runoff.
Ground Failure (Avalanche, Landslide/Debris Flow)	Yes	Ground Failure occurs throughout Alaska from avalanches, landslides, melting permafrost, and ground subsidence. Rockslides are the primary hazard in Chitina, causing impacts to roads and putting structures at risk.
Severe Weather (Cold, Drought, Rain, Snow, Wind, etc.)	Yes	Severe weather impacts the community with climate change/global warming generating increasingly severe weather events such as heavy winds, winter storms, heavy or freezing rain, and with subsequent secondary hazards such as riverine floods. Severe weather events cause frozen pipes, and heavy snow loads potentially damage roofs. High winds remove or damage roofs and cause power disruptions.
Tsunami (Seiche)	No	This hazard does not exist for this location.
Volcano	No	This hazard does not exist for this location.
Wildland (Tundra) Fire	Yes	The community and the surrounding forest area become very dry in summer months with weather (such as drought and lightening) and human caused incidents igniting dry vegetation in the adjacent area (burning trash outside their landfill's burn box, camp fires, etc.).

5

5.3 HAZARD PROFILES

DMA 2000 and its implementing regulations for hazard profiles:

DMA 2000 Requirements
Profiling Hazards Requirement §201.6(c)(2)(i): [The risk assessment shall include a] description of the location and extent of all natural hazards that can affect the jurisdiction. The plan shall include information on previous occurrences of hazard events and on the probability of future hazard events.
1. REGULATION CHECKLIST
ELEMENT B. HAZARD IDENTIFICATION AND RISK ASSESSMENT
B1. Does the Plan include a description of the type, location, and extent of all natural hazards that can affect each jurisdiction? (Requirement §201.6(c)(2)(i)) B2. Does the Plan include information on previous occurrences of hazard events and on the probability of future hazard events for each jurisdiction?

DMA 2000 Requirements
Source: FEMA, March 2015.

The specific hazards selected by the Planning Team for profiling have been examined in a methodical manner based on the following factors:

- Nature (Type)
 - Potential climate change impacts are primarily discussed in the Severe Weather hazard profile but are also identified where deemed appropriate within each hazard profile.
- History (Previous Occurrences)
- Location
- Extent (magnitude and severity)
- Impact (Section 5 provides general impacts associated with each hazard. Section 6 provides detailed impacts to Chitina’s residents and critical facilities)
- Recurrence Probability

5

NFIP insured Repetitive Loss Structures (RL) are addressed in Section 6.0, Vulnerability Analysis.

Each hazard is assigned a rating based on the following criteria for magnitude/severity (Table 5-2) and future recurrence probability (Table 5-3).

Estimations of magnitude and severity are determined based on historic events using Table 5-2 and criteria from Section 5.3’s narrative descriptions.

Table 5-2 Hazard Magnitude/Severity Criteria

Magnitude / Severity	Criteria
<i>4 - Catastrophic</i>	<ul style="list-style-type: none"> • Multiple deaths. • Complete shutdown of facilities for 30 or more days. • More than 50 percent of property is severely damaged.
<i>3 - Critical</i>	<ul style="list-style-type: none"> • Injuries and/or illnesses result in permanent disability. • Complete shutdown of critical facilities for at least two weeks. • More than 25 percent of property is severely damaged.
<i>2 - Limited</i>	<ul style="list-style-type: none"> • Injuries and/or illnesses do not result in permanent disability. • Complete shutdown of critical facilities for more than one week. • More than 10 percent of property is severely damaged.
<i>1 - Negligible</i>	<ul style="list-style-type: none"> • Injuries and/or illnesses are treatable with first aid. • Minor quality of life lost. • Shutdown of critical facilities and services for 24 hours or less. • Less than 10 percent of property is severely damaged.

Similar to estimations of magnitude and severity, recurrence probability is determined based on historic events, using the criteria identified in Table 5-3. Probability estimates predict the likelihood of a future event occurrence.

Table 5-3 Hazard Recurrence Probability Criteria

Probability	Criteria
4 - <i>Highly Likely</i>	<ul style="list-style-type: none"> Event is probable within the calendar year. Event has up to 1 in 1 year chance of occurring (1/1=100 percent). History of events is greater than 33 percent likely per year. Event is "Highly Likely" to occur.
3 - <i>Likely</i>	<ul style="list-style-type: none"> Event is probable within the next three years. Event has up to 1 in 3 years chance of occurring (1/3=33 percent). History of events is greater than 20 percent but less than or equal to 33 percent likely per year. Event is "Likely" to occur.
2 - <i>Possible</i>	<ul style="list-style-type: none"> Event is probable within the next five years. Event has up to 1 in 5 years chance of occurring (1/5=20 percent). History of events is greater than 10 percent but less than or equal to 20 percent likely per year. Event could "Possibly" occur.
1 - <i>Unlikely</i>	<ul style="list-style-type: none"> Event is possible within the next ten years. Event has up to 1 in 10 years chance of occurring (1/10=10 percent). History of events is less than or equal to 10 percent likely per year. Event is "Unlikely" but is possible to occur.

5

The hazards profiled for the Chitina area are presented throughout the remainder of Section 5.3. The presentation order does not signify their importance or risk level.

5.3.1 Earthquake

5.3.1.1 Nature

An earthquake is a sudden motion or trembling caused by a release of strain accumulated within or along the edge of the earth’s tectonic plates. The effects of an earthquake can be felt far beyond the site of its occurrence. Earthquakes usually occur without warning and after only a few seconds can cause massive damage and extensive casualties. The most common effect of earthquakes is ground motion, or the vibration or shaking of the ground during an earthquake.

Ground motion generally increases with the amount of energy released and decreases with distance from the fault or epicenter of the earthquake. An earthquake causes waves in the earth’s interior (i.e., seismic waves) and along the earth’s surface (i.e., surface waves). Two kinds of seismic waves occur: P (primary) waves are longitudinal or compressional waves similar in character to sound waves that cause back and forth oscillation along the direction of travel (vertical motion), and S (secondary) waves, also known as shear waves, are slower than P waves and cause structures to vibrate from side to side (horizontal motion). There are also two types of surface waves: Raleigh waves and Love waves. These waves travel more slowly and typically are significantly less damaging than seismic waves.

In addition to ground motion, several secondary natural hazards can occur from earthquakes such as:


- **Surface Faulting** is the differential movement of two sides of a fault at the earth’s surface. Displacement along faults, both in terms of length and width, varies but can be significant (e.g., up to 20 feet [ft]), as can the length of the surface rupture (e.g., up to 200

miles). Surface faulting can cause severe damage to linear structures, including railways, highways, pipelines, and tunnels.

- **Liquefaction** occurs when seismic waves pass through saturated granular soil, distorting its granular structure, and causing some of the empty spaces between granules to collapse. Pore water pressure may also increase sufficiently to cause the soil to behave like a fluid for a brief period and cause deformations. Liquefaction causes lateral spreads (horizontal movements of commonly 10 to 15 ft, but up to 100 ft), flow failures (massive flows of soil, typically hundreds of ft, but up to 12 miles), and loss of bearing strength (soil deformations causing structures to settle or tip). Liquefaction can cause severe damage to property.
- **Landslides/Debris Flows** occur as a result of horizontal seismic inertia forces induced in the slopes by the ground shaking. The most common earthquake-induced landslides include shallow, disrupted landslides such as rock falls, rockslides, and soil slides. Debris flows are created when surface soil on steep slopes becomes totally saturated with water. Once the soil liquefies, it loses the ability to hold together and can flow downhill at very high speeds, taking vegetation and/or structures with it. Slide risks increase after an earthquake during a wet winter.

The severity of an earthquake can be expressed in terms of intensity and magnitude. Intensity is based on the damage and observed effects on people and the natural and built environment. It varies from place to place depending on the location with respect to the earthquake epicenter, which is the point on the earth's surface that is directly above where the earthquake occurred. The severity of intensity generally increases with the amount of energy released and decreases with distance from the fault or epicenter of the earthquake. The scale most often used in the U.S. to measure intensity is the Modified Mercalli Intensity (MMI) Scale. As shown in Figure 5-1, the MMI Scale consists of 12 increasing levels of intensity that range from imperceptible to catastrophic destruction. Peak ground acceleration (PGA) is also used to measure earthquake intensity by quantifying how hard the earth shakes in a given location. PGA can be measured as acceleration due to gravity (g) (MMI 2006).

Magnitude (M) is the measure of the earthquake strength. It is related to the amount of seismic energy released at the earthquake's hypocenter, the actual location of the energy released inside the earth. It is based on the amplitude of the earthquake waves recorded on instruments, known as the Richter magnitude test scales, which have a common calibration (see Figure 5-1).



5

Figure 5-1 Modified Mercalli Intensity (MMI 201x)

5.3.1.2 History

Accurate seismology for Alaska is relatively young with historic data beginning in 1973 for most locations. Therefore data is limited for acquiring long-term earthquake event data. The HMP’s Alaska earthquake data is based on best available data obtained from the US Geological Survey (USGS) and the State of Alaska, UAF Geophysical Institute’s archives. Research included searching the USGS earthquake database for events spanning from 1973 to present. No earthquakes were recorded that exceeded M5.7. There were 776 historical earthquakes over 3.0M within 100 miles of the Village, with 40 earthquakes exceeding 4.5M and 11 earthquakes exceeding 5.0M.

The Planning Team determined that based on available recorded data, the Village of Chitina has a minor concern for earthquake damages as they have not experienced damaging impacts from their historical earthquake events and only need to be concerned with earthquakes with a magnitude > M5.0. Table 5-4 which lists 40 historical earthquakes greater than M4.5 within 100 miles of the Village. Eleven of those earthquakes exceeded 5.0M, with the largest one (M5.7) occurring on May 7, 1974.

Table 5-4 Historical Earthquakes for Chitina

Day	Time (UTC)	Latitude	Longitude	Magnitude	Distance (Miles)
9/24/2014	07:30:57	61.353	-146.778	4.5	78.3
6/20/2010	17:28:08	60.779	-146.811	4.7	94.3
4/10/2010	09:47:58	61.597	-146.737	4.5	76.1
2/15/2009	19:35:00	61.603	-146.334	4.5	62.8
10/8/2008	09:53:01	60.709	-143.721	5.2	60.8
9/19/2007	11:22:26	61.375	-146.105	4.5	56.0
9/22/2006	13:01:18	60.384	-143.662	4.5	82.6
4/6/2005	22:42:08	61.447	-146.529	4.5	69.3
4/6/2005	17:51:37	61.454	-146.518	4.8	68.9
8/25/2004	02:22:18	61.588	-146.416	5.3	65.4
2/23/2004	05:03:48	62.330	-142.441	4.5	86.3
12/13/2002	23:14:13	62.650	-143.233	4.6	87.8
11/8/2002	20:29:02	62.800	-143.500	5.2	94.0
11/8/2002	04:04:17	62.217	-141.818	5.0	98.6
11/5/2002	14:34:30	62.508	-142.856	4.8	85.9
11/5/2002	14:33:23	62.653	-143.075	4.7	90.4
11/5/2002	01:33:30	62.832	-143.603	4.7	95.1
11/4/2002	10:15:15	62.516	-142.826	4.8	86.9
11/4/2002	09:34:27	62.673	-143.180	4.6	90.0
11/4/2002	04:47:24	62.505	-142.799	4.5	86.9
11/4/2002	00:23:08	62.642	-143.149	4.6	88.6
11/3/2002	23:11:50	62.854	-143.712	5.1	95.6
11/3/2002	23:03:12	62.741	-144.125	4.9	85.5
5/2/2000	09:55:25	61.452	-146.634	4.6	72.7
9/2/1998	02:01:24	61.332	-146.944	4.6	84.0
4/29/1998	20:19:03	61.785	-144.210	4.5	20.1
10/18/1996	23:49:13	61.611	-146.379	4.7	64.3
7/27/1995	22:07:40	61.455	-146.650	4.8	73.3
5/13/1993	10:24:40	61.988	-147.033	5.2	91.1
9/15/1989	08:14:17	60.381	-144.862	4.5	79.8
5/9/1988	16:33:38	61.308	-146.044	4.5	88.7
9/15/1986	14:48:22	61.528	-143.800	4.5	21.2
9/20/1984	04:17:24	60.322	-146.001	5.5	98.0
1/1/1983	11:18:07	61.336	-147.174	5.3	91.5
11/10/1982	17:23:52	60.905	-146.423	4.8	78.5
10/21/1975	01:16:28	61.313	-147.371	4.6	98.2
7/13/1974	12:44:50	61.492	-145.007	4.7	18.8
5/27/1974	14:01:43	60.328	-146.016	5.7	97.9

Table 5-4 Historical Earthquakes for Chitina

Day	Time (UTC)	Latitude	Longitude	Magnitude	Distance (Miles)
9/6/1973	10:59:36	61.039	-146.828	5.5	86.1
1/9/1973	11:57:21	60.311	-145.996	5.1	98.5

(USGS 2015)

Several earthquakes recorded in 2002 were aftershocks from the November 3, 2002 M 7.9 Denali Earthquake located approximately 150 miles away. Chitina experienced ground shaking from these events, but no significant damage occurred to critical facilities or infrastructure.

North America's strongest recorded earthquake occurred on March 27, 1964 in Prince William Sound measuring M9.2 and was felt by many residents throughout Alaska, and Chitina is among the communities that were heavily affected. Damage from the 1964 Alaska earthquake halted work to convert the CR&NW railroad line into a road. The old rail corridor from Chitina to McCarthy is now the McCarthy Road, but the section between Cordova and Chitina was never completed. The earthquake damaged the Million Dollar Bridge about 48 miles from Cordova, and no road or railroad currently connects Cordova and Chitina.

5

5.3.1.3 Location, Extent, Impact, and Recurrence Probability

The entire geographic area of Alaska is prone to earthquake effects. As such, the Village of Chitina has experienced 5,170 earthquakes since 1973 within 100 miles with an average of approximately 123 earthquakes per year. Within 50 miles of Chitina since 1973, the number of earthquakes is reduced to 470 in total and about 11 on average per year.

Figure 5-2 shows the Alaska’s potentially active fault locations.




Figure 5-2 Active and Potentially Active Faults in Alaska

Extent

The average distance of the 11 recorded earthquakes since 1973 that exceeded M5.0 was 89 miles (with a range from 61 to 99 miles) from the Village.

The Village is located approximately 150 miles from the Denali Fault and Cross Creek Fault, 100 miles from the Chugach-St. Elias Fault, and 50 miles from the Hicks Creek Fault as depicted in Figure 5-3. Chitina’s Community Plan (2009) notes the area as an active fault zone, “making earthquakes in the area likely” with the possibility of a major earthquake.

Based on historic earthquake events and the criteria identified in Table 5-2, the magnitude and severity of earthquake impacts in the Village are considered “Limited” with potential injuries and/or illnesses that do not result in permanent disability; critical facilities could expect to be shut-down for more than two weeks; and more than 10 percent of property is severely damaged with limited long-term damage to transportation, infrastructure, or the economy.




Figure 5-3 Earthquake Fault Proximity to Chitina. (Plafker et al 1994)

Impact

Impacts to the community such as significant ground movement that may result in infrastructure damage are not expected. Minor shaking may be seen or felt based on past events. Impacts to future populations, residences, critical facilities, and infrastructure are anticipated to remain the same.

Recurrence Probability

This 2009 Shake Map incorporates current seismicity in its development and is the most current map available for this area. Peter Haeussler, USGS, Alaska Region states, it is a viable representation to support probability inquiries.

“The occurrence of various small earthquakes does not change earthquake probabilities. In fact, in the most dramatic case, the probability of an earthquake on the Denali fault was/is the same the day before the 2002 earthquake as the day afterward. Those are time-independent probabilities. The things that change the hazard maps is changing the number of active faults or changing their slip rate” (Haeussler, 2009).

5




Figure 5-4 Chitina’s Earthquake Recurrence Probability (USGS 2012)

As indicated in Figure 5-4, while it is not possible to predict when an earthquake will occur, The Shake Map was generated using the United States Geological Survey (USGS) Earthquake Mapping Model and indicates a M5.0 or greater earthquake occurring within 100 years and 100 miles of the Village is “Likely” (1/3=33 percent) chance of occurring; due to an event history that is less than or equal to 33 percent likely per year.

5.3.2 Flood

5.3.2.1 Nature

Flooding is the accumulation of water where usually none occurs or the overflow of excess water from a stream, river, lake, reservoir, glacier, or coastal body of water onto adjacent floodplains. Floodplains are lowlands adjacent to water bodies that are subject to recurring floods. Floods are natural events that are considered hazards only when people and property are affected.

Flood events not only impact communities with high water levels, or fast flowing waters, but sediment transport also impacts infrastructure and barge and other river vessel access limitations. Dredging may be the only option to maintain an infrastructure's viability and longevity.

Four primary types of flooding occur in the Village of Chitina: rainfall-runoff, snowmelt, ice jam, storm surge, and ice override floods.

Rainfall-Runoff Flooding occurs in late summer and early fall. The rainfall intensity, duration, distribution, and geomorphic characteristics of the watershed all play a role in determining the magnitude of the flood. Rainfall runoff flooding is the most common type of flood. This type of flood event generally results from weather systems that have associated prolonged rainfall.

Snowmelt Floods typically occur from April through June. The depths of the snowpack and spring weather patterns influence the magnitude of flooding.

Ice Jam floods occur when warming temperatures and rising water flows causes the ice to break-up and disconnect from the embankment. The large ice chunks begin to flow and move down river. The ice does not flow easily, often impacting with adjacent blocks resulting in occasional ice jams. Some ice jams quickly break apart, however, larger jams occur which create small dams causing the water to exert increasing pressure on the jam creating a damming effect. Water subsequently begins to build depth and often overtops adjacent embankments which flood upstream communities.

When the ice jam breaks the built-up water rushes downstream with great force. Ice blocks scour the embankment, destroying infrastructure such as fuel headers, barge landings, and boat mooring structures. Large house sized ice blocks may even be driven above the embankment destroying any structure in its path. Communities are virtually helpless against such devastation.

Riverine Scour results from the force of flowing water and ice formations in and adjacent to river channels. This scouring affects the river the channel, river bed and banks and can alter or preclude any channel navigation or riverbank development. In less stable braided channel reaches, scour, and material deposition are constant issues. In more stable meandering channels, scour episodes may only occasionally occur from human activities including boat wakes and dredging.

Attempts to control scour using shoreline protective measures such as groins, jetties, levees, or revetments can lead to increased embankment loss or damage.

Land surface loss results from high flowing surface water across roads due to poor or improper drainage. These events typically occur from rain and snowmelt run-off.

Event Recurrence Intervals

Many flood damages are predictable based on rainfall and seasonal thaw patterns. Most of the annual precipitation is received from April through October with August being the wettest. This rainfall leads to flooding in early/late summer and/or fall. Spring snowmelt increases runoff, which can cause excessive surface flooding. It also breaks riverine winter ice cover, exacerbating localized ice jam flood or coastal ice override damage impacts.

5.3.2.2 History

The Village experiences floods and erosion from spring snowmelt, runoff, heavy rainfall, ice jams, and glacial dams. Flood risk is greatest in the spring from surface runoff.

Table 5-5 shows historical flood event the National Weather Service (NWS) identified for the Copper River Basin Weather Zone. Each flood event may not have specifically impacted the Chitina area. These flood events are listed due to their close proximity to Chitina or by location within the identified zone, and are meant to show a representative sample of historic flood events.

5

Table 5-5 Historical Flood Events and Impacts

Location	Date	Event Type	Magnitude
COPPER RIVER BASIN (ZONE)	5/24/2013	Flood (Ice Jam)	Ice jams combined with warm temperatures accelerated snow melt in the Copper River basin in late May. This caused the Gulkana River to reach moderate flood stage at a number of locations along the river. The Gulkana River at the Richardson Highway pushed up past flood levels the morning of May 25th and reached a crest on May 30th around midnight of 12.13 ft. Moderate flood level for this gauge is 10.5 ft. The river observer at Gulkana reported on May 25th: Ice run last night flooded parking area/boat launch area at bridge. Stranded some ice over bank. The river remained above flood stage into June. The GRSA2 river Gauge reported flood conditions beginning the afternoon of May 24 and persisting to the end of the month. Flood stage is 12 ft and the crest was on May 30th at 14.64 ft. This level ties for the second highest crest on record for this gauge. The BLM campground at Sourdough Creek received some damage from both water and large chunks of ice. Pictures show some damage but BLM was unable to give a damage estimate when asked. Made gross estimate based on damage from pictures.
COPPER RIVER BASIN (ZONE)	8/30/2009	Flood (Dam/Levee Break)	The Tazlina and Nelchina glacial dam lakes release beginning August 25th. The subsequent rises in water levels produced flooding along the Tazlina River near the Richardson Highway on the 30th. Pilot reports from the area stated the glacial dam lakes of the Tazlina and Nelchina glacier streams had released.
COPPER RIVER BASIN (ZONE)	5/6/2009	Flood (Ice Jam)	An ice jam formed below the Tok cutoff highway bridge resulting in flooding in Chistochina. Damage estimates are from the State of Alaska Disaster disaster declaration request

Table 5-5 Historical Flood Events and Impacts

Location	Date	Event Type	Magnitude
			to the President.
COPPER RIVER BASIN (ZONE)	3/1/2007	Flood (Ice Jam)	The release of a glacially dammed lake resulted in overflow flooding in a subdivision in Tazlina.
COPPER RIVER BASIN (ZONE)	10/10/2006	Flood (Heavy Rain)	A strong storm in the north Pacific moved into the eastern Bering Sea Monday October 8th. This storm produced strong wind along and in advance of a strong weather front associated with the storm. Strong northwest wind occurred around the west side of this storm in the Eastern Aleutians. This storm had a strong tropical connection that pushed copious amounts of rain into the Prince William Sound area, Cook Inlet, the Susitna Valley, and the Copper River Basin. Along with the extremely heavy rainfall, very warm air resulted in excessive snow melt that contributed to the flooding. Flooding along the Richardson Highway resulted in road wash outs through Keystone Canyon and also in the Copper River Basin at Squirrel Creek and at the Tonsina Lodge. Flooding also occurred in Cordova and Seward resulting in road washouts in both those communities.
COPPER RIVER BASIN (ZONE)	7/2/2005	Flood	Heavy rain began over the north side of the Wrangell Mountains July 1st, Friday night. Flooding began to occur along small streams between Nabesna and Slana Saturday afternoon. The flooding resulted in wash outs along the road to Nabesna where un-named streams cross the road.

5

(USACE 2012, NWS 2011)

Chitina’s Community Plan discusses the October 2006 flood (Village of Chitina 2006). The flood cut access to Chitina for five days and damaged bridges, roads, and private lands. The Edgerton Highway was washed out in some locations where it leads into Chitina, and the flood led to landslides along O’Brien Creek Figure 5-5 depicts debris and boulders moved during the 2006 flood in O’Brien Creek. The Planning Team discussed damage sustained to the road along O’Brien Creek.



Figure 5-5 Debris and Boulders in O’Brien Creek Moved by the 2006 Flood (Polarconsult 2008)

5


USACE completed a baseline erosion assessment for the Village of Chitina during 2007. The resulting Erosion Information Paper noted that the nearby Copper, Chitina, and Kotsina Rivers do not raise erosion concerns for Chitina. However, 5-Mile Creek is a stream that causes erosion in Chitina near the airport, RV park, village clinic, and DOT&PF building. Erosion in Chitina is, “mainly from surface runoff and glacier-fed streams that periodically overflow following heavy rains and during spring runoff” (USACE 2009). The report noted damages from flooding in fall of 2006, including washouts along the Edgerton Highway. The Planning Team confirmed that Chitina is affected by erosion along 5-Mile Creek.

5.3.2.3 Location, Extent, Impact, and Recurrence Probability

Location

The Planning Team indicated that Chitina has moderate flooding impacts, most of which occur from rainfall, snowmelt run-off, and ice jams.

Figure 5-6 depicts the Village’s USACE-generated aerial photograph and their identified flood or high water flow induced erosion impact locations.



5

Figure 5-6 Chitina’s Baseline Erosion Locations (USACE 2007)

Extent

Floods are described in terms of their extent (including the horizontal area affected and the vertical depth of floodwaters) and the related recurrence probability.

The following factors contribute to riverine flooding frequency and severity:

- Rainfall intensity and duration
- Antecedent moisture conditions
- Watershed conditions, including terrain steepness, soil types, amount, vegetation type, and development density
- The attenuating feature existence in the watershed, including natural features such as swamps and lakes and human-built features such as dams
- The flood control feature existence, such as levees and flood control channels
- Flow velocity
- Availability of sediment for transport, and the bed and embankment watercourse erodibility
- location related to identified-historical flood elevation

The Village does experience riverine flooding and high water flow flood erosion impacts. Therefore, based on past high water flow event history and the criteria identified in Table 5-2, the extent of flooding and resultant damages to infrastructure and their protective embankments in the Village are considered “Limited” where critical facilities would shut down for more than one week with more than 10 percent of property severely damaged.

Impact

Nationwide, floods result in more deaths than any other natural hazard. Physical damage from floods includes the following:

- Structure flood inundation, causing water damage to structural elements and contents
- High water flow storm surge floods scour (erode) coastal embankments, coastal protection barriers, and result in infrastructure and residential property losses. Additional impacts can include roadway embankment collapse, foundations exposure, and damaging impacts
- Damage to structures, roads, bridges, culverts, and other features from high-velocity flow and debris carried by floodwaters. Such debris may also accumulate on bridge piers and in culverts, decreasing water conveyance and increasing loads which may cause feature overtopping or backwater damages
- Sewage, hazardous or toxic materials release, materials transport from wastewater treatment plant or sewage lagoon inundation, storage tank damages, and/or severed pipeline damages can be catastrophic to rural remote communities

5

Floods also result in economic losses through business and government facility closure, communications, utility (such as water and sewer), and transportation services disruptions. Floods result in excessive expenditures for emergency response, and generally disrupt the normal function of a community.

Impacts and problems also related to flooding are deposition as well as embankment, coastal erosion, and/or wind. Deposition is the accumulation of soil, silt, and other particles on a river bottom or delta. Deposition leads to the destruction of fish habitat, presents a challenge for navigational purposes, and prevents access to historical boat and barge landing areas. Deposition also reduces channel capacity, resulting in increased flooding or bank erosion. Embankment erosion involves material removal from the stream or river banks, coastal bluffs, and dune areas. When bank erosion is excessive, it becomes a concern because it results in loss of embankment vegetation, fish habitat, and land, property, and essential infrastructure (BKP 1988).

Recurrence Probability

Based on previous occurrences, USACE’s report, and criteria in Table 5-3, it is “Likely” a major flood event will occur in the next three years; an event has up to 1 in 3 years (1/3=33 percent) chance of occurring as the history of events is greater than 20 percent but less than or equal to 33 percent likely per year. There is no data identifying a 500-year (0.2 percent chance of occurring in a given year) flood threat in Chitina.

5.3.3 Ground Failure

5.3.3.1 Nature

Ground failure describes avalanche, landslide, subsidence, and unstable soils gravitational or other soil movement mechanisms. Soil movement influences can include rain, snow, and/or water saturation induced avalanches or landslides; as well as from seismic activity, melting permafrost, river or coastal embankment undercutting, or in combination with steep slope conditions.

Landslides are a dislodgment and fall of a mass of soil or rocks along a sloped surface, or for the dislodged mass itself. The term is used for varying phenomena, including mudflows, mudslides, debris flows, rock falls, rockslides, debris avalanches, debris slides, and slump-earth flows. The susceptibility of hillside and mountainous areas to landslides depends on variations in geology, topography, vegetation, and weather. Landslides may also be triggered or exacerbated by indiscriminate development of sloping ground, or the creation of cut-and-fill slopes in areas of unstable or inadequately stable geologic conditions.

Additionally, avalanches and landslides often occur secondary to other natural hazard events, thereby exacerbating conditions, such as:

- Earthquake ground movement can trigger events ranging from rock falls and topples to massive slides
- Intense or prolonged precipitation can cause slope over-saturation and subsequent destabilization failures such as avalanches and landslides.
- Climate change related drought conditions may increase wildfire conditions where a wildland fire consumes essential stabilizing vegetation from hillsides significantly increasing runoff and ground failure potential

Development, construction, and other human activities can also provoke ground failure events. Increased runoff, excavation in hillsides, shocks and vibrations from construction, non-engineered fill places excess load to the top of slopes, and changes in vegetation from fire, timber harvesting and land clearing have all led to landslide events. Broken underground water mains can also saturate soil and destabilize slopes, initiating slides. Something as simple as a blocked culvert can increase and alter water flow, thereby increasing the potential for a landslide event in an area with high natural risk. Weathering and decomposition of geologic material, and alterations in flow of surface or ground water can further increase the potential for landslides.

The USGS identifies six landslide types, distinguished by material type and movement mechanism including:

- **Slides**, the more accurate and restrictive use of the term landslide, refers to a mass movement of material, originating from a discrete weakness area that slides from stable underlying material. A *rotational slide* occurs when there is movement along a concave surface; a *translational slide* originates from movement along a flat surface.
- **Debris Flows** arise from saturated material that generally moves rapidly down a slope. A debris flow usually mobilizes from other types of landslide on a steep slope, then flows through confined channels, liquefying and gaining speed. Debris flows can travel at

speeds of more than 35 mph for several miles. Other types of flows include debris avalanches, mudflows, creeps, earth flows, debris flows, and lahars.

- **Lateral Spreads** are a type of landslide generally occurs on gentle slope or flat terrain. Lateral spreads are characterized by liquefaction of fine-grained soils. The event is typically triggered by an earthquake or human-caused rapid ground motion.
- **Falls** are the free-fall movement of rocks and boulders detached from steep slopes or cliffs.
- **Topples** are rocks and boulders that rotate forward and may become falls.
- **Complex** is any combination of landslide types.

In Alaska, earthquakes, seasonally frozen ground, and permafrost are often agents of ground failure. Permafrost is defined as soil, sand, gravel, or bedrock that has remained below 32°F for two or more years. Permafrost can exist as massive ice wedges and lenses in poorly drained soils or as relatively dry matrix in well-drained gravel or bedrock. During the summer, the surficial soil material thaws to a depth of a few feet, but the underlying frozen materials prevent drainage. The surficial material that is subject to annual freezing and thawing is referred to as the “active layer”.

Seasonal freezing can cause frost heaves and frost jacking. Frost heaves occur when ice forms in the ground and separates sediment pores, causing ground displacement. Frost jacking causes unheated structures to move upwards. Permafrost is frozen ground in which a naturally occurring temperature below 32°F has existed for two or more years (DHS&EM 2013).

Indicators of a possible ground failure include:

- Springs, seeps, or wet ground that is not typically wet
- New cracks or bulges in the ground or pavement
- Soil subsiding from a foundation
- Secondary structures (decks, patios) tilting or moving away from main structures
- Broken water line or other underground utility
- Leaning structures that were previously straight
- Offset fence lines
- Sunken or dropped-down road beds
- Rapid increase in stream levels, sometimes with increased turbidity
- Rapid decrease in stream levels even though it is raining or has recently stopped and
- Sticking doors and windows, visible spaces indicating frames out of plumb

The State of Alaska 2013 State Hazard Mitigation Plan provides additional ground failure information defining mass movement types, topographic and geologic factors which influence ground failure which may pertain to Chitina.

5.3.3.2 History

There are few written records defining ground failure impacts. However, residents of Chitina have been monitoring ground failure and recognize its impacts.

A landslide occurred in June 2001 about a mile past O'Brien Creek south of Chitina. A section of road along Wood Canyon past O'Brien Creek slid into the Copper River. Some dipnetters were stranded, but no people or buildings were impacted (Associated Press 2001).

Another landslide in May 2014 damaged McCarthy Road and required repairs. McCarthy Road leads east from Chitina to Wrangell-St. Elias National Park and Preserve. Figure 5-7 shows a picture of the 2014 McCarthy Road landslide (KTUU 2014). In 2014, a landslide also blocked the Copper River Highway easement between O'Brien Creek and Haley Creek, which affected access for dipnetters to the Copper River near Chitina.




Figure 5-7 2014 Landslide on McCarthy Road near Chitina (KTUU 2014)

5.3.3.3 Location, Extent, Impact, and Recurrence Probability

Location

There are various ground failure locations throughout Chitina. Frost heaves, rockslides, and avalanche are the most common ground failure impacts.

According to permafrost and ice conditions map developed for the National Snow and Ice Data Center/World Data Center for Glaciology in 1998 (revised 2001) located in the 2013 State Hazard Mitigation Plan (SHMP), shows that Chitina has continuous permafrost (DHS&EM 2013). However, in 2008, Jorgensen et al. mapped the area around Chitina as having discontinuous permafrost, as shown in Figure 5-8. This could be a reflection of more accurate data or the slowly changing landscape near the community.



5

Figure 5-8 Permafrost and Ground Ice Map of Alaska (Jorgenson et al 2008)

Extent

The damage magnitude could range from minor with some repairs required and little to no damage to transportation, infrastructure, or the economy to major if a critical facility (such as the airport) were damaged and transportation was effected.

Based on research and the Planning Team’s knowledge of past ground failure, various degradation events, and the criteria identified in Table 5-2, the extent of ground failure impacts in the Village of Chitina are considered “Limited”. Most landslides have occurred to steep roadbeds. Impacts would not occur quickly, but over time with warning signs. Therefore this hazard would not likely cause injuries or death, neither would it shutdown critical facilities and services for more than one week. However, 10 percent of property could be severely damaged.

Impact

Impacts associated with ground failure include surface subsidence, infrastructure, building, or road damage. Ground failure does not typically pose a sudden and catastrophic hazard; however landslides and avalanches may be sudden or catastrophic. Ground failure damage occurs from improperly designed and constructed buildings that settle as the ground subsides, resulting in structure loss or expensive repairs. It may also impact buildings, communities, pipelines, airfields, road, and bridge design costs and locations. To avoid costly damage to these facilities, careful planning and location and facility construction design is warranted.

Chitina’s Community Plan notes unstable, young mountains surrounding Chitina that, “create small rockslides regularly” and notes that “larger avalanches of rocks or snow have happened in recent years” which damaged property and caused road blockages (Chitina Community Plan 2009). Landslides are particularly a concern along roadways cut into steep mountainsides.

Recurrence Probability

Even though there are few written records defining ground failure impacts for the Village, the Planning Team has solid evidence of their annually recurring landslide, avalanche, and ground failure damages throughout the community. The Planning Team stated the probability for ground failure follows the criteria in Table 5-3, the future damage resulting from ground failure is “Likely” in the next three years; event has up to 1 in 3 years (1/3=33 percent) chance of occurring with a history of events greater than 20 percent but less than or equal to 33 percent likely per year.

5.3.4 Severe Weather

5.3.4.1 Nature

Severe weather occur throughout Alaska with extremes experienced by the Village of Chitina that includes thunderstorms, lightning, hail, heavy and drifting snow, freezing rain/ice storm, extreme cold, and high winds. The Village experiences periodic severe weather events such as the following:

Climate Change influences the environment, particularly historical weather patterns. Climate change and El Niño/La Niña Southern Oscillation (ENSO) influences create increased weather volatility such as hotter summers (drought) and colder winters, intense thunderstorms, lightning, hail, snow storms, freezing rain/ice storms, high winds and even a few tornadoes within and around Alaska.

ENSO is comprised of two weather phenomena known as El Niño and La Niña. While ENSO activities are not a hazard, they can lead to severe weather events and large-scale damage throughout Alaska’s varied jurisdictions. Direct correlations were found linking ENSO events to severe weather across the Pacific Northwest, particularly increased flooding (riverine, coastal storm surge) and severe winter storms. Therefore, increased awareness and understanding how ENSO events potentially impact Alaska’s vastly differing regional weather.

Climate change is described as phenomena of water vapor, carbon dioxide, and other gases in the earth’s atmosphere acting like a blanket over the earth, absorbing some of the heat of the sunlight-warmed surfaces instead of allowing it to escape into space. More gases creates a thicker blanket and a warmer Earth. Trees and other plants cannot absorb carbon dioxide through photosynthesis if foliage growth is inhibited. Therefore carbon dioxide builds up and changes precipitation patterns, increases storms, wildfires, and flooding frequency and intensity; and substantially changes flora, fauna, fish, and wildlife habitats.

The governor’s Alaska’s Climate, Ecosystems & Human Health Work Group is tasked with determining how the changing ecosystems may impact human health and to identify, prioritize, and educate Alaskan’s about the connection between their health and changing environmental patterns.

Heavy Rain occurs rather frequently over the coastal areas along the Bering Sea and the Gulf of Alaska.

Heavy Snow generally means snowfall accumulating to four inches or more in depth in 12 hours or less or six inches or more in depth in 24 hours or less.

Drifting Snow is the uneven distribution of snowfall and snow depth caused by strong surface winds. Drifting snow may occur during or after a snowfall.

Freezing Rain and Ice Storms occur when rain or drizzle freezes on surfaces, accumulating 12 inches in less than 24 hours. Ice accumulations can damage trees, utility poles, and communication towers which disrupts transportation, power, and communications.

Extreme Cold definition varies according to the normal climate of a region. In areas unaccustomed to winter weather, near freezing temperatures are considered “extreme”. In Alaska, extreme cold usually involves temperatures less than -40°F. Excessive cold may accompany winter storms, be left in their wake, or can occur without storm activity. Extreme cold accompanied by wind exacerbates exposure injuries such as frostbite and hypothermia. Extreme cold is a severe threat to Chitina.

5

High Winds occur in Alaska when there are winter low-pressure systems in the North Pacific Ocean and the Gulf of Alaska. Alaska’s high wind can equal hurricane force but fall under a different classification because they are not cyclonic nor possess other hurricane characteristics. In Alaska, high winds (winds in excess of 60 mph) occur rather frequently over the coastal areas along the Gulf of Alaska, the Kuskokwim Bay and the Bering Sea.

Strong winds occasionally occur over the interior due to strong pressure differences, especially where influenced by mountainous terrain, but the windiest places in Alaska are generally along the coastlines.


Winter Storms include a variety of phenomena described above and as previously stated may include several components; wind, snow, and ice storms. Ice storms, which include freezing rain, sleet, and hail, can be the most devastating of winter weather phenomena and are often the cause of automobile accidents, power outages, and personal injury. Ice storms result in the accumulation of ice from freezing rain, which coats every surface it falls on with a glaze of ice. Freezing rain is most commonly found in a narrow band on the cold side of a warm front, where surface temperatures are at or just below freezing temperatures. Typically, ice crystals high in the atmosphere grow by collecting water vapor molecules, which are sometimes supplied by evaporating cloud droplets. As the crystals fall, they encounter a layer of warm air where they particles melt and collapse into raindrops. As the raindrops approach the ground, they encounter a layer of cold air and cool to temperatures below freezing. However, since the cold layer is so shallow, the drops themselves do not freeze, but rather, are supercooled, that is, in liquid state at below-freezing temperature. These supercooled raindrops freeze on contact when they strike the ground or other cold surfaces.

Snowstorms happen when a mass of very cold air moves away from the polar region. As the mass collides with a warm air mass, the warm air rises quickly and the cold air cuts underneath it. This causes a huge cloud bank to form and as the ice crystals within the cloud collide, snow is formed. Snow will only fall from the cloud if the temperature of the air between the bottom of the cloud and the ground is below 40 degrees Fahrenheit. A higher temperature will cause the

snowflakes to melt as they fall through the air, turning them into rain or sleet. Similar to ice storms, the effects from a snowstorm can disturb a community for weeks or even months. The combination of heavy snowfall, high winds and cold temperatures pose potential danger by causing prolonged power outages, automobile accidents and transportation delays, creating dangerous walkways, and through direct damage to buildings, pipes, livestock, crops and other vegetation. Buildings and trees can also collapse under the weight of heavy snow.

Winter storm floods are discussed in Section 4.3.2.

Figure 5-9 displays Alaska’s annual rainfall map based on Parameter-elevation Regressions on Independent Slopes Model (PRISM) that combines climate data from NOAA and Natural Resources Conservation Service (NRCS) climate stations with a digital elevation model to generate annual, monthly, and event-based climatic element estimates such as precipitation and temperature.



5

Figure 5-9 Statewide Rainfall Map (PRISM 2012)

5.3.4.2 History

The Village of Chitina is continually impacted by severe weather events. Snowfall, extreme cold, and ice storms typically have disastrous results.

Climate Change. The University of Alaska Fairbanks (UAF) Arctic Climate Impact Assessment (ACIA) describes recent weather changes and how they impact Alaska:

“18.3.3.1. Changes in climate

Alaska experienced an increase in mean annual temperature of about 2 to 3 °C between 1954 and 2003... Winter temperatures over the same period increased by up to 3 to 4 °C

in Alaska and the western Canadian Arctic, but Chukotka experienced winter cooling of between 1 and 2 °C...

The entire region, but particularly Alaska and the western Canadian Arctic, has undergone a marked change over the last three decades, including a sharp reduction in snow-cover extent and duration, shorter river- and lake ice seasons, melting of mountain glaciers, sea-ice retreat and thinning, permafrost retreat, and increased active layer depth. These changes have caused major ecological and socio-economic impacts, which are likely to continue or worsen under projected future climate change. Thawing permafrost and northward movement of the permafrost boundary are likely to increase slope instabilities, which will lead to costly road replacement and increased maintenance costs for pipelines and other infrastructure. The projected shift in climate is likely to convert some forested areas into bogs when ice-rich permafrost thaws. Other areas of Alaska, such as the North Slope, are expected to continue drying. Reduced sea-ice extent and thickness, rising sea level, and increases in the length of the open-water season in the region will increase the frequency and intensity of storm surges and wave development, which in turn will increase coastal erosion and flooding...

18.3.3.4. Impacts on people's lives

5

Traditional lifestyles are already being threatened by multiple climate-related factors, including reduced or displaced populations of marine mammals, seabirds, and other wildlife, and reductions in the extent and thickness of sea ice, making hunting more difficult and dangerous. Indigenous communities depend on fish, marine mammals, and other wildlife, through hunting, trapping, fishing, and caribou/reindeer herding. These activities play social and cultural roles that may be far greater than their contribution to monetary incomes. Also, these foods from the land and sea make significant contributions to the daily diet and nutritional status of many indigenous populations and represent important opportunities for physical activity among populations that are increasingly sedentary..." (ACIA 2015)

Table 5-6 summarizes precipitation and snowfall trends for the Chitina area providing a representation of the typical weather events which may have impacted the Village. Table 5-7 summarizes temperatures for the Chitina area, providing a representation of typical temperatures which may also impact Chitina. Tables 5-6 and 5-7 delineate the Weather Service Office's (WSO) weather data. Figures 5-11 and 5-12 display WRCC daily averages and extremes for precipitation, snowfall, and temperatures. Actual community temperatures and depths may vary due to their relative proximity to the WSO.

Table 5-6 Station: 501824, Chitina

From Year=1950 To Year=2012														
Precipitation												Total Snowfall		
Month	Mean (in.)	High (in.)	Year	Low (In.)	Year	1 Day Max. (dd-mm-yyyy)		>=	>=	>=	>=	Mean (in.)	High (in.)	Year
								0.01 in. (days)	0.10 in. (days)	0.50 in. (days)	1.00 in. (days)			
January	0.56	2.14	1958	0.00	1953	1.51	01-06-1958	3	2	0	0	3.0	11.5	1967
February	0.87	2.70	1953	0.00	1952	1.75	02-09-1953	3	2	1	0	6.2	18.0	1954
March	0.31	0.80	1955	0.00	1956	0.80	03-23-1955	2	1	0	0	2.1	6.5	1961
April	0.19	0.54	1964	0.00	1953	0.40	04-24-1964	1	1	0	0	0.6	4.8	2008
May	0.34	0.93	1963	0.00	1951	0.70	05-22-2011	2	1	0	0	0.0	0.0	1951
June	1.06	7.45	2010	0.00	1954	2.50	06-14-2010	5	2	1	0	0.0	0.0	1951
July	1.32	3.29	2008	0.00	1952	1.08	07-18-1960	6	4	1	0	0.0	0.0	1951
August	1.20	3.18	1955	0.00	1952	1.35	08-28-1955	6	3	1	0	0.0	0.0	1951
September	1.19	4.52	1951	0.00	1959	1.83	09-14-1951	6	3	1	0	0.0	0.0	1950
October	1.10	3.00	1954	0.30	1950	1.87	10-29-1954	5	3	1	0	2.3	17.2	2008
November	1.24	8.71	1956	0.00	1950	3.80	11-26-1956	4	2	1	0	7.4	30.0	2009
December	1.62	10.18	1955	0.01	1968	4.18	12-29-1955	4	3	1	0	4.3	8.0	1965
<i>Annual</i>	<i>10.99</i>	<i>19.04</i>	<i>1955</i>	<i>6.95</i>	<i>1969</i>	<i>4.18</i>	<i>12-29-1955</i>	<i>47</i>	<i>29</i>	<i>5</i>	<i>2</i>	<i>26.0</i>	<i>-</i>	<i>-</i>
<i>Winter</i>	<i>3.05</i>	<i>10.38</i>	<i>1956</i>	<i>0.24</i>	<i>1969</i>	<i>4.18</i>	<i>12-29-1955</i>	<i>10</i>	<i>7</i>	<i>1</i>	<i>0</i>	<i>13.6</i>	<i>30.3</i>	<i>1967</i>
<i>Spring</i>	<i>0.84</i>	<i>1.70</i>	<i>1965</i>	<i>0.35</i>	<i>1970</i>	<i>0.80</i>	<i>03-23-1955</i>	<i>5</i>	<i>3</i>	<i>0</i>	<i>0</i>	<i>2.7</i>	<i>6.0</i>	<i>1954</i>
<i>Summer</i>	<i>3.58</i>	<i>6.15</i>	<i>2008</i>	<i>0.92</i>	<i>1952</i>	<i>2.50</i>	<i>06-14-2010</i>	<i>17</i>	<i>10</i>	<i>2</i>	<i>0</i>	<i>0.0</i>	<i>0.0</i>	<i>1951</i>
<i>Fall</i>	<i>3.53</i>	<i>10.34</i>	<i>1956</i>	<i>1.18</i>	<i>1964</i>	<i>3.80</i>	<i>11-26-1956</i>	<i>15</i>	<i>9</i>	<i>2</i>	<i>1</i>	<i>9.7</i>	<i>31.4</i>	<i>1966</i>

Table updated on Oct. 31, 2012

For monthly and annual means, thresholds, and sums:
 Months with 5 or more missing days are not considered

Years with 1 or more missing months are not considered

Seasons are climatological not calendar seasons

Winter =
 Dec., Jan., and Feb.
 Summer =
 Jun., Jul., and Aug.

Spring =
 Mar., Apr., and May
 Fall =
 Sep., Oct., and Nov.

Source: WRCC 2012

Table 5-7 Station: 501824, Chitina

From Year=1950 To Year=2012															
Month	Monthly Averages			Daily Extremes				Monthly Extremes				Max. Temp		Min. Temp	
	Max. (°F)	Min. (°F)	Mean (°F)	High (°F)	Year	Low (°F)	Year	Highest Mean (°F)	Year	Lowest Mean (°F)	Year	>= 90 (°F) #Days	<= 32 (°F) #Days	<= 32 (°F) #Days	<= 0 (°F) #Days
January	0.4	-16.8	-8.3	52	1961	-55	1970	10.8	1955	-27.2	1969	0.0	27.6	30.5	24.8
February	17.2	-4.6	6.3	47	1970	-47	1954	22.2	1970	-4.8	1954	0.0	22.1	27.8	17.5
March	31.9	4.9	18.4	49	1954	-41	1956	31.1	1965	8.8	1964	0.0	12.9	29.1	12.4
April	44.7	23.6	34.2	67	1958	-18	1954	38.3	1969	26.6	1954	0.0	0.6	26.0	0.6
May	57.1	34.3	45.7	85	2011	4	1964	50.1	1969	39.5	1964	0.0	0.1	10.6	0.0
June	64.9	43.3	54.0	91	1969	28	1963	58.9	1969	50.6	1956	0.1	0.1	0.7	0.0
July	66.8	46.9	56.8	88	2009	28	1954	61.3	1951	53.5	2012	0.0	0.0	0.2	0.0
August	63.7	43.4	53.6	82	1957	20	1969	57.8	1957	48.4	1969	0.0	0.0	2.5	0.0
September	55.7	34.9	45.3	69	1950	10	1956	48.3	1963	42.9	1956	0.0	0.0	11.0	0.0
October	38.5	20.4	29.5	69	1969	-20	1958	38.3	1952	17.8	1958	0.0	7.8	26.2	2.9
November	18.4	2.9	10.7	46	1952	-42	1955	29.9	1952	-11.0	1955	0.0	22.6	28.6	12.7
December	7.3	-9.9	-1.4	48	1960	-56	1964	18.3	2011	-18.1	1964	0.0	26.8	30.3	21.5
<i>Annual</i>	38.9	18.6	28.7	91	1969	-56	1964	31.6	1957	26.1	1956	0.1	120.6	223.5	92.6
<i>Winter</i>	8.3	-10.5	-1.1	52	1961	-56	1964	8.7	1970	-12.0	1969	0.0	76.5	88.5	63.9
<i>Spring</i>	44.6	21.0	32.8	85	2011	-41	1956	37.2	1970	27.3	1964	0.0	13.6	65.7	13.1
<i>Summer</i>	65.1	44.5	54.8	91	1969	20	1969	57.2	1957	52.8	2008	0.1	0.1	3.4	0.0
<i>Fall</i>	37.5	19.4	28.5	69	1955	-42	1955	37.1	1952	20.8	1955	0.0	30.4	65.8	15.6

For monthly and annual means, thresholds, and sums:
Months with 5 or more missing days are not considered
Years with 1 or more missing months are not considered
Seasons are climatological not calendar seasons

Winter =
Dec., Jan., and Feb.
Summer =
Jun., Jul., and Aug.

Spring =
Mar., Apr., and May
Fall =
Sep., Oct., and Nov.

Source: WRCC 2012

DHS&EM's Disaster Cost Index records the following severe weather disaster events which may have affected the area:

“83. Omega Block Disaster, January 28, 1989 & FEMA declared (DR-00826) on May 10, 1989 *The Governor declared a statewide disaster to provide emergency relief to communities suffering adverse effects of a record breaking cold spell, with temperatures as low as -85 degrees. The State conducted a wide variety of emergency actions, which included: emergency repairs to maintain & prevent damage to water, sewer & electrical systems, emergency resupply of essential fuels & food, & DOT/PF support in maintaining access to isolated communities.*

96-180 South-central Fall Floods declared September 21, 1995 by Governor Knowles then FEMA declared (DR-1072) on October 13, 1996. *On September 21, 1995, the Governor declared a disaster as a result of heavy rainfall in South-central Alaska as a result the Kenai Peninsula Borough, Matanuska-Susitna Borough, and the Municipality of Anchorage were initially affected. On September 29, 1995, the Governor amended the original declaration to include Chugach, and the Copper River Regional Education Attendance areas, including the communities of Whittier and Cordova, and the Richardson, Copper River and Edgerton Highway areas which suffered severe damage to numerous personal residences, flooding, eroding of public roadways, destruction & significant damage to bridges, flood control dikes and levees, water and sewer facilities, power and harbor facilities. On October 13, 1995, the President declared this event as a major disaster (AK-1072-DR) under the Robert T. Stafford Disaster Relief and Emergency Assistance Act. Individual Assistance totaled \$699K for 190 applicants. Public Assistance totaled \$7.97 million for 21 applicants with 140 DSR's. Hazard Mitigation totaled \$1.2 million. The total for this disaster is \$10.5 million.*

07-221 2006 October Southern Alaska Storm (AK-07-221) declared October 14, 2006 by Governor Murkowski FEMA declared (DR-1669) on December 8, 2006. *Beginning on October 8, 2006 and continuing through October 13, 2006, a strong large area of low pressure that developed in the Northern Pacific and moved into the Southwest area of the state, produced hurricane force winds throughout much of the state and heavy rains in the Southcentral and Northern Gulf coast areas, which resulted in severe flooding and wind damage and threats to life in the Southern part of the state, to include the Kenai Peninsula Borough including the Cities of Seward and Seldovia, the Chugach Rural Education Area including the City of Cordova and the City of Valdez, and the Copper River Rural Education Area including the Richardson Highway to the Glennallen and highways and drainages in the McCarthy areas. Initial total damages are estimated at \$557,415 with a public assistance estimate of \$456,855. Federal declaration was made December 2006 including assistance for Public Assistance and Hazard Mitigation but not including Individual Assistance. Revised State of Alaska Cost estimates are \$1,265,000 in Individual Assistance and \$38,241,826 in Public Assistance for a total cost of \$39,506,826. There is \$26,825,918 available from the Federal Highway Administration leaving a requested amount of \$13,948,999. A total of 10 individuals or households applied for assistance through the State's IA Temporary Housing program. Six eligible applicants received a total of \$93,611.21 for home replacement, major repair and mitigation, and/or for temporary housing accommodations. Each TH applicant involved extensive case management. The temporary housing program closed 3/10/2008” (DHS&EM 2014a).*

The Copper River Basin area is continually impacted by severe weather. Figures 5-10 and 5-11 depict the Village’s historic and future predicted precipitation and temperatures. Note the projected increasing precipitation due to climate changes. Increased rain and snow could dramatically increase flooding and erosion.

5




Figure 5-10 Chitina Historic and Predicted Precipitation (SNAP 2014)




Figure 5-11 Chitina Historic and Predicted Temperature (SNAP 2014)

Table 5-8 lists a representative sample of major storm events the National Weather Service (NWS) identified for the Copper River Basin’s Weather Zone. Each weather event may not have specifically impacted the Chitina area, but these storm events are listed due to their close proximity to listed communities or by location within the identified zone.

Table 5-8 Severe Weather Events

Location	Date	Event Type	Magnitude
Copper River Basin (Zone)	6/1/2013	Heavy Rain/Snow Melt	After a record breaking cold and late spring in South Central Alaska, a warm upper level ridge built over the region in early June. This caused rapid snow melt which produced floods in the Copper River basin. The Gulkana River gauges at the Paxson Lake outlet (GPOA2) and at Sourdough Creek (GRSA2) were in flood stage when June began due to snow melt. They gradually receded to below flood level over by mid-late June. Floods damaged buildings and a bridge at the Gulkana Fish Hatchery on June 10 th . Floods also continued to impact the Sourdough Creek BLM campground from the ice jam flood documented in May.
Copper River Basin (Zone)	2/3/2012	Heavy Snow	A large intense north Pacific storm moved across Kodiak Island into the lower Cook Inlet and south central region of Alaska the afternoon of February 1st. This storm produced high wind and blizzard conditions from the Alaska Peninsula to the Kuskokwim Delta east across the Kenai Peninsula into Prince William Sound. The sudden change in the weather pattern brought on extreme avalanche danger to the Kenai Mountains and Chugach Mountains. One Avalanche closed the Seward Highway at the junction of the Sterling Highway February 2nd. One man died after he went out into the blizzard on a snow machine near Toksook Bay in the Kuskokwim Delta. Twenty six inches of snow fell at Ernestine DOT camp and 30 inches of snow fell at Tiekel River Lodge at mile post 56. The Richardson Highway was closed from mile post 12 to 55 due to heavy snow and blowing snow.
Copper River Basin (Zone)	3/8/2010	Heavy Snow	An intense storm moved into the Gulf of Alaska March 8th resulting in heavy snow and blizzard conditions from Southwest Alaska to Prince William Sound and inland into the Copper River Basin. The Alaska Department of Highways reported 30 inches of snow fell overnight along the Richardson Highway from the Worthington Glacier area to mile post 54.
Copper River Basin (Zone)	7/13/2008	Funnel Cloud	A cold front pushed across the interior of Alaska on the 13th. This produced Thunderstorms along the Alaska Range. A person floating down the Delta River 5 miles north of Eureka Creek photographed a funnel cloud around 1015 AM. David Payer reported this funnel cloud and photographed it July 13th 2008.
Copper River Basin (Zone)	11/14/2007	Heavy Snow	Low pressure in Bristol Bay pushed warm moist air over the Chugach Mountains and into the Copper River Basin. Eight inches of snow fell during the early morning hours of the 14th through 0730L. A total of 17.1 inches of snow was received, with the bulk of the snow falling between 0800L and 2000L on the 14th.
Copper River Basin (Zone)	10/30/2007	Ice Storm	A strong low in the northern Gulf of Alaska pushed warm air over the cold air trapped in the Copper River Basin. This produced localized freezing rain that accumulated 2 inches of ice in the Eureka area.
Copper River Basin (Zone)	6/18/2007	Hail	A thunderstorm that formed along the Alaska Range blew up into a severe thunderstorm producing 1 inch hail as it moved through Paxson.

(NOAA 2015, NWS 2014)

5.3.4.3 Location, Extent, Impact, and Recurrence Probability

Location

The entire Copper River Basin area, which includes the Village of Chitina, experiences periodic severe weather impacts. The most common threats to the area are heavy rainfall and severe winter storms. Table 5-8 depicts weather events that have impacted the area since 2007 and are provided as a representative sample.

Extent

The entire Village is equally vulnerable to the severe weather effects. The Village experiences severe storm conditions with heavy snow; flooding; and extreme low temperatures that reach -40°F.

Based on past severe weather events and the criteria identified in Table 5-2, the extent of severe weather in the Village are considered “Limited” where injuries do not result in permanent disability, complete shutdown of critical facilities occurs for more than one week, and more than 10 percent of property is severely damaged.

5

Impact

The intensity, location, and the land’s topography influence a severe weather event’s impact within a community. Heavy rain and severe winter storms can be expected to impact the entire Village of Chitina.

Heavy snow can immobilize a community by bringing transportation to a halt. Until the snow can be removed, airports and roadways are impacted, even closed completely, stopping the flow of supplies and disrupting emergency and medical services. Accumulations of snow can cause roofs to collapse and knock down trees and power lines. Heavy snow can also damage light aircraft and sink small boats. A quick thaw after a heavy snow can cause substantial flooding. The cost of snow removal, repairing damages, and the loss of business can have severe economic impacts on cities and towns.

Injuries and deaths related to heavy snow usually occur as a result of vehicle and or snow machine accidents. Casualties also occur due to overexertion while shoveling snow and hypothermia caused by overexposure to the cold weather.

Extreme cold can also bring transportation to a halt. Aircraft may be grounded due to extreme cold and ice fog conditions, cutting off access as well as the flow of supplies to communities. Long cold spells can cause rivers to freeze, disrupting shipping and increasing the likelihood of ice jams and associated flooding.

Extreme cold also interferes with the proper functioning of a community's infrastructure by causing fuel to congeal in storage tanks and supply lines, stopping electric generation. Without electricity, heaters and furnaces do not work, causing water and sewer pipes to freeze or rupture. If extreme cold conditions are combined with low or no snow cover, the ground's frost depth can increase, disturbing buried pipes. The greatest danger from extreme cold is its effect on people. Prolonged exposure to the cold can cause frostbite or hypothermia and become life-threatening. Infants and elderly people are most susceptible. The risk of hypothermia due to exposure greatly

increases during episodes of extreme cold, and carbon monoxide poisoning is possible as people use supplemental heating devices.

Recurrence Probability

Based on previous occurrences and the criteria identified in Table 5-3, it is “Highly Likely” a severe storm event will occur in the next year with an event having up to 1 in 1 years (1/1=100 percent) chance of occurring as the history of events is greater than 33 percent likely per year.

5.3.5 Wildland Fire

5.3.5.1 Nature

A wildland fire is a wildfire type that spreads through vegetation consumption. It often begins unnoticed, spreads quickly, and is usually signaled by dense smoke that may be visible from miles around. Wildland fires can be caused by human activities (such as unattended burns or campfires) or by natural events such as lightning. Wildland fires often occur in forests or other areas with ample vegetation. In addition to wildland fires, wildfires can be classified as tundra fires, urban fires, interface or intermix fires, and prescribed burns.

The following three factors contribute significantly to wildland fire behavior and can be used to identify wildland fire hazard areas.

Topography describes slope increases, which influences the rate of wildland fire spread increases. South-facing slopes are also subject to more solar radiation, making them drier and thereby intensifying wildland fire behavior. However, ridge tops may mark the end of wildland fire spread since fire spreads more slowly or may even be unable to spread downhill.

Fuel is the type and condition of vegetation plays a significant role in the occurrence and spread of wildland fires. Certain types of plants are more susceptible to burning or will burn with greater intensity. Dense or overgrown vegetation increases the amount of combustible material available to fuel the fire (referred to as the “fuel load”). The ratio of living to dead plant matter is also important. Climate change is deemed to increase wildfire risk significantly during periods of prolonged drought as the moisture content of both living and dead plant matter decreases. The fuel load continuity, both horizontally and vertically, is also an important factor.

Weather is the most variable factor affecting wildland fire behavior is weather. Temperature, humidity, wind, and lightning can affect chances for ignition and spread of fire. Extreme weather, such as high temperatures and low humidity, can lead to extreme wildland fire activity. Climate change increases the susceptibility of vegetation to fire due to longer dry seasons. By contrast, cooling and higher humidity often signal reduced wildland fire occurrence and easier containment.

The frequency and severity of wildland fires is also dependent on other hazards, such as lightning, drought, and infestations (such as the damage caused by spruce-bark beetle infestations). If not promptly controlled, wildland fires may grow into an emergency or disaster. Even small fires can threaten lives and resources and destroy improved properties. In addition to affecting people, wildland fires may severely affect livestock and pets. Such events may require emergency water/food, evacuation, and shelter.

The indirect effects of wildland fires can be catastrophic. In addition to stripping the land of vegetation and destroying forest resources, large, intense fires can harm the soil, waterways, and the land itself. Soil exposed to intense heat may lose its capability to absorb moisture and support life. Exposed soils erode quickly and enhance rivers and stream siltation, thereby enhancing flood potential, harming aquatic life, and degrading water quality. Lands stripped of vegetation are also subject to increased debris flow hazards.

5.3.5.2 History

The Alaska Interagency Coordination Center (AICC) identified 655 wildland fires in close proximity (within approximately 50 miles) to the Village. Table 5-9 lists 22 fires that burned at least 100 acres, with the largest one burning 125,000 acres in 1947.

Table 5-9 Wildfire Locations Exceeding 100 Acres Since 1939

Fire Name	Fire Year	Estimated Acres	Latitude	Longitude	Cause
Tabert Lake	2013	1,489	62.2956	-146.8234	Lightning
Gilahina	2011	1,234	61.4428	-143.5147	Lightning
Chakina	2009	56,413	61.2489	-143.1128	Lightning
Town Mountain	1999	104	61.1333	-146.3667	Human
Rainbow	1994	250	61.5333	-145.4333	Human
Dadina	1993	170	61.9000	-144.8000	Lightning
Tazlina Lake	1991	5,690	61.9000	-146.5667	Lightning
Tonsina Lake	1939	1,200	61.4500	-145.5000	Unknown
Wilson Camp	1981	13,000	62.0833	-145.1667	Lightning
Edgerton	1969	1,830	61.6667	-144.7000	Debris Burning
Copper Canyon	1958	2,500	61.9667	-145.3667	Incendiary
Klutina Lake	1957	100	61.7833	-145.5833	Lightning
Chitina Hill	1956	105	61.5833	-144.5500	Human
Chitina	1954	160	61.5167	-144.4333	Human
Chetaslina River Fire	1953	300	61.8667	-144.6167	Lightning
Tyone Fire	1951	6,500	62.0000	-147.0000	Lightning
Charlie Lake #2	1951	600	62.1167	-145.5500	Lightning
Three Lakes	1951	200	61.5500	-145.4500	Debris Burning
Lackina River Fire	1948	20,000	61.3500	-143.6167	Lightning
Gulkana Fire	1948	1,200	62.2833	-145.4500	Lightning
Tazlina River	1947	125,000	62.0500	-145.5833	Human
Tazlina	1947	10,000	62.0000	-146.2500	Human

(AICC 2014)

The Chitina Community Plan (Village of Chitina 2009) discusses wildfire as a major threat to the Village. The Community Plan noted the work to clear dead spruce trees killed by spruce beetles as a way to reduce fuel in the vicinity of Chitina. Spruce beetle infestation is very high in the Copper River Basin, and the resulting dead stands of trees pose a fire risk. The Chitina Community Wildfire Protection Plan concluded that most fires (88%) in the vicinity of the

Village are human caused, and that 2004 was the largest fire season in the area since 1950 (Village of Chitina 2007).

5.3.5.3 Location, Extent, Impact, and Recurrence Probability

Location

Under certain conditions wildland fires may occur near the Village when weather, fuel availability, topography, and ignition sources combine. Since fuels data is not readily available, for the purposes of this plan, all areas outside Village limits are considered to be vulnerable to wildland fire impacts. Since 1938, 655 wildland fire events have occurred within 50 miles of the Village of Chitina (Figure 5-12).




Figure 5-12 Chitina Historical Wildfire Locations (AICC 2014)

Extent

Generally, fire vulnerability dramatically increases in the late summer and early fall as vegetation dries out, decreasing plant moisture content and increasing the ratio of dead fuel to living fuel. However, various other factors, including humidity, wind speed and direction, fuel

load and fuel type, and topography can contribute to the intensity and spread of wildland fires. The common causes of wildland fires in Alaska include lightning strikes and human negligence.

Fuel, weather, and topography influence wildland fire behavior. Fuel determines how much energy the fire releases, how quickly the fire spreads, and how much effort is needed to contain the fire. Weather is the most variable factor. High temperatures and low humidity encourage fire activity while low temperatures and high humidity retard fire spread. Wind affects the speed and direction of fire spread. Topography directs the movement of air, which also affects fire behavior. When the terrain funnels air, as happens in a canyon, it can lead to faster spreading. Fire also spreads up slope faster than down slope.

The 1947 Tazlina River fire burned approximately 125,000 acres. Due to poor records, the location is approximate. The cause of the fire was human from a trapper's fire that spread. It is difficult to determine the average number of acres burned as the fires were vastly different for each of the 22 wildland fire events identified in Table 5-9 (AICC 2014). An average based on such diverse data would easily be overstated.

5

Based on the past wildland fire events and the criteria identified in Table 5-2, the magnitude and severity of impacts in the Village of Chitina are considered "Limited" with minor injuries. There is potential for critical facilities to be shut down for more than one week, with more than 10 percent of property or critical infrastructure severely damaged, and with little to no permanent damage to transportation, infrastructure, or the economy.

Impact

Impacts of a wildland fire that interfaces with the population center of the Village of Chitina could grow into an emergency or disaster if not properly controlled. A small fire can threaten lives and resources and destroy property. In addition to impacting people, wildland fires may severely impact livestock and pets. Such events may require emergency watering and feeding, evacuation, and alternative shelter.

Indirect impacts of wildland fires can be catastrophic. In addition to stripping the land of vegetation and destroying forest resources, large, intense fires can harm the soil, waterways, and the land itself. Soil exposed to intense heat may lose its capability to absorb moisture and support life. Exposed soils erode quickly and enhance siltation of rivers and streams, thus increasing flood potential, harming aquatic life, and degrading water quality.

Fire is recognized as a critical feature of the natural history of many ecosystems. It is essential to maintain the biodiversity and long-term ecological health of the land. The role of wildland fire as an essential ecological process and natural change agent has been incorporated into the fire management planning process and the full range of fire management activities is exercised in Alaska, to help achieve ecosystem sustainability, including its interrelated ecological, economic, and social consequences on firefighters, public safety and welfare; natural and cultural resources threatened; and the other values to be protected dictate the appropriate management response to the fire. In Alaska, and within 50 miles of the Village of Chitina, the natural fire regime is characterized by a return interval of approximately 150 due to their tundra vegetation, gently rolling topography.

Recurrence Probability

An important issue related to the wildland fire probability is the interface fire is increased development along the community's perimeter, accumulation of hazardous wildfire fuels, and the uncertainty of weather patterns that may accompany climate change. These three combined elements are reason for concern and heightened mitigation management of each community's wildland interface areas, natural areas, and open spaces.

Based on the history of wildland fires in the Chitina area and applying the criteria identified in Table 5-3, it is "Likely" a wildland fire event will occur within in the next three years. The event has up to 1 in 3 years (1/3=33 percent) chance of occurring and the history of events is greater than 20 percent but less than or equal to 33 percent likely each year. Climate change and flammable vegetation species are prolific throughout Alaska's forests and tundra locations. Fire frequency may increase in the future as a result.

This page intentionally left blank

Section Six outlines the vulnerability process for determining potential losses for the community from various hazard impacts.

6.1 OVERVIEW

A vulnerability analysis predicts the extent of exposure that may result from a hazard event of a given intensity in a given area. The analysis provides quantitative data that may be used to identify and prioritize potential mitigation measures by allowing communities to focus attention on areas with the greatest risk of damage. A vulnerability analysis is divided into eight steps:

1. Asset Inventory
2. Exposure Analysis For Current Assets
3. Repetitive Loss Properties
4. Land Use and Development Trends
5. Vulnerability Analysis Methodology
6. Data Limitations
7. Vulnerability Exposure Analysis
8. Future Development

DMA 2000 and its implementing regulations for current assets, and area future development initiative vulnerability assessment:



DMA 2000 Recommendations
<p>Assessing Risk and Vulnerability, and Analyzing Development Trends §201.6(c)(2)(ii): The risk assessment shall include a] description of the jurisdiction's vulnerability to the hazards described in paragraph (c)(2)(i) of this section. This description shall include an overall summary of each hazard and its impact on the community. <i>All plans approved after October 1, 2008 must also address NFIP insured structures that have been repetitively damaged by floods.</i> The plan should describe vulnerability in terms of: §201.6(c)(2)(ii)(A): The types and numbers of existing and future buildings, infrastructure, and critical facilities located in the identified hazard areas; §201.6(c)(2)(ii)(B): An estimate of the potential dollar losses to vulnerable structures identified in ... this section and a description of the methodology used to prepare the estimate. §201.6(c)(2)(ii)(C): Providing a general description of land uses and development trends within the community so that mitigation options can be considered in future land use decisions. §201.6(c)(2)(iii): For multi-jurisdictional plans, the risk assessment section must assess each jurisdiction's risks where they vary from the risks facing the entire planning area.</p>
1. REGULATION CHECKLIST
ELEMENT B. Risk Assessment, Assessing Vulnerability, Analyzing Development Trends
B3. Is there a description of each identified hazard's impact on the community as well as an overall summary of the community's vulnerability for each jurisdiction? (Requirement §201.6(c)(2)(ii))
B4. Does the Plan address NFIP insured structures within each jurisdiction that have been repetitively damaged by floods?
C2. Does the Plan address each jurisdiction's participation in the NFIP and continued compliance with NFIP requirements, as appropriate? (Requirement §201.6(c)(3)(ii))
Source: FEMA, March 2015.

Vulnerability assessment requirements include:

- Summarizing the community’s vulnerability to each hazard that addresses the impact of each hazard on the community.
- Identifying the types and numbers of RL properties in the identified hazard areas.
- Identifying the types and numbers of existing vulnerable buildings, infrastructure, and critical facilities and, if possible, the types and numbers of vulnerable future development.
- Estimating potential dollar losses to vulnerable structures and the methodology used to prepare the estimate.

Table 6-1 lists a synopsis of the Village of Chitina infrastructure hazard vulnerability.

Table 6-1 Vulnerability Overview

Hazard	Area’s Hazard Vulnerability			
	Percent of Jurisdiction’s Geographic Area	Percent of Population	Percent of Building Stock	Percent of Critical Facilities and Utilities
Earthquake	100	100	100	100
Flood	100	100	100	100
Ground Failure	75	88	83	69
Weather	100	100	100	100
Wildland Fire	100	100	100	100

6

6.2 LAND USE AND DEVELOPMENT TRENDS

6.2.1 Land Use

Land use in the Village is predominately residential with limited area for commercial services and community (or institutional) facilities. Suitable developable vacant land is in short supply within the boundaries of the Village, and open space and various hydrological bodies surround the community. One area of town is classified as airport land use.

Chitina’s Community Plan notes that housing and employment for local residents are an issue, and tourism and vacation cabin may create construction jobs and be a source of growth for the area (Village of Chitina 2009). The Plan also discusses a lack of affordable housing in Chitina.

6.3 CURRENT ASSET EXPOSURE ANALYSIS

6.3.1 Asset Inventory

Asset inventory is the first step of a vulnerability analysis. Assets that may be affected by hazard events include population (for community-wide hazards), residential buildings (where data is available), and critical facilities and infrastructure.

6.3.1.1 Population and Building Stock

Population data for the Village were obtained from the 2010 U.S. Census and the Department of Labor’s estimate (DOL). The U.S. Census reports the Village’s total population for 2010 as 126 and 2014 DOL data reported a population of 116 (Table 6-2).

Table 6-2 Estimated Population and Building Inventory

Population		Residential Buildings	
2010 Census	DCCED 2014 Data	Total Building Count	Total Value of Buildings ¹
126	116	97	US Census \$10,912,500 Village: \$12,610,000

Sources: U.S. Census 2010, DOL 2014 population data. American Community Survey 2013 housing data with listed housing value at \$112,500.
 The Project Team determined that the average structural replacement value of all single-family residential buildings is \$130,000.

Estimated replacement values for those structures, as shown in Table 6-2, were obtained from the U.S. Census Bureau, 2009-2013 5-Year American Community Survey.

The Planning Team stated that residential replacement values are generally understated because replacement costs exceed Census structure estimates due to material purchasing, airplane delivery, and construction in rural Alaska. The Planning Team estimates an average 30ft by 40 ft (1,200 sq ft) residential structure costs \$130,000.

6.3.1.2 Existing Infrastructure

Table 6-3 list the Village’s identified “completed” infrastructure improvement projects. They provide a depiction of the community’s ongoing development trends and focus toward improving aging infrastructure.

Table 6-3 Chitina’s Completed Capital Improvement Project List

Recipient	Award Year	Project Description/Comments	Project Status	Award Amount	End Date
Chitina Traditional Village Council	2010	Purchase Bulk Fuel and Electrical Power Services	Closed	\$3,756	2/5/2011
Strelna Volunteer Fire Department	2009	Fire Department Building	Closed	\$100,000	6/30/2013
Chitina Traditional Indian Village Council	2007	Community Facilities and Equipment	Closed	\$20,000	5/23/2007

VILLAGE OF CHITINA
Hazard Mitigation Plan
6 Vulnerability Assessment

Table 6-3 Chitina’s Completed Capital Improvement Project List

Recipient	Award Year	Project Description/Comments	Project Status	Award Amount	End Date
Chitina Traditional Indian Village Council	2007	Community Facilities and Equipment	Closed	\$12,500	5/23/2007
Chitina Volunteer Fire Department	2006	Chitina Fire Station Construction	Closed	\$50,000	6/30/2010
Chitina Traditional Indian Village Council	2006	Community Facilities and Equipment	Closed	\$0	1/31/2008
Chitina Traditional Indian Village Council	2005	Purchase of Land for a Community Hall and Offices	Closed	\$21,129	6/30/2009
Chitina Volunteer Fire Department	2004	Temporary Fiscal Relief Grant	Closed	\$197	
Chitina Traditional Indian Village Council	2004	Temporary Fiscal Relief Grant	Closed	\$3,500	Undefined
Chitina Traditional Indian Village Council	2003	State Revenue Sharing	Closed	\$3,631	3/31/2004
Chitina Volunteer Fire Department	2003	State Revenue Sharing	Closed	\$252	3/31/2004
Chitina Traditional Indian Village Council	2003	Health Clinic	Closed	\$0	6/29/2004
Chitina Traditional Indian Village Council	2002	Health Clinic Construction	Closed	\$14,453	6/29/2004
Chitina Traditional Indian Village Council	2002	Community Teen Center	Closed	\$5,000	6/29/2006
Chitina Traditional Indian Village Council	2002	Public Broadcasting Studio	Closed	\$0	6/29/2006
Chitina Traditional Indian Village Council	2002	State Revenue Sharing	Closed	\$3,681	3/31/2003
Chitina Volunteer Fire Department	2002	State Revenue Sharing	Closed	\$255	3/31/2003
Chitina Traditional Indian Village Council	2002	VFD Building Extension	Closed	\$20,515	1/31/2008
Chitina Traditional Indian Village Council	2001	Community Health Clinic	Closed	\$12,500	9/30/2002
Chitina Traditional Indian Village Council	2001	Community Teen Center & Equipment	Closed	\$0	6/29/2006
Chitina Traditional Indian Village Council	2000	Dumpsite	Closed	\$5,000	1/31/2008
Chitina Traditional Indian Village Council	1999	Fire Protection Improvements	Closed	\$13,093	6/29/2005
Chitina Traditional Indian Village Council	1998	Housing and Urban Development Housing/Laundry Complex	Closed	\$0	6/30/1999
Chitina Traditional Indian Village Council	1997	Pedestrian Pathways	Closed	\$0	Undefined
Chitina Traditional Indian Village Council	1996	Health Clinic Construction	Closed	\$0	6/30/2000
Chitina Traditional Indian Village Council	1995	Washeteria	Closed	\$25,000	1/31/1998
Chitina Traditional Indian Village Council	1994	Water/Sewer for Butcher/Freezer Facility	Closed	\$25,000	10/30/1996
Chitina Volunteer Fire Department	1993	Fire Equip. Repair & Maintenance	Closed	\$9,474	12/15/1996
Chitina Traditional Indian Village Council	1992	Community Hall	Closed	\$25,000	Undefined
Chitina Volunteer Fire Department	1988	EMS Repair/Upgrade	Closed	\$10,000	10/30/1992

(DCRA 2015)

6.3.1.3 Chitina’s Critical Facilities

A critical facility is defined as a facility that provides essential products and services to the general public, such as preserving the quality of life in the and fulfilling important public safety, emergency response, and disaster recovery functions. The critical facilities profiled in this plan include the following:

- Government facilities, such as tribal administrative offices, departments, or agencies
- Emergency response facilities, including police department and firefighting equipment
- Care facilities, such as medical clinics, congregate living health, residential and continuing care, and retirement facilities
- Community gathering places, such as community and youth centers
- Utilities, such as electric generation, communications, water and waste water treatment, sewage lagoons, landfills.

Table 6-4 lists the Village’s critical facilities and infrastructure.

Table 6-4 Chitina’s Critical Facilities and Infrastructure

Facilities	Number of Occupants	Facilities	Address	Latitude	Longitude	Estimated Value	Building Type	Earthquake	Flood/Erosion	Ground Failure	Severe Weather	Wildland Fire
Government	1	United States Post Office	Edgerton Highway	61.51673	-144.439	\$300,000	W1	X	X		X	X
	6	Chitina Tribal Council Office and Community Hall	Village Road	61.51039	-144.451	\$350,000	W2	X	X	X	X	X
Transportation	0	Chitina Airport	Airport Access Road from Edgerton Highway	61.58643	-144.430	\$3,000,000	AFO	X	X		X	X
	3	DOT Maintenance Station	Airport Access Road from Edgerton Highway	N/A	N/A	\$4,000,000	W1	X	X		X	X
Emergency Response	4	Chitina Volunteer Fire Department and Emergency Medical Office	B Street	61.51888	-144.437	\$1,500,000	W1	X	X		X	X

Table 6-4 Chitina’s Critical Facilities and Infrastructure

Facilities	Number of Occupants	Facilities	Address	Latitude	Longitude	Estimated Value	Building Type	Earthquake	Flood/Erosion	Ground Failure	Severe Weather	Wildland Fire
Medical	0	Chitina Volunteer Fire Department Warehouse and Storage	B Street	61.51898	-144.438	\$750,000	S1L	X	X		X	X
	6	Chitina Clinic	Edgerton Highway	61.51044	-144.45	\$1,700,000	W2	X	X		X	X
Community	2	Chitina Tribal EPA Office	Main Street	N/A	N/A	\$250,000	W1	X	X	X	X	X
	1	Chitina ICWA Office	Village Road	N/A	N/A	\$250,000	W1	X	X		X	X
	2	Chitina Electric and Chitina Native Corporation Offices	Village Road	N/A	N/A	\$250,000	W1	X	X	X	X	X
	1	Chitina Corporation Land Office	Village Road	N/A	N/A	\$130,000	W1	X	X	X	X	X
	5	Laundry Mat/Shower Facility	Edgerton Highway	61.50921	-144.452	\$750,000	W1	X	X	X	X	X
	3	Eagle Clan Cabin	Edgerton Highway	N/A	N/A	\$160,000	W1	X	X	X	X	X
	6	Spirit Artworks	Main Street	N/A	N/A	\$225,000	W1	X	X	X	X	X
	0	Community Garden and Toolshed	Edgerton Highway	N/A	N/A	\$15,000	N/A	X	X	X	X	X
	4	Wrangrell View Store	Edgerton Highway	N/A	N/A	\$325,000	W1	X	X	X	X	X
	6	Chitina Liquor Store	Edgerton Highway	N/A	N/A	\$420,000	W1	X	X	X	X	X
	10	Uncle Tom's Tavern	Edgerton Highway	N/A	N/A	\$1,500,000	W1	X	X	X	X	X
	25	Chitina Wayside	Edgerton Highway	N/A	N/A	\$1,700,000	N/A	X	X	X	X	X
	30	Gilpatrick's Hotel Chitina	Edgerton Highway	N/A	N/A	\$1,700,000	W2	X	X	X	X	X
	2	Boone's Automotive	Edgerton Highway	61.51854	-144.437	\$195,000	W1	X	X	X	X	X
	2	Gas Station (Being built by Chitina Native Corporation)	Edgerton Highway	N/A	N/A	\$650,000	N/A	X	X	X	X	X
	0	Cemetery (Village)	Village Road	61.5075	144.452	\$10,000	N/A	X	X		X	X
	0	Cemetery (Cannon Hill)	N/A	N/A	N/A	\$10,000	N/A	X	X		X	X
2	Church	Edgerton Highway	N/A	N/A	\$1,700,000	W1	X	X	X	X	X	
10	National Park Service Ranger Station	Main Street	N/A	N/A	\$2,000,000	W1	X	X	X	X	X	

VILLAGE OF CHITINA
Hazard Mitigation Plan
6 Vulnerability Assessment

Table 6-4 Chitina's Critical Facilities and Infrastructure

Facilities	Number of Occupants	Facilities	Address	Latitude	Longitude	Estimated Value	Building Type	Earthquake	Flood/Erosion	Ground Failure	Severe Weather	Wildland Fire
Roads	0	Edgerton Highway	5 miles	N/A	N/A	\$13,000,000	N/A	X	X	X	X	X
	0	A Street	0.1 miles				N/A	X	X	X	X	X
	0	B Street	0.1 miles				N/A	X	X	X	X	X
	0	C Street	0.1 miles				N/A	X	X	X	X	X
	0	Main Street	0.2 miles				N/A	X	X	X	X	X
	0	Airport Access Road	0.5 miles				N/A	X	X	X	X	X
	0	1st Street	0.3 miles				N/A	X	X	X	X	X
	0	O'Brien Creek Road (Copper River Highway)	3 miles				N/A	X	X	X	X	X
	0	Village Road	2.5 miles				N/A	X	X	X	X	X
	0	McCarthy Road	1 mile				N/A	X	X	X	X	X
	0	Bike path from Chitina downtown to One Mile Lake	2 miles	N/A	N/A	\$1,500,000	N/A	X	X	X	X	X
Bridges	1	Copper River Bridge (Chitina-McCarthy Bridge)	McCarthy Road	61.52677	-144.409	\$30,000,000	N/A	X	X		X	X
Utilities	0	Generator for bar/hotel	Edgerton Highway	61.51623	-144.437	\$25,000	N/A	X	X		X	X
	0	Generator for communications building	Edgerton Highway	61.51575	-144.437	\$60,000	N/A	X	X		X	X
	0	Generator for garage	Edgerton Highway	61.51898	-144.438	\$25,000	N/A	X	X		X	X
	2	Chitina Electric Power Facility	Village Road	61.51041	-144.450	\$2,300,000	W2	X	X		X	X
	2	Chitina Electric Power Facility #2	Village Road	N/A	N/A	\$1,500,000	W1	X	X	X	X	X
	1	Coper Valley Communications Shed	Edgerton Highway	61.5158	-144.437	\$1,500,000	S1L	X	X	X	X	X
	0	CRBHA Chitina HUD Housing Water System	Village Road	61.52228	-144.438	\$2,300,000	N/A	X	X	X	X	X
136	Total Occupants	Total Potential Damages			\$76,050,000							

(DHS&EM 2014c)

6

6.4 REPETITIVE LOSS PROPERTIES

DMA 2000 and its implementing regulations for estimating the number and type of structures at risk to repetitive flooding:

DMA 2000 Requirements
<p>Addressing Risk and Vulnerability to NFIP Insured Structures</p> <p>§201.6(c)(2)(ii): The risk assessment shall include a] description of the jurisdiction's vulnerability to the hazards described in paragraph (c)(2)(i) of this section. This description shall include an overall summary of each hazard and its impact on the community. <i>All plans approved after October 1, 2008 must also address NFIP insured structures that have been repetitively damaged by floods. The plan should describe vulnerability in terms of:</i></p> <p>§201.6(c)(2)(ii)(A): The plan should describe vulnerability in terms of] the types and numbers of existing and future buildings, infrastructure, and critical facilities located in the identified hazard areas;</p> <p>§201.6(c)(2)(ii)(B): The plan should describe vulnerability in terms of an] estimate of the potential dollar losses to vulnerable structures identified in paragraph (c)(2)(ii)(A) of this section and a description of the methodology used to prepare the estimate;</p> <p>§201.6(c)(2)(ii)(C): The plan should describe vulnerability in terms of] providing a general description of land uses and development trends within the community so that mitigation options can be considered in future land use decisions.</p> <p>§201.6(c)(3)(ii): The mitigation strategy shall include a] section that identifies and analyzes a comprehensive range of specific mitigation actions and projects being considered to reduce the effects of each hazard, with particular emphasis on new and existing buildings and infrastructure.</p>
1. REGULATION CHECKLIST
ELEMENT B. NFIP Insured Structures
B4. Does the Plan address NFIP insured structures within the jurisdiction that have been repetitively damaged by floods?
C2. Does the Plan address each jurisdiction's participation in the NFIP and continued compliance with NFIP requirements, as appropriate?
Source: FEMA, March 2015.

6

6.4.1.1 NFIP Participation

The Village of Chitina does not participate in the NFIP neither do they have a repetitive flood property inventory that meets NFIP criteria as the loss thresholds are substantially below FEMA values.

6.5 VULNERABILITY ASSESSMENT METHODOLOGY

A conservative exposure-level analysis was conducted to assess the risks of the identified hazards. This analysis is a simplified assessment of the potential effects of the hazards on values at risk without considering recurrence probability or damage level.

The methodology used a two pronged effort. First, The Project Team used the State's Critical Facility Inventory and locally obtained GPS coordinate data to identify critical facility locations in relation to potential hazard's threat exposure and vulnerability. Second this data was used to develop a vulnerability assessment for those hazards where GIS based hazard mapping information was available.

Replacement structure and contents values were determined by the community for their physical assets. The community’s aggregate exposure was calculated by assuming the worst-case scenario (that is, the asset would be completely destroyed and would have to be replaced) for each physical asset located within a hazard area. A similar analysis was used to evaluate the proportion of the population at risk. However, the analysis simply represents the number of people at risk; no estimate of the number of potential injuries or deaths was prepared.

6.6 DATA LIMITATIONS

The vulnerability estimates provided herein use the best data currently available, and the methodologies applied result in a risk approximation. These estimates may be used to understand relative risk from hazards and potential losses. However, uncertainties are inherent in any loss estimation methodology, arising in part from incomplete scientific knowledge concerning hazards and their effects on the built environment as well as the use of approximations and simplifications that are necessary for a comprehensive analysis.

It is also important to note that the quantitative vulnerability assessment results are limited to the exposure of people, buildings, and critical facilities and infrastructure to the identified hazards. It was beyond the scope of this HMP to develop a more detailed or comprehensive assessment of risk (including annualized losses, people injured or killed, shelter requirements, loss of facility/system function, and economic losses). Such impacts may be addressed with future updates of the HMP.

6.7 VULNERABILITY EXPOSURE ANALYSIS

There is limited GIS data available for the Village of Chitina. The following discussion contains data obtained from the Project Team and their subsequent analysis. The results of the exposure analysis for loss estimations are summarized in Tables 6-5 and 6-6.



Table 6-5 Potential Hazard Exposure Analysis – Critical Facilities

Hazard Type	Methodology	Government and Emergency Response		Educational		Medical		Community	
		* # Bldgs/ # Occ	Value (\$)	* # Bldgs/ # Occ	Value (\$)	* # Bldgs/ # Occ	Value (\$)	* # Bldgs/ # Occ	Value (\$)
Earthquake	Descriptive	4/11	\$2,900,000	0/0	\$0	1/6	\$1,700,000	19/111	\$12,240,000
Flood	Descriptive	4/11	\$2,900,000	0/0	\$0	1/6	\$1,700,000	19/111	\$12,240,000
Ground Failure	Descriptive	1/6	\$350,000	0/0	\$0	0/0	\$0	16/110	\$11,970,000
Severe Weather	Descriptive	4/11	\$2,900,000	0/0	\$0	1/6	\$1,700,000	19/111	\$12,240,000
Wildland Fire	Descriptive	4/11	\$2,900,000	0/0	\$0	1/6	\$1,700,000	19/111	\$12,240,000

Table 6-6 Potential Hazard Exposure Analysis – Critical Infrastructure

Hazard Type	Methodology	Highway		Bridges		Transportation Facilities		Utilities	
		Miles	Value (\$)	No.	Value (\$)	# Bldgs/ # Occ	Value (\$)	# Bldgs/ # Occ	Value (\$)
Earthquake	Descriptive	12.8	\$13,000,000	1	\$30,000,000	2/3	\$7,000,000	7/5	\$7,710,00
Flood	Descriptive	12.8	\$13,000,000	1	\$30,000,000	2/3	\$7,000,000	7/5	\$7,710,00
Ground Failure	Descriptive	12.8	\$13,000,000	1	\$30,000,000	0/0	\$0	7/5	\$7,710,00
Severe Weather	Descriptive	12.8	\$13,000,000	1	\$30,000,000	2/3	\$7,000,000	7/5	\$7,710,00
Wildland Fire	Descriptive	12.8	\$13,000,000	1	\$30,000,000	2/3	\$7,000,000	7/5	\$7,710,00

6.7.1 Exposure Analysis – Narrative Summaries

Earthquake

The Village of Chitina and surrounding area can expect to experience significant earthquake ground movement that may result in infrastructure damage. Intense shaking may be seen or felt based on past events. Although all structures are exposed to earthquakes, buildings within the Village constructed with wood have slightly less vulnerability to the effects of earthquakes than those with masonry.

Based on earthquake probability (PGA) maps produced by the USGS, the entire area is at risk of experiencing moderate to significant earthquake impacts as a result of its close proximity to known earthquake faults.

The probability is “Likely” (see Section 5.3.1.3) that impacts to the community from ground movement may result in infrastructure damage and personal injury.

The entire existing, transient, and future Village of Chitina population, residential structures, and critical facilities are exposed to the effects of “critical” earthquake events. This includes approximately:

- 126 people in 97 residences (approximate value \$12,610,000)
- 11 people in four government and emergency response facilities (approximate value \$2,900,000)
- Six people in one medical facility (approximate value \$1,700,000)
- 111 people in 19 community facilities (approximate value \$12,240,000)
- 12.8 road system miles (approximate value \$13,000,000)
- One bridge (approximate value \$30,000,000)
- Three people in two transportation facilities (approximate value \$7,000,000)
- Five people in seven utility facilities (approximate value \$7,710,000)

Impacts to future populations, residential structures, critical facilities, and infrastructure are anticipated at the same historical impact level.

Flood

Typical flood impacts associated include structures and contents water damage, roadbed, embankment, and coastal erosion, boat strandings, areas of standing water in roadways. Flood events may also damage or displace fuel tanks, power lines, or other infrastructure. Buildings on slab foundations, not located on raised foundations, and/or not constructed with materials designed to withstand flooding events (e.g., cross vents to allow water pass-through an open area under the main floor of a building) are more vulnerable to flood impacts (see Section 5.3.2.3).

No detailed 100 year flood analysis has been prepared for the Village of Chitina. The USACE Floodplain Manager does not provide flood information or a 100 year floodplain map for Chitina.

This includes approximately:

- 126 people in 97 residences (approximate value \$12,610,000)
- 11 people in four government and emergency response facilities (approximate value \$2,900,000)
- Six people in one medical facility (approximate value \$1,700,000)
- 111 people in 19 community facilities (approximate value \$12,240,000)
- 12.8 road system miles (approximate value \$13,000,000)
- One bridge (approximate value \$30,000,000)
- Three people in two transportation facilities (approximate value \$7,000,000)
- Five people in seven utility facilities (approximate value \$7,710,000)

The Village of Chitina anticipates that impacts to future populations, residential structures, critical facilities, and infrastructure will be at the same historical impact level.

Ground Failure

Impacts associated with ground failure include surface subsidence, infrastructure, structure, and/or road damage. Buildings that are built on slab foundations and/or not constructed with materials designed to accommodate the ground movement associated with building on permafrost and other land subsidence and impacts are more vulnerable damage.

The potential ground failure impacts from avalanches, landslides, and subsidence can be widespread. Potential debris flows and landslides can impact transportation, utility systems, and water and waste treatment infrastructure along with public, private, and business structures located adjacent to steep slopes, along riverine embankments, or within alluvial fans or natural drainages. Response and recovery efforts will likely vary from minor cleanup to more extensive utility system rebuilding. Utility disruptions are usually local and terrain dependent. Damages may require reestablishing electrical, communication, and gas pipeline connections occurring from specific breakage points. Initial debris clearing from emergency routes and high traffic areas may be required. Water and wastewater utilities may need treatment to quickly improve water quality by reducing excessive water turbidity and reestablishing waste disposal capability.

USGS elevation datasets were used to determine the ground failure hazard areas within the Chitina area. Risk was assigned based on slope angle. A slope angle less than 14 degrees was assigned a low risk, a slope angle between 14 and 32 degrees was assigned a medium risk, and a slope angle greater than 32 degrees was assigned a high risk.

Ground Failure hazards periodically cause structure and infrastructure displacement due to ground shifting, sinking, and upheaval. Chitina has discontinuous permafrost according to Jorgenson et al's. 2008 research, (see Section 5.3.3.3).

There have been periodic landslides and other ground failure incidents in Chitina.

Threatened facilities include:

- 126 people in 97 residences (approximate value \$12,610,000)
- Six people in two government and emergency response facility (approximate value \$350,000)
- 110 people in 16 community facilities (approximate value \$11,970,000)
- 12.8 road system miles (approximate value \$13,000,000)
- One bridge (approximate value \$30,000,000)
- Three people in two utility facilities (approximate value \$5,300,000)

Impacts to future populations, residential structures, critical facilities, and infrastructure are anticipated at the same impact level.

Severe Weather

Impacts associated with severe weather events includes roof collapse, trees and power lines falling, damage to light aircraft and sinking small boats, injury and death resulting from snow machine or vehicle accidents, overexertion while shoveling all due to heavy snow. A quick thaw after a heavy snow can also cause substantial flooding. Impacts from extreme cold include hypothermia, halting transportation from fog and ice, congealed fuel, frozen pipes, utility disruptions, frozen pipes, and carbon monoxide poisoning. Additional impacts may occur from secondary weather hazards or complex storms such as extreme high winds combined with freezing rain, high seas, and storm surge. Section 5.3.4.3 provides additional detail regarding severe weather impacts. Buildings that are older and/or not constructed with materials designed to withstand heavy snow and wind (e.g., hurricane ties on crossbeams) are more vulnerable to the severe weather damage.

Based on information provided by the Village of Chitina and the National Weather Service, the entire existing, transient, and future Chitina population, residential structures, and critical facilities are exposed to future severe weather impacts.

This includes approximately:

- 126 people in 97 residences (approximate value \$12,610,000)
- 11 people in four government and emergency response facilities (approximate value \$2,900,000)
- 6 people in one medical facility (approximate value \$1,700,000)
- 111 people in 19 community facilities (approximate value \$12,240,000)
- 12.8 road system miles (approximate value \$13,000,000)
- One bridge (approximate value \$30,000,000)
- Three people in two transportation facilities (approximate value \$7,000,000)
- Five people in seven utility facilities (approximate value \$7,710,000)

Impacts to future populations, residential structures, critical facilities, and infrastructure are anticipated at the same impact level.

Wildland Fire

Impacts associated with a wildland fire event include the potential for loss of life and property. It can also impact livestock and pets, destroy forest resources, and contaminate water supplies. Buildings closer to the outer edge of town, those with a lot of vegetation surrounding the structure, and those constructed with wood are some of the buildings that are more vulnerable to the impacts of wildland fire. Section 5.3.5.3 provides additional detail regarding wildland/tundra fire impacts.

According to the Alaska Fire Service, there are no wildland fire areas within Chitina's boundaries. However, 655 wildland fires have occurred within a 50-mile radius of the (see Section 5.3.5.3), with 22 fires burning at least 100 acres. There is a potential for wildland fire to interface with the population center of the Village of Chitina.

This area includes approximately:

- 126 people in 97 residences (approximate value \$12,610,000)
- 11 people in four government and emergency response facilities (approximate value \$2,900,000)
- 6 people in one medical facility (approximate value \$1,700,000)
- 111 people in 19 community facilities (approximate value \$12,240,000)
- 12.8 road system miles (approximate value \$13,000,000)
- One bridge (approximate value \$30,000,000)
- Three people in two transportation facilities (approximate value \$7,000,000)
- Five people in seven utility facilities (approximate value \$7,710,000)

6

6.8 FUTURE DEVELOPMENT

The Village of Chitina's Community Plan describes several possible projects of interest to the community (Village of Chitina 2009). Potential projects include: increasing amounts of affordable housing, building a new community hall with public and office areas, improving the volunteer fire department facility, and improving sewage and waste infrastructure. Clear demarcation of historic buildings and local recreational trails were also listed as potential projects. Tourism and associated facilities were stated a possible area of economic growth for Chitina.

Table 6-7 delineates Chitina's funded projects and their tentative completion status.

Table 6-7 Planned and Funded Projects

Grant Recipient	Award Year	Project Description/Comments	Project Status	Award Amount	End Date
Alaska Building Science Network	2009	Energy Efficiency Upgrades—8 community buildings and teacher housing units received energy efficiency upgrades.	Completed	\$8,000	2010
Alaska Energy Authority (AEA)	2010	Chitina Rural Power System Upgrade	Completed	\$940,000	2011
Renewable Energy Alaska Project (REAP)	2008	Feasibility Study for Five Mile Creek Hydroelectric Project	Completed	\$303,001	2012
Department of Transportation and Public Facilities (DOT/PF)	2014	Resurface Edgerton Highway towards Chitina	Completed	\$7,000,000	2014

(DHS&EM 2014b)

This page intentionally left blank

Section Seven delineates the Village’s HMP mitigation strategy.

7.1 OVERVIEW

The mitigation strategy provides the blueprint for implementing desired activities that will enable the community to continue to save lives and preserve infrastructure by systematically reducing hazard impacts, damages, and community disruption. A vulnerability analysis is divided into six steps:

1. Identifying each jurisdiction’s existing authorities for implementing mitigation action initiatives
2. NFIP Participation
3. Developing Mitigation Goals
4. Identifying Mitigation Actions
5. Evaluating Mitigation Actions
6. Implementing the Mitigation Action Plan (MAP)

DMA 2000 and its implementing regulations for comprehensive mitigation strategy development:

DMA 2000 Requirements
<p>Identification and Analysis of Mitigation Actions</p> <p>§201.6(c)(3): [The plan shall include the following:] A <i>mitigation strategy</i> that provides the jurisdiction’s blueprint for reducing the potential losses identified in the risk assessment, based on existing authorities, policies, programs, and resources, and its ability to expand on and improve these existing tools.</p> <p>§201.6(c)(3)(i): [The hazard mitigation strategy shall include a] description of mitigation goals to reduce or avoid long-term vulnerabilities to the identified hazards.</p> <p>§201.6(c)(3)(ii): [The mitigation strategy shall include a] section that identifies and analyzes a comprehensive range of specific mitigation actions and projects being considered to reduce the effects of each hazard, with particular emphasis on new and existing buildings and infrastructure.</p> <p>§201.6(c)(3)(iii): [The hazard mitigation strategy shall include an] action plan, describing how the action identified in paragraph (c)(3)(ii) of this section will be prioritized, implemented, and administered by the local jurisdiction. Prioritization shall include a special emphasis on the extent to which benefits are maximized according to a cost benefit review of the proposed projects and their associated costs.</p> <p>§201.6(c)(3)(iv): [For multi-jurisdictional plans, there must be identifiable action items specific to the jurisdiction requesting FEMA approval or credit of the plan.</p> <p>Requirement §201.6(c)(4): [The plan shall include a] process by which local governments incorporate the requirements of the mitigation plan into other planning mechanisms such as comprehensive or capital improvements, when appropriate.</p>
1. REGULATION CHECKLIST
ELEMENT C. Mitigation Strategy
C1. Does the plan document each jurisdiction’s existing authorities, policies, programs and resources and its ability to expand on and improve these existing policies and programs?
C2. Does the Plan address each jurisdiction’s participation in the NFIP and continued compliance with NFIP requirements, as appropriate? <i>(Addressed in Section 6.4)</i>
C3. Does the Plan include goals to reduce/avoid long-term vulnerabilities to the identified hazards?



DMA 2000 Requirements
C4. Does the Plan identify and analyze a comprehensive range of specific mitigation actions and projects for each jurisdiction being considered to reduce the effects of hazards, with emphasis on new and existing buildings and infrastructure?
C5. Does the Plan contain an action plan that describes how the actions identified will be prioritized (including cost benefit review), implemented, and administered by each jurisdiction?
C6. Does the Plan describe a process by which local governments will integrate the requirements of the mitigation plan into other planning mechanisms, such as comprehensive or capital improvement plans, when appropriate?
Source: FEMA, March 2015.

7.2 CHITINA'S CAPABILITY ASSESSMENT

The Village's capability assessment reviews the technical and fiscal resources available to the community. DMA 2000 and its implementing regulations for technical and fiscal resources available to the community for HMP project implantation and management:

DMA 2000 Requirements
Incorporation into Existing Planning Mechanisms §201.6(c)(3): [The plan shall include the following:] A <i>mitigation strategy</i> that provides the jurisdiction's blueprint for reducing the potential losses identified in the risk assessment, based on existing authorities, policies, programs, and resources, and its ability to expand on and improve these existing tools.
1. REGULATION CHECKLIST
ELEMENT C. Incorporate into Other Planning Mechanisms
C1. Does the plan document each jurisdiction's existing authorities, policies, programs and resources and its ability to expand on and improve these existing policies and programs?
C6. Does the Plan describe a process by which local governments will integrate the requirements of the mitigation plan into other planning mechanisms, such as comprehensive or capital improvement plans, when appropriate?
Source: FEMA, March 2015.

7

Tables 7-1, 7-2, and 7-3 delineate the Village of Chitina's regulatory tools, technical specialists, financial and training resource available for project management. Appendix A provides a detailed list of potential funding resources.

Table 7-1 Chitina's Regulatory Tools

Regulatory Tools (ordinances, codes, plans)	Existing Yes/No?	Comments (Year of most recent update; problems administering it, etc.)
Comprehensive Plan	No	
Land Use Plan (Community Plan)	Yes	Chitina, Alaska Community Plan, 2009
Tribal Land Use Plan	No	
Emergency Response Plan	No	
Wildland Fire Protection Plan	Yes	Chitina Community Wildfire Protection Plan, 2007
Building code	No	
Zoning ordinances	No	
Subdivision ordinances or regulations	No	
Special purpose ordinances	No	

Local Resources

The Village of Chitina has a number of planning and land management tools that will allow it to implement hazard mitigation activities. The resources available in these areas have been assessed by the hazard mitigation Planning Team, and are summarized below.

Table 7-2 Chitina’s Technical Specialists

Staff/Personnel Resources	Yes / No	Department/Agency and Position
Planner or engineer with knowledge of land development and land management practices	Yes	The Village has staff with this knowledge.
Engineer or professional trained in construction practices related to buildings and/or infrastructure	Yes	The Village has staff with this knowledge.
Planner or engineer with an understanding of natural and/or human-caused hazards	Yes	The Village has staff with this knowledge.
Floodplain Manager	No	The Village consults with the State Flood Manager.
Surveyors	Yes	The Village consults with surveyors.
Staff with education or expertise to assess the jurisdiction’s vulnerability to hazards	Yes	The Village has staff with this knowledge.
Personnel skilled in Geospatial Information System (GIS) and/or Hazards Us-Multi Hazard (Hazu-MH) software	No	The Village consults with GIS specialists. Village staff is currently receiving GIS training.
Scientists familiar with the hazards of the jurisdiction	No	The Village may provide consultants with this knowledge.
Emergency Manager	Yes	The Village has staff (Environmental Director) with this role.
Finance (Grant writers)	Yes	The Village has staff with this knowledge.
Public Information Officer	Yes	The Village has staff (Tribal President) with this role.

7

Table 7-3 Chitina’s Financial Resources

Financial Resource	Accessible or Eligible to Use for Mitigation Activities
General funds	Can exercise this authority with voter approval
Payment in Lieu of Taxes (PILT)	Provides operating support funding
Municipal Energy Assistance Program (MEAP)	Provides operating support funding
Community Development Block Grants (CDBG)	Can exercise this authority with voter approval
Capital Improvement Project Funding	Can exercise this authority with voter approval
Authority to levy taxes for specific purposes	Can exercise this authority with voter approval
Incur debt through general obligation bonds	Can exercise this authority with voter approval
Incur debt through special tax and revenue bonds	Can exercise this authority with voter approval
Incur debt through private activity bonds	Can exercise this authority with voter approval
Hazard Mitigation Grant Program (HMGP)	FEMA funding is typically available to local communities after a Presidentially-declared disaster. It can be used to fund both pre- and post-disaster mitigation plans and

Table 7-3 Chitina’s Financial Resources

Financial Resource	Accessible or Eligible to Use for Mitigation Activities
	projects.
Pre-Disaster Mitigation (PDM) grant program	FEMA funding is typically available on an annual basis. This grant can only be used to fund pre-disaster mitigation plans and projects only
Flood Mitigation Assistance (FMA) grant program	FEMA funding is typically available on an annual basis. This grant can be used to mitigate repetitively flooded structures and infrastructure to protect repetitive flood structures. <i>Chitina does not qualify for this funding source because they do not participate in the NFIP.</i>
United State Fire Administration (USFA) Grants	The purpose of these grants is to assist state, regional, national or local organizations to address fire prevention and safety. The primary goal is to reach high-risk target groups including children, seniors and firefighters.
Fire Mitigation Fees	Finance future fire protection facilities and fire capital expenditures required because of new development within Special Districts.

The Planning Team developed their mitigation goals and potential mitigation actions to address identified potential hazard impacts (refer to Section 5.3) for the Village of Chitina area.

7.3 DEVELOPING MITIGATION GOALS

DMA 2000 stipulated and implementing regulations for developing hazard mitigation goals:

7

DMA 2000 Requirements
Local Hazard Mitigation Goals §201.6(c)(3)(i): The hazard mitigation strategy shall include a description of mitigation goals to reduce or avoid long-term vulnerabilities to the identified hazards.
1. REGULATION CHECKLIST
ELEMENT C. Mitigation Goals
C3. Does the Plan include goals to reduce/avoid long-term vulnerabilities to the identified hazards?
Source: FEMA, March 2015.

The exposure analysis results were used as a basis for developing the mitigation goals and actions (Table 7-4). Mitigation goals are defined as general guidelines that describe what a community wants to achieve in terms of hazard and loss prevention. Goal statements are typically long-range, policy-oriented statements representing community-wide visions. As such, eight goals were developed to reduce or avoid identified long-term hazard vulnerabilities.

Table 7-4 Mitigation Goals

No.	Goal Description
Multi-Hazards (MH)	
MH 1	Provide outreach activities to educate and promote recognizing and mitigating natural hazards that affect the Native Village of Chitina (Village).
MH 2	Cross-reference mitigation goals and actions with other Tribal planning mechanisms and projects.
MH 3	Develop construction activities that reduce possibility of losses from natural hazards that affect the the Village.
Natural Hazards	
EQ 4	Reduce structural vulnerability to earthquake (EQ) damage.
FL 5	Reduce flood (FL) and erosive scour damage and loss possibility.
GF 6	Reduce ground failure (GF) damage and loss possibility.
SW 7	Reduce structural vulnerability to severe weather (SW) damage.
WF 8	Reduce structural vulnerability to wildland fire (WF) damage.

7.4 IDENTIFYING MITIGATION ACTIONS

DMA 2000 requirements and implementing regulations for identifying and analyzing mitigation actions:

DMA 2000 Requirements
Identification and Analysis of Mitigation Actions §201.6(c)(3)(ii): [The mitigation strategy shall include a] section that identifies and analyzes a comprehensive range of specific mitigation actions and projects being considered to reduce the effects of each hazard, with particular emphasis on new and existing buildings and infrastructure.
1. REGULATION CHECKLIST
ELEMENT C. Mitigation Actions
C4. Does the Plan identify and analyze a comprehensive range of specific mitigation actions and projects for each jurisdiction being considered to reduce the effects of hazards, with emphasis on new and existing buildings and infrastructure?
Source: FEMA, March 2015.



After developing mitigation goals, the Planning Team reviewed a comprehensive list of potential mitigation actions that were identified during this HMP development process.

The Planning Team assessed the potential mitigation actions to carry forward into the mitigation strategy. Mitigation actions are activities, measures, or projects that help achieve the goals of a mitigation plan. Mitigation actions are usually grouped into three broad categories: property protection, public education and awareness, and structural projects.

On May 13, 2015, the Planning Team selected natural hazard, mitigation actions for potential Mitigation Action Plan (MAP) implementation during the five-year life cycle of this HMP. The Planning Team placed particular emphasis on projects and programs that reduce the effects of hazards on both new and existing buildings and infrastructure as well as facilities located in potential flood zones to comply with NFIP requirements should the Village join the NFIP.

The table breaks out the project criteria as considered, selected, ongoing, and completed. The Planning Team considered projects from a comprehensive list for each hazard type. They identified numerous “ongoing” mitigation actions currently in-process or those that were listed in other Village planning documents. The Planning Team then selected “newly identified” actions identified through this plan development activity that would most benefit the community.

These ‘Considered’ projects are listed in Table 7-5 below.

Table 7-5 Potential Mitigation Actions

(Ongoing and newly selected items will be carried forward into the MAP implementation)

Supports Goal No.	Hazard	Criteria <i>Considered</i> <i>Selected</i> <i>Ongoing</i> <i>Completed</i>	Action Description
Multi- Hazards (MH)			
MH 1	Provide outreach activities to educate and promote recognizing and mitigating natural hazards that affect the Native Village of Chitina (Village).	Selected	Identify and pursue funding opportunities to implement mitigation actions.
		Ongoing	Continue the Hazard Mitigation Planning Team's forward progress to implement, monitor, review, and evaluate community wide mitigation actions.
		Considered	Update public emergency notification procedures and develop an outreach program for potential hazard impacts or events.
		Selected	Identify critical facilities and vulnerable populations based on identified (and mapped where applicable) high hazard areas.
		Considered	Develop, produce, and distribute information materials concerning mitigation, preparedness, and safety procedures for all identified natural hazards.
		Selected	Disseminate FEMA pamphlets to educate and encourage homeowners concerning structural and non-structural retrofit benefits.
		Selected	Acquire emergency warning sirens to communicate critical emergency warnings and alerts.
		Considered	Update public emergency notification procedures and develop an outreach program for potential hazard impacts or events.
MH 2	Cross-reference mitigation goals and actions with other Tribal planning mechanisms and projects.	Selected	Develop and incorporate mitigation provisions and recommendations into all community plans and community development processes to maintain and protect critical infrastructure, residences, and population from natural hazard impacts.
		Selected	Develop prioritized list of mitigation actions for threatened critical facilities and other buildings or infrastructure.
		Selected	Integrate the Mitigation Plan findings for enhanced emergency planning and training for first responders.
		Considered	Prohibit new construction in identified mitigatable hazard impact areas (ground failure, flood, scour, etc.) or require building to applicable building codes for other structural hazard impacts (earthquake, volcanic ash, weather, etc.).

Table 7-5 Potential Mitigation Actions
(Ongoing and newly selected items will be carried forward into the MAP implementation)

Supports Goal No.	Hazard	Criteria Considered Selected Ongoing Completed	Action Description
MH 3	Develop construction activities that reduce possibility of losses from natural hazards that affect the Village.	Selected	Encourage utility companies to evaluate and harden vulnerable infrastructure elements (power lines, utility poles, fuel headers, etc.) for sustainability.
		Ongoing	Work with Alaska Department of Transportation (ADOT) to reduce potential for flood, erosion, and landslides along the Edgerton Highway and McCarthy Highway.
		Selected	Develop vegetation projects to restore ground loss from high water flow, ground failure, or other hazard impact damages and to provide slope stability in avalanche or landslide areas.
		Considered	Acquire (buy-out), demolish, elevate, or relocate structures from hazard prone areas (erosions, ground failure, etc.).
Natural Hazards			
EQ 4	Reduce structural vulnerability to earthquake (EQ) damage.	Considered	Inspect, prioritize, and retrofit any critical facility or public infrastructure that does not meet current State Adopted Building Codes.
		Considered	Install non-structural seismic restraints for large furniture such as bookcases, filing cabinets, heavy television, and appliances to prevent toppling damage and resultant injuries to small children, elderly, and pets.
FL 5	Reduce flood (FL) and erosive scour damage and loss possibility.	Selected	Develop mitigation initiatives such as: rip-rap (large rocks), sheet piling, gabion baskets, articulated matting, concrete, asphalt, vegetation, or other armoring or protective materials to provide river bank protection along eroding 5-Mile Creek, which is near the airport, RV park, village clinic, and Alaska Department of Transportation and Public Facilities building.
		Completed	Install NOAA/NWS stream flow and rainfall measuring gauges.
		Considered	Increase culvert sizes to increase their drainage capacity or efficiency.
		Considered	Determine and implement most cost beneficial and feasible mitigation actions for locations with repetitive flooding, significant historical damages, or road closures.
		Considered	Establish flood mitigation priorities for critical facilities, residential structures, and commercial buildings located within the identified flood hazard area(s) (100- and 500-year floodplains, stormwater, etc.) based on current base flood elevation (BFE) survey elevation data.
Considered	Elevate residential, public, or critical facilities at least two feet above the (BFE).		
GF 6	Reduce ground	Considered	Develop, implement, and enforce a property development

Table 7-5 Potential Mitigation Actions
(Ongoing and newly selected items will be carried forward into the MAP implementation)

7

Supports Goal No.	Hazard	Criteria <i>Considered Selected Ongoing Completed</i>	Action Description
	failure (GF) damage and loss possibility.		"ground failure" risk assessment for any structure that may be sited in potentially vulnerable locations.
		Selected	Promote ground failure and permafrost sensitive construction practices in hazard impact areas.
SW 7	Reduce structural vulnerability to severe weather (SW) damage.	Selected	Develop and implement programs to coordinate maintenance and mitigation activities to reduce risk to public infrastructure from severe winter storms (snow load, ice, and wind).
		Considered	Increase power line wire size and incorporate quick disconnects (break---away devices) to reduce ice load and windstorm power-line failure during severe wind or winter ice storm events.
		Considered	Develop, implement, and maintain partnership program with electrical utilities to use underground utility placement methods where possible to reduce or eliminate power outages from severe winter storms. Consider developing incentive programs.
		Considered	Develop personal use and educational outreach training for a "safe tree harvesting" program. Implement along utility and road corridors to prevent or reduce potential winter storm damage.
		Selected	Develop and implement tree clearing mitigation programs to keep trees from threatening lives, property, and public infrastructure from severe weather events.
		WF 8	Reduce structural vulnerability to wildland fire (WF) damage.
Considered	Hold FireWise workshops to educate residents and contractors concerning fire resistant landscaping and other fire prevention techniques.		
Selected	Promote FireWise building, siting, design, and construction processes and materials.		
Considered	Provide wildland fire hazard outreach information in an easily distributed format for all residents.		
Considered	Develop, adopt, and enforce burn ordinances for burn permits, campfire restrictions, and outdoor burning controls to guide burning practices and potentially eliminate man caused wildland fires.		
Considered	Develop outreach program to educate and encourage fire-safe construction practices for existing and new construction in high-risk areas.		
Ongoing	Identify, develop, implement, and enforce mitigation actions such as fuel breaks and reduction zones for potential wildland fire hazard areas.		

7.5 EVALUATING AND PRIORITIZING MITIGATION ACTIONS

DMA 2000 stipulated and implementing regulations for evaluating and implementing mitigation actions:

DMA 2000 Requirements: Mitigation Strategy - Implementation of Mitigation Actions
<p>Implementation of Mitigation Actions</p> <p>§201.6(c)(3)(iii): [The hazard mitigation strategy shall include an] action plan, describing how the action identified in paragraph (c)(3)(ii) of this section will be prioritized, implemented, and administered by the local jurisdiction. Prioritization shall include a special emphasis on the extent to which benefits are maximized according to a cost benefit review of the proposed projects and their associated costs.</p>
1. REGULATION CHECKLIST
ELEMENT C. MITIGATION STRATEGY
<p>C5. Does the Plan contain an action plan that describes how the actions identified will be prioritized (including cost benefit review), implemented, and administered by each jurisdiction? (Requirement §201.6(c)(3)(iv)); (Requirement §201.6(c)(3)(iii))</p>
<p>Source: FEMA, March 2015.</p>

The Planning Team evaluated and prioritized each of the mitigation actions on May 13, 2015 to determine which actions would be included in the Mitigation Action Plan. The Mitigation Action Plan represents mitigation projects and programs to be implemented through the cooperation of multiple entities in the Village. To complete this task, the Planning Team first prioritized the hazards that were regarded as the most significant within the community (earthquake, erosion, flood, ground failure, severe weather, and wildland fire).

The Planning Team reviewed the simplified social, technical, administrative, political, legal, economic, and environmental (STAPLEE) evaluation criteria (Table 7-6) and the Benefit-Cost Analysis Fact Sheet (Appendix G) to consider the opportunities and constraints of implementing each particular mitigation action. For each action considered for implementation, a qualitative statement is provided regarding the benefits and costs and, where available, the technical feasibility. A detailed cost-benefit analysis is anticipated as part of the application process for those projects the Village chooses to implement.



Table 7-6 Evaluation Criteria for Mitigation Actions

Evaluation Category	Discussion "It is important to consider..."	Considerations
<u>S</u> ocial	The public support for the overall mitigation strategy and specific mitigation actions.	Community acceptance Adversely affects population
<u>T</u> echnical	If the mitigation action is technically feasible and if it is the whole or partial solution.	Technical feasibility Long-term solutions Secondary impacts
<u>A</u> ministrative	If the community has the personnel and administrative capabilities necessary to implement the action or whether outside help will be necessary.	Staffing Funding allocation Maintenance/operations
<u>P</u> olitical	What the community and its members feel	Political support

Table 7-6 Evaluation Criteria for Mitigation Actions

Evaluation Category	Discussion "It is important to consider..."	Considerations
	about issues related to the environment, economic development, safety, and emergency management.	Local champion Public support
<u>L</u> egal	Whether the community has the legal authority to implement the action, or whether the community must pass new regulations.	Local, State, and Federal authority Potential legal challenge
<u>E</u> conomic	If the action can be funded with current or future internal and external sources, if the costs seem reasonable for the size of the project, and if enough information is available to complete a Federal Emergency Management Agency (FEMA) Benefit-Cost Analysis.	Benefit/cost of action Contributes to other economic goals Outside funding required FEMA Benefit-Cost Analysis
<u>E</u> nvironmental	The impact on the environment because of public desire for a sustainable and environmentally healthy community.	Effect on local flora and fauna Consistent with community environmental goals Consistent with local, state, and Federal laws

On May 13, 2015, the hazard mitigation Planning Team prioritized natural hazard mitigation actions that were selected to carry forward into the Mitigation Action Plan (MAP).

The hazard mitigation Planning Team considered each hazard’s history, extent, and recurrence probability to determine each potential actions priority. A rating system based on high, medium, or low was used.

7

- High priorities are associated with actions for hazards that impact the community on an annual or near annual basis and generate impacts to critical facilities and/or people.
- Medium priorities are associated with actions for hazards that impact the community less frequently, and do not typically generate impacts to critical facilities and/or people.
- Low priorities are associated with actions for hazards that rarely impact the community and have rarely generated documented impacts to critical facilities and/or people.

Prioritizing the mitigation actions within the MAP matrix (Table 7-8) was completed to provide the Village with an implementation approach.

7.6 MITIGATION ACTION PLAN

Table 7-7 delineates the acronyms used in the Mitigation Action Plan (MAP) (Table 7-8). See Appendix A for summarized agency funding source descriptions.

Table 7-7 Potential Funding Source Acronym List

(See complete funding resource description in Appendix A)

<p>Native Village of Chitina’s Tribal Office (Tribal Office) Chitina Native Corporation Tribal Council (Corp.) US Department of Homeland Security (DHS) <i>Citizens Corp Program (CCP)</i> <i>Emergency Operations Center (EOC)</i> <i>Homeland Security Grant Program (HSGP)</i> <i>Emergency Management Performance Grant (EMPG)</i> <i>State Homeland Security Program (SHSP)</i> Federal Management Agency (FEMA)/ <i>Hazard Mitigation Assistance Grant Programs (HMA)</i> <i>Emergency Management Program Grant (EMPG)</i> <i>Debris Management Grant (DM)</i> <i>Flood Mitigation Assistance Grants (FMA)</i> <i>National Earthquake Hazards Reduction Program (NEHRP)</i> <i>National Dam Safety Program (NDS)</i> US Department of Commerce (DOC)/ <i>Remote Community Alert Systems Program (RCASP)</i> National Oceanic and Atmospheric Administration (NOAA) <i>Economic Development Administration (EDP)</i> <i>Public Works and Development Facilities Program (PWDFP)</i> US Environmental Protection Agency (EPA)/ <i>Indian Environmental General Assistance Program (IGAP)</i> US Department of Agriculture (USDA)/ USDA, Farm Service Agency <i>Emergency Conservation Program (ECF)</i> <i>Rural Development (RD)</i> USDA, Natural Resources Conservation Service (NRCS) <i>Conservation Technical Assistance Program (DCT)</i> <i>Conservation Innovation Grants (CIG)</i> <i>Environmental Quality Incentives Program (EQIP)</i> <i>Emergency Watershed Protection Program (EWP)</i> <i>Watershed Planning (WSP)</i> US Geological Survey (USGS) Assistance to Native Americans (ANA) <i>Native American Housing Assistance and Self Determination Act (NAFSMA),</i> US Army Corp of Engineers (USACE)/ <i>Planning Assistance Program (PAP)</i> <i>Capital Projects: Erosion, Flood, Ports & Harbors</i> Alaska Department of Military and Veterans Affairs (DMVA), Division of Homeland Security and Emergency Management (DHSEM) <i>Mitigation Section (for PDM & HMGP projects and plan development)</i> <i>Preparedness Section (for community planning)</i> <i>State Emergency Operations Center (SEOC for emergency response)</i> Alaska Department of Community, Commerce, and Economic Development (DCCED) Division of Community and Regional Affairs (DCRA)/ <i>Community Development Block Grant (CDBG)</i></p>	<div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto; display: flex; align-items: center; justify-content: center;">7</div>
---	---

<p><i>Alaska Climate Change Impact Mitigation Program (ACCIMP)</i> <i>Flood Mitigation Assistance Grants (FMA)</i></p> <p>Alaska Department of Transportation <i>State road repair funding</i></p> <p>Alaska Energy Authority (AEA) <i>AEA/Bulk Fuel (ABF)</i> <i>AEA/Alternative Energy and Energy Efficiency (AEEE)</i></p> <p>Alaska Department of Environmental Conservation (DEC)/ <i>Village Safe Water (VSW)</i> <i>DEC/Alaska Drinking Water Fund (ADWF)</i> <i>DEC/Alaska Clean Water Fund [ACWF]</i> <i>DEC/Clean Water State Revolving Fund (CWSRF)</i></p> <p>Alaska Division of Forestry (DOF)/ <i>Volunteer Fire Assistance and Rural Fire Assistance Grant (VFAG/RFAG)</i> <i>Assistance to Firefighters Grant (AFG)</i> <i>Fire Prevention and Safety (FP&S)</i> <i>Staffing for Adequate Fire and Emergency Response Grants (SAFER)</i> <i>Emergency Food and Shelter (EF&S)</i></p> <p>Denali Commission (Denali) <i>Energy Program (EP)</i> <i>Solid Waste Program (SWP)</i></p> <p>Lindbergh Foundation Grant Programs (LFGP) Rasmuson Foundation Grants (LFG)</p>

The Village’s MAP, Table 7-8, depicts how each mitigation action will be implemented and administered by the Planning Team. The MAP delineates each selected mitigation action, its priorities, the responsible entity, the anticipated implementation timeline, and provides a brief explanation as to how the overall benefit/costs and technical feasibility were taken into consideration.

7

Table 7-8 Village of Chitina’s Mitigation Action Plan (MAP)

(See acronym and abbreviations list for complete titles)

Action ID	Description	Priority (High, Medium, Low)	Responsible Office or Agency	Potential Funding Source(s)	Timeframe (1-3 Years, 2-4 Years, 3-5 Years)	Benefit-Costs (B/C) Technical Feasibility (TF)
MH 1.1	Identify and pursue funding opportunities to implement mitigation actions.	High	Native Village of Chitina and Tribal Council Office (Tribal Office)	Tribe	1-3 years	B/C: This ongoing activity is essential for the Village as there are limited funds available to accomplish effective mitigation actions. TF: This activity is ongoing demonstrating its feasibility.
MH 1.2	Continue the Hazard Mitigation Planning Team’s forward progress to implement, monitor, review, and evaluate community wide mitigation actions.	Medium	Tribal Office	Tribe	Ongoing	B/C: The existing team has gained experience throughout this process which can provide invaluable insight for ensuring a sustained effort toward mitigating natural hazard damages. TF: This is feasible and no cost is associated with the action.
MH 1.3	Identify critical facilities and vulnerable populations based on identified (and mapped where applicable) high hazard areas.	Medium	Tribal Office	Tribe, HMA, NOAA, AFG, FP&S, SAFER, ANA, EFSP, NRCS	2-4 years	B/C: Identifying threatened infrastructure proximity to natural hazards is vital to their sustainability. Providing advanced warning of pending disasters further reduces life loss and potentially can reduce damage if quick action is possible to mitigate the impact. TF: The project is technically feasible as the community has staff and resources they have used to relocate and elevate buildings.
MH 1.4	Disseminate FEMA pamphlets to educate and encourage homeowners concerning structural and non-structural retrofit benefits.	High	Tribal Office	Tribe, FEMA HMA, HMGP, DOF	1-3 years	B/C: FEMA provides free publications for community education purposes. TF: Low to no cost makes this a very feasible project to successfully educate large populations.
MH 1.5	Acquire emergency warning sirens to communicate critical emergency warnings and alerts.	Medium	Tribal Office	Tribe, AFG, FP&S, SAFER	2-4 years	B/C: Emergency sirens will alert the public of a hazard, but would have medium costs associated with their purchase and installation. TF: This project is technically feasible using existing tribal staff and contracted staff.

Table 7-8 Village of Chitina’s Mitigation Action Plan (MAP)

(See acronym and abbreviations list for complete titles)

Action ID	Description	Priority (High, Medium, Low)	Responsible Office or Agency	Potential Funding Source(s)	Timeframe (1-3 Years 2-4 Years 3-5 Years)	Benefit-Costs (B/C) Technical Feasibility (TF)
MH 2.1	Develop and incorporate mitigation provisions and recommendations into all community plans and community development processes to maintain protect critical infrastructure, residences, and population from natural hazard impacts.	Medium	Tribal Office	Tribe, Denali, DCRA	2-4 years	B/C: Coordinated planning ensures effective damage abatement and ensures proper attention is assigned to reduce losses and damage to structures and Village residents. TF: This is technically feasible because it requires application of knowledge of the hazard mitigation plan and other planning efforts. Feasibility is reliant on technical skills already possessed by employees holding positions that would implement this action.
MH 2.2	Develop prioritized list of mitigation actions for threatened critical facilities and other buildings or infrastructure.	Medium	Tribal Office	Tribe	2-4 years	B/C: This ensures priorities are established for protecting structures and infrastructure. TF: This is technically feasible using existing tribal staff.
MH 2.3	Integrate the Mitigation Plan findings for enhanced emergency planning and training for first responders.	Medium	Tribal Office	Tribe, AFG, FP&S, SAFER	2-4 years	B/C: Sustained emergency response planning and mitigation outreach programs have minimal cost and will help build and support community capacity enabling the public to prepare for, respond to, and recover from disasters. TF: This is technically feasible using existing tribal staff.
MH 3.1	Encourage utility companies to evaluate and harden vulnerable infrastructure elements (power lines, utility poles, fuel headers, etc.) for sustainability.	Medium	Tribal Office	Tribe, DOE, USACE, DEC, RurAL CAP	2-4 years	B/C: This project would prevent damage to utilities and infrastructure from hazards. TF: This project is feasible using existing staff and contracted staff.
MH 3.2	Work with Alaska Department of Transportation to reduce potential for flood, erosion, and landslides along the Edgerton	High	Tribal Office	Tribe, USDOT, DOT/PF, USACE, DCRA	Ongoing	B/C: This measure would decrease potential damage to area roads. It would ensure access to the community in emergencies. TF: This project is technically feasible using

Table 7-8 Village of Chitina’s Mitigation Action Plan (MAP)

(See acronym and abbreviations list for complete titles)

Action ID	Description	Priority (High, Medium, Low)	Responsible Office or Agency	Potential Funding Source(s)	Timeframe (1-3 Years 2-4 Years 3-5 Years)	Benefit-Costs (B/C) Technical Feasibility (TF)
	Highway and McCarthy Highway.					existing tribal staff.
MH 3.3	Develop vegetation projects to restore ground loss from high water flow, ground failure, or other hazard impact damages and to provide slope stability in avalanche or landslide areas.	Medium	Tribal Office	Tribe, Hazard Mitigation Assistance Grant Programs (HMA), AFG, FP&S, SAFER, ANA, Emergency Food and Shelter Program (EFSP)	2-4 years	B/C: Management plans are an essential disaster management tool. Focused and coordinated planning enables effective damage abatement and ensures proper attention is assigned to reduce losses, damage, and materials management. TF: This action is feasible with limited fund expenditures.
FL 5.1	Develop mitigation initiatives such as: Rip-rap (large rocks), sheet pilings, gabion baskets, articulated matting, concrete, asphalt, vegetation, or other armoring or protective materials to provide river bank protection.	Medium	Tribal Office	Tribe, HMA, ANA, NRCS, USACE	2-4 years	B/C: Improving embankment and slope stability will greatly reduce potential infrastructure and residential losses. Project costs would outweigh replacement costs of lost facilities. TF: The community has the skill to implement this action. Specialized skills may need to be contracted out with materials and equipment barged in depending on the method selected.
GF 6.1	Promote permafrost sensitive construction practices in permafrost areas.	Low	Tribal Office	Tribe, HMA, ANA	3-5 years	B/C: This outreach project would decrease damage to facilities if they were sited and used the most appropriate construction practices. TF: Technically feasible as the community currently has identified permafrost locations but they have not created a map defining the area and they dig test holes to determine permafrost depth prior to construction.
SW 7.1	Develop and implement programs to coordinate maintenance and mitigation activities to reduce risk to	Low	Tribal Office	Tribe, Lindbergh, HMA, FP&S, SAFER, ANA, DHS, HSGP,	3-5 years	B/C: Infrastructure protection to reduce disaster impacts to residents and essential facilities are critical disaster management tools. TF: This type activity is technically feasible

Table 7-8 Village of Chitina’s Mitigation Action Plan (MAP)

(See acronym and abbreviations list for complete titles)

Action ID	Description	Priority (High, Medium, Low)	Responsible Office or Agency	Potential Funding Source(s)	Timeframe (1-3 Years 2-4 Years 3-5 Years)	Benefit-Costs (B/C) Technical Feasibility (TF)
	public infrastructure from severe winter storms (snow load, ice, and wind).			EMPG, EOC		within the community typically using existing labor, equipment, and materials. Specialized methods are not new to rural communities as they are used to importing required contractors.
SW 7.2	Develop and implement tree clearing mitigation programs to keep trees from threatening lives, property, and public infrastructure from severe weather events.	Medium	Tribal Office	Tribe, Alaska Division of Forestry (DOF): Volunteer Fire Assistance Grant Program (VFAG), Rural Assistance Grant Program (RAGP)	2-4 years	B/C: Implementing this mitigation activity will potentially reduce ancillary damage from severe winter storms caused by heavy snow loads, icy rain, and wind. TF: This type activity is technically feasible within the community typically using existing labor, equipment, and materials.
WF 9.1	Promote FireWise building, siting, design, and construction processes and materials.	High	Tribal Office	Tribe, AFG, FP&S	1-3 years	B/C: Sustained mitigation outreach programs have minimal cost and will help build and support community capacity enabling the public to appropriately prepare for, respond to, and recover from disasters. TF: This project is technically feasible using existing Tribal staff.
WF 9.2	Identify, develop, implement, and enforce mitigation actions such as fuel breaks and reduction zones for potential wildland fire hazard areas.	High	Tribal Office	Tribe, Community	Ongoing	B/C: Fuel breaks and reduction zones can effectively reduce future losses to hazardous events. TF: This project is technically feasible using existing Tribal staff.

7.7 IMPLEMENTING MITIGATION STRATEGY INTO EXISTING PLANNING MECHANISMS

DMA 2000 and its implementing regulations for implementing the HMP into existing planning mechanisms:

DMA 2000 Requirements
Incorporation into Existing Planning Mechanisms §201.6(c)(4)(ii): [The plan shall include a] process by which local governments incorporate the requirements of the mitigation plan into other planning mechanisms such as comprehensive or capital improvement plans, when appropriate.
1. REGULATION CHECKLIST
ELEMENT C. Incorporate into Other Planning Mechanisms
C6. Does the Plan describe a process by which local governments will integrate the requirements of the mitigation plan into other planning mechanisms, such as comprehensive or capital improvement plans, when appropriate?
<i>Source: FEMA, March 2015.</i>

After the adoption of the HMP, each Planning Team Member will ensure that the HMP, in particular each Mitigation Action Project, is incorporated into existing planning mechanisms. Each member of the Planning Team will achieve this incorporation by undertaking the following activities.

- Review the community-specific regulatory tools to determine where to integrate the mitigation philosophy and implementable initiatives. These regulatory tools are identified in Section 7.1 capability assessment.
- Work with pertinent community departments to increase awareness for implementing HMP philosophies and identified initiatives. Provide assistance with integrating the mitigation strategy (including the Mitigation Action Plan) into relevant planning mechanisms (i.e. Comprehensive Plan, Capital Improvement Project List, Transportation Improvement Plan, etc.).
- Implementing this philosophy and activities may require updating or amending specific planning mechanisms.



This page intentionally left blank

Section Eight provides a comprehensive reference list used to develop the HMP.

- ACIA 2015. University of Alaska Fairbanks (UAF), Arctic Climate Impact Assessment (ACIA). Available: <http://www.amap.no/documents/doc/arctic-arctic-climate-impact-assessment/796>. (January 2015)
- Ahtna, Inc. 2015. Ahtna Villages webpage, Ahtna Inc. website. Available: <http://ahtna-inc.com/about/region-map/>. (April 2015)
- Associated Press. 2001. Landslide blocks dipnetters, vehicles near Chitina. *Peninsula Clarion*, June 19, 2001. Available: http://peninsulaclarion.com/stories/061901/ala_061901ala0050001.shtml#.VaVrBPIVhBd. (June 2015)
- BKP 1988. Baker, V.R.; Kochel, R.C.; Patton, P.C. *Flood Geomorphology*, Published by Wiley-Interscience, April 1988. Available: http://books.google.com/books?id=snLfvo2w-ngC&pg=PA176&lpg=PA176&dq=geomorphology+debris+deposition+during+floods&source=bl&ots=cixFIUnKLb&sig=3gLzWfoyciL3vcYfCOIUcky-ErM&hl=en&ei=E-JxSs-8CYzatAOL2tTMDA&sa=X&oi=book_result&ct=result&resnum=5. (January 2015)
- Census (United States Census Bureau) 2010. American Fact Finder, Chitina CDP Alaska. <http://factfinder2.census.gov/faces/nav/jsf/pages/index.xhtml>. (January 2015)
- Copper Valley Development Association 2012. Comprehensive Economic Development Strategy, Copper River Region, Alaska, 2012 Update. Available: <https://www.commerce.alaska.gov/web/Portals/6/pub/CVDA%20CEDS%202012.pdf>. (January 2015)
- DCRA 2005. (Alaska Department of Commerce, Community and Economic Development, Division of Community and Regional Affairs) 2005. Planning and Land Management: Community Profile Maps. Available <http://commerce.state.ak.us/dnn/dcra/PlanningLandManagement/CommunityProfileMaps.aspx> (May 2015)
- DCRA 2015. Community Information. Available <http://commerce.state.ak.us/dnn/dcra/communityinformation.aspx>. (January 2015).
- DGGS 1994. (Division of Geological and Geophysical Survey [DGGS]). Neotectonic Map of Alaska. 1994. Available: <http://www.dggs.alaska.gov/pubs/id/22331>. (January 2015)
- DHS&EM 2013. (Division of Homeland Security and Emergency Management) *Alaska State Hazard Mitigation Plan, 2013*. Available: <http://ready.alaska.gov/plans/documents/Alaska%20HMP%202013%20sm.pdf>. (January 2015)
- DHS&EM 2014a. *Disaster Cost Index, 2014*. (March 2015)
- DHS&EM 2014b. *Planned and Funded Projects, 2014*. (March 2015)
- DHS&EM 2014c. *Critical Facilities Inventory, 2014*. (March 2015)

- DLWD (Alaska Department of Labor and Workforce Development) 2015. Alaska Local and Regional Information. Available: <http://live.laborstats.alaska.gov/alari/details.cfm?yr=2013&dst=01&dst=03&dst=04&dst=06&dst=07&r=2&b=25&p=66>. (January 2015)
- DOF (Alaska Division of Forestry). 2015. Role of Fire in the Alaskan Environment. Available: <http://forestry.alaska.gov/fire/fireplans.htm>. (March 2015)
- FEMA 2002. *Mitigation Planning How-To Guides*. U.S. Department of Homeland Security, FEMA 386-1. Available: <http://www.fema.gov/hazard-mitigation-planning-resources#1>. (January 2015)
- FEMA 2013. FY 2013 Hazard Mitigation Assistance Unified Guidance. Available: <https://www.fema.gov/media-library/assets/documents/33634?id=7851>. (December 2014)
- FEMA 2015a. *Code of Federal Regulations (CFR), Title 44 – Emergency Management and Assistance*. Available: <http://www.ecfr.gov/cgi-bin/text-idx?SID=3e6e6ed90d4fe2483bb7b781f2e31362&node=pt44.1.201&rgn=div5>. (March 2015)
- FEMA 2015b. *Hazard Mitigation Assistance Guidance and Addendum, February 27, 2015*. Available: <https://www.fema.gov/media-library/assets/documents/103279>. (February 2015)
- Follett, Jeanne Waite 2014. “Running with the Big Dogs”. *Alaska Public Media*, April 9, 2013. Available: <http://www.alaskapublic.org/2013/04/09/running-with-the-big-dogs/>. (July 2015)
- Haeussler, P. USGS (United States Geologic Survey). 2009. E-mail correspondence concerning Shake Maps. (November 2014)
- Jorgenson 2008 et al. Jorgenson, T., Yoshikawa, K., Kanevskiy, M., Shur, Y., Romanovsky, V., Marchenko, S., Grosse, G., Brown, J., and Jones, B (2008). Permafrost characteristics of Alaska – A new permafrost map of Alaska. In: Kane, D.L. and Hinkel, K.M. (eds.), Institute of Northern Engineering, University of Alaska Fairbanks, *Extended Abstracts of the Ninth International Conference on Permafrost*, June 29-July 3, Fairbanks, Alaska, 2008, pp. 121-122. Available: http://permafrost.gi.alaska.edu/sites/default/files/AlaskaPermafrostMap_Front_Dec2008_Jorgenson_etal_2008.pdf. (January 2015)
- KTUU 2014. Landslide Prompts Repair Closure Plans for Road near Chitina. Photo courtesy Alaska DOTPF. Available: <http://www.ktuu.com/news/news/landslide-prompts-repair-closure-plans-for-road-near-chitina/26009896>. (June 2015)
- MMI 2014. *Modified Mercalli Intensity Scale*. Michigan Technical University. Available: <http://www.geo.mtu.edu/UPSeis/Mercalli.html>. (December 2014)
- NOAA (National Oceanic and Atmospheric Administration) 2015. National Climate Data Center, Storm Events Database. Available <http://www.ncdc.noaa.gov/stormevents/>. (February 2015)

- NWS (National Weather Service (NWS), Climate Search Results 2014. Available:
<http://www.arh.noaa.gov/clim/climDataSearch.php?stnid=CTEA2> (January 2015)
- NRCS (Natural Resources Conservation Service) 2015. Technical Resources *PRISM Data*. Available:
http://www.nrcs.usda.gov/wps/portal/nrcs/detail/ak/technical/dma/?cid=nrcs142p2_035894. (January 2015)
- Plafker, G., L.M Gilpin, J.C. Lahr 1993. Neotectonic Map of Alaska. Geological Society of America. (November 2014)
- Polarconsult Alaska, Inc. 2008. Regional Hydroelectric Investigation Chitina, Alaska Final Report. Prepared for Alaska Energy Authority. Available:
<http://akenergyinventory.org/hyd/SSH-2008-0257.pdf>. (July 2015)
- UAF/SNAP 2014. University of Alaska Fairbanks (UAF), Scenarios Network for Alaska and Arctic Planning (SNAP), 2014. *Historic, current, and predicted weather data*. Available: <http://www.snap.uaf.edu/charts.php>. (January 2015)
- USACE 2007. US Army Corp of Engineers (USACE), 2007. Erosion Information Paper – Chitina, Alaska, Current as of December 12, 2007. Available:
http://66.223.166.160/usace_disclaimer.html. (January 2015)
- USGS (US Geologic Survey) 2009. National Earthquake Information Center, 2009 Probability Mapping: Available: <http://geohazards.usgs.gov/eqprob/2009/>. (May 2015)
- USGS 2015. Earthquake Archive Search & URL Builder. Available:
<http://earthquake.usgs.gov/earthquakes/search/>. (May 2015)
- Village of Chitina 2012. Chitina Community Energy Plan. Available:
<http://www.coppervalley.org/sites/default/files/Chitina%20Energy%20Plan%20Draft.pdf>. (June 2015)
- Village of Chitina 2009. Chitina, Alaska Community Plan. Available:
<http://www.commerce.state.ak.us/dca/plans/Chitina-CP-2009.pdf>. (January 2015)
- Village of Chitina 2007. Chitina Community Wildfire Protection Plan. Available:
<http://forestry.alaska.gov/pdfs/07ChitinaCWPP.pdf>. (June 2015)
- WRCC (Western Regional Climate Center) 2012. Period of Record General Climate Summary – Precipitation. Chitina WSO Airport, Alaska. Available: <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?ak0754>. (January 2015)
- WRCC 2015. Available: <http://www.wrcc.dri.edu/narratives/ALASKA.htm>. (January 2015)

This page intentionally left blank

Appendix A
Funding Resources

This page intentionally left blank.

Funding Resources

Federal Funding Resources

The Federal government requires local governments to have a HMP in place to be eligible for mitigation funding opportunities through FEMA such as the UHMA Programs and the HMGP. The Mitigation Technical Assistance Programs available to local governments are also a valuable resource. FEMA may also provide temporary housing assistance through rental assistance, mobile homes, furniture rental, mortgage assistance, and emergency home repairs. The Disaster Preparedness Improvement Grant also promotes educational opportunities with respect to hazard awareness and mitigation.

- FEMA, through its Emergency Management Institute, offers training in many aspects of emergency management, including hazard mitigation. FEMA has also developed a large number of documents that address implementing hazard mitigation at the local level. Five key resource documents are available from FEMA Publication Warehouse (1-800-480-2520) and are briefly described here:
 - How-to Guides. FEMA has developed a series of how-to guides to assist states, communities, and tribes in enhancing their hazard mitigation planning capabilities. The first four guides describe the four major phases of hazard mitigation planning. The last five how-to guides address special topics that arise in hazard mitigation planning such as conducting cost-benefit analysis and preparing multi-jurisdictional plans. The use of worksheets, checklists, and tables make these guides a practical source of guidance to address all stages of the hazard mitigation planning process. They also include special tips on meeting DMA 2000 requirements (<http://www.fema.gov/hazard-mitigation-planning-resources#1>).
 - Local Mitigation Planning Handbook, March 2013. This handbook explains the basic concepts of hazard mitigation and provides guidance to local governments on developing or updating hazard mitigation plans to meet the requirements of Title 44 Code of Federal Regulations (CFR) §201.6 for FEMA approval and eligibility to apply for FEMA Hazard Mitigation Assistance grant programs. (<http://www.fema.gov/library/viewRecord.do?id=7209>)
 - A Guide to Recovery Programs FEMA 229(4), September 2005. The programs described in this guide may all be of assistance during disaster incident recovery. Some are available only after a Presidential declaration of disaster, but others are available without a declaration. Please see the individual program descriptions for details. (<http://www.fema.gov/txt/rebuild/ltrc/recoveryprograms229.txt>)
 - The Emergency Management Guide for Business and Industry. FEMA 141, October 1993. This guide provides a step-by-step approach to emergency management planning, response, and recovery. It also details a planning process that businesses can follow to better prepare for a wide range of hazards and emergency events. This effort can enhance a business's ability to recover from financial losses, loss of market share, damages to equipment, and product or business interruptions. This guide could be of great assistance to a community's industries and businesses located in hazard prone areas. (<https://www.fema.gov/media-library/assets/documents/3412>)
 - The 2015 Hazard Mitigation Assistance (HMA) Guidance and Addendum, February 27 and March 3, 2015 respectively. Part I of the Hazard Mitigation Assistance (HMA)

Guidance introduces the three HMA programs, identifies roles and responsibilities, and outlines the organization of the document. This guidance applies to Hazard Mitigation Grant Program (HMGP) disasters declared on or after the date of publication unless indicated otherwise. This guidance is also applicable to the Pre-Disaster Mitigation (PDM) and Flood Mitigation Assistance (FMA) Programs; the application cycles are announced via <http://www.grants.gov/>. The guidance in this document is subject to change based on new laws or regulations enacted after publication.

- FEMA, <http://www.fema.gov> - includes links to information, resources, and grants that communities can use in planning and implementing community resilience and sustainability measures.
- FEMA also administers emergency management grants (<http://www.fema.gov/help/site.shtm>) and various firefighter grant programs (<http://www.firegrantsupport.com/>) such as
 - Emergency Management Performance Grant (EMPG). This is a pass through grant. The amount is determined by the State. The grant is intended to support critical assistance to sustain and enhance State and local emergency management capabilities at the State and local levels for all-hazard mitigation, preparedness, response, and recovery including coordination of inter-governmental (Federal, State, regional, local, and tribal) resources, joint operations, and mutual aid compacts state-to-state and nationwide. Sub-recipients must be compliant with National Incident Management System (NIMS) implementation as a condition for receiving funds. Requires 50% match. (<https://www.fema.gov/fiscal-year-2015-emergency-management-performance-grant-program>)
 - National Earthquake Hazards Reduction Program (NEHRP). The National Earthquake Hazards Reduction Program (NEHRP) seeks to mitigate earthquake losses in the United States through both basic and directed research and implementation activities in the fields of earthquake science and engineering. (<https://www.fema.gov/national-earthquake-hazards-reduction-program>)

The NEHRP agencies pursue the goals of the program through collaboration with each other and numerous partners. In addition to other federal agencies, program partners include state and local governments, universities, research centers, professional societies, trade associations and businesses, as well as associated councils, commissions and consortia.

NEHRP's work encompasses research, development and implementation activities. Program research helps to advance our understanding of why and how earthquakes occur and impact the natural and built environments. The program develops strategies, tools, techniques and other measures that can reduce the adverse effects of earthquakes and facilitates and promotes implementation of these measures, thereby strengthening earthquake resilience among at-risk communities.

Detailed information about the program is available at NEHRP.gov, which is maintained by NIST, the lead agency for NEHRP. For additional agency-specific information, visit FEMA Earthquake, the USGS Earthquake Hazards Program, the NIST NEHRP Office and the National Science Foundation.

-
- Assistance to Fire Fighters Grant (AFG), Fire Prevention and Safety (FP&S), Staffing for Adequate Fire and Emergency Response Grants (SAFER), and Assistance to Firefighters Station Construction Grant programs. Information can be found at: (<http://forestry.alaska.gov/fire/vfa.htm>).
 - Department of Homeland Security (DHS) provides the following grants:
 - Homeland Security Grant Program (HSGP), State Homeland Security Program (SHSP) are 80% pass through grants. SHSP supports implementing the State Homeland Security Strategies to address identified planning, organization, equipment, training, and exercise needs for acts of terrorism and other catastrophic events. In addition, SHSP supports implementing the National Preparedness Guidelines, the NIMS, and the National Response Framework (NRF). Must ensure at least 25% of funds are dedicated towards law enforcement terrorism prevention-oriented activities. (<https://www.dhs.gov/homeland-security-grant-program-hsgp>)
 - Citizen Corps Program (CCP). The Citizen Corps mission is to bring community and government leaders together to coordinate involving community members in emergency preparedness, planning, mitigation, response, and recovery activities. (<http://www.dhs.gov/citizen-corps>)
 - Emergency Operations Center (EOC) Guidance. This program is intended to improve emergency management and preparedness capabilities by supporting flexible, sustainable, secure, strategically located, and fully interoperable Emergency Operations Centers (EOCs) with a focus on addressing identified deficiencies and needs. Fully capable emergency operations facilities at the State and local levels are an essential element of a comprehensive national emergency management system and are necessary to ensure continuity of operations and continuity of government in major disasters or emergencies caused by any hazard. Requires 25% match. (<https://www.fema.gov/media-library/assets/documents/20622>)
 - Emergency Alert System (EAS). Resilient public alert and warning tools are essential to save lives and protect property during times of national, state, regional, and local emergencies. The Emergency Alert System (EAS) is used by alerting authorities to send warnings via broadcast, cable, satellite, and wireline communications pathways. Emergency Alert System participants, which consist of broadcast, cable, satellite, and wireline providers, are the stewards of this important public service in close partnership with alerting officials at all levels of government. The EAS is also used when all other means of alerting the public are unavailable, providing an added layer of resiliency to the suite of available emergency communication tools. The EAS is in a constant state of improvement to ensure seamless integration of CAP-based and emerging technologies. (<https://www.fema.gov/emergency-alert-system>)
 - U.S. Department of Commerce's grant programs include:
 - National Oceanic and Atmospheric Administration (NOAA), provides funds to the State of Alaska due to Alaska's high threat for tsunamis. The allocation supports the promotion of local, regional, and state level tsunami mitigation and preparedness; installation of warning communications systems; installation of warning

-
- communications systems; installation of tsunami signage; promotion of the Tsunami Ready Program in Alaska; development of inundation models; and delivery of inundation maps and decision-support tools to communities in Alaska.
(http://www.tsunami.noaa.gov/warning_system_works.html)
- Remote Community Alert Systems (RCASP) grant for outdoor alerting technologies in remote communities effectively underserved by commercial mobile service for the purpose of enabling residents of those communities to receive emergency messages.
(<http://www.federalgrants.com/Remote-Community-Alert-Systems-Program-11966.html>) This program is a contributing element of the Warning, Alert, and Response Network (WARN) Act.
 - Public Works and Development Facilities Program. This program provides assistance to help distressed communities attract new industry, encourage business expansion, diversify local economies, and generate long-term, private sector jobs. Among the types of projects funded are water and sewer facilities, primarily serving industry and commerce; access roads to industrial parks or sites; port improvements; business incubator facilities; technology infrastructure; sustainable development activities; export programs; brownfields redevelopment; aquaculture facilities; and other infrastructure projects. Specific activities may include demolition, renovation, and construction of public facilities; provision of water or sewer infrastructure; or the development of stormwater control mechanisms (e.g., a retention pond) as part of an industrial park or other eligible project.
(http://cfpub.epa.gov/fedfund/program.cfm?prog_num=51)
 - US Environmental Protection Agency (EPA). Under EPA's Clean Water State Revolving Fund (CWSRF) program, each state maintains a revolving loan fund to provide independent and permanent sources of low-cost financing for a wide range of water quality infrastructure projects, including: municipal wastewater treatment projects; non-point source projects; watershed protection or restoration projects; and estuary management projects.
(<http://yosemite.epa.gov/R10/ecocomm.nsf/6da048b9966d22518825662d00729a35/7b68c420b668ada5882569ab00720988!OpenDocument>)
 - Indian Environmental General Assistance Program (IGAP). 1992, Congress passed the Indian Environmental General Assistance Program Act (42 U.S.C. 4368b) which authorizes EPA to provide General Assistance Program (GAP) grants to federally-recognized tribes and tribal consortia for planning, developing, and establishing environmental protection programs in Indian country, as well as for developing and implementing solid and hazardous waste programs on tribal lands.

The goal of this program is to assist tribes in developing the capacity to manage their own environmental protection programs, and to develop and implement solid and hazardous waste programs in accordance with individual tribal needs and applicable federal laws and regulations.

<http://www.epa.gov/Indian/gap.htm>

-
- Department of Agriculture (USDA). Provides diverse funding opportunities; providing a wide benefit range. Their grants and loans website provides a brief programmatic overview with links to specific programs and services.
(<http://www.rd.usda.gov/programs-services>)
 - Farm Service Agency: Emergency Conservation Program, Non-Insured Assistance, Emergency Forest Restoration Program, Emergency Watershed Protection, Rural Housing Service, Rural Utilities Service, and Rural Business and Cooperative Service.
(<http://www.fsa.usda.gov/FSA/stateoffapp?mystate=ak&area=home&subject=landing&topic=landing>)
 - Natural Resources Conservation Service (NRCS) has several funding sources to fulfill mitigation needs.
(<http://www.nrcs.usda.gov/wps/portal/nrcs/main/national/programs/alphabetical/>)
 - Conservation Technical Assistance Program (CTA) is voluntary program available to any group or individual interested in conserving their natural resources and sustaining agricultural production. The program assists land users with addressing opportunities, concerns, and problems related to using their natural resources enabling them to make sound natural resource management decisions on private, tribal, and other non-federal lands.
(<http://www.nrcs.usda.gov/wps/portal/nrcs/main/national/programs/technical/>)
 - Conservation Innovation Grants (CIG) is a voluntary program intended to stimulate developing and adopting innovative conservation approaches and technologies while leveraging Federal investment in environmental enhancement and protection, in conjunction with agricultural production. Under CIG, Environmental Quality Incentives Program funds are used to award competitive grants to non-Federal governmental or nongovernmental organizations, Tribes, or individuals.

CIG enables NRCS to work with other public and private entities to accelerate technology transfer and adoption of promising technologies and approaches to address some of the Nation's most pressing natural resource concerns. CIG will benefit agricultural producers by providing more options for environmental enhancement and compliance with Federal, State, and local regulations.

(<http://www.nrcs.usda.gov/wps/portal/nrcs/main/national/programs/financial/cig/>)
 - The Environmental Quality Incentives Program (EQIP) is a voluntary program that provides financial and technical assistance to agricultural producers through contracts up to a maximum term of ten years in length. These contracts provide financial assistance to help plan and implement conservation practices that address natural resource concerns and for opportunities to improve soil, water, plant, animal, air and related resources on agricultural land and non-industrial private forestland. In addition, a purpose of EQIP is to help producers meet Federal, State, Tribal and local environmental regulations.
(<http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/programs/financial/eqip/?cid=stelprdb1242633>)

-
- The Emergency Watershed Protection Program (EWP) is designed is to undertake emergency measures, including the purchase of flood plain easements, for runoff retardation and soil erosion prevention to safeguard lives and property from floods, drought, and the products of erosion on any watershed whenever fire, flood or any other natural occurrence is causing or has caused a sudden impairment of the watershed.
(<http://www.nrcs.usda.gov/wps/portal/nrcs/main/national/programs/landscape/ewpp/>)
 - Watershed Surveys and Planning. NRCS watershed activities in Alaska are voluntary efforts requested through conservation districts and units of government and/or tribes. The purpose of the program is to assist Federal, State, and local agencies and tribal governments to protect watersheds from damage caused by erosion, floodwater, and sediment and to conserve and develop water and land resources. Resource concerns addressed by the program include water quality, opportunities for water conservation, wetland and water storage capacity, agricultural drought problems, rural development, municipal and industrial water needs, upstream flood damages, and water needs for fish, wildlife, and forest-based industries.
(<http://www.nrcs.usda.gov/wps/portal/nrcs/main/national/programs/landscape/wsp/>)
 - Department of Energy (DOE), Office of Energy Efficiency and Renewable Energy, Weatherization Assistance Program. This program minimizes the adverse effects of high energy costs on low-income, elderly, and handicapped citizens through client education activities and weatherization services such as an all-around safety check of major energy systems, including heating system modifications and insulation checks.
(<http://www1.eere.energy.gov/wip/wap.html>)
 - The Tribal Energy Program offers financial and technical assistance to Indian tribes to help them create sustainable renewable energy installations on their lands. This program promotes tribal energy self-sufficiency and fosters employment and economic development on America's tribal lands. (<http://energy.gov/eere/wipo/tribal-energy-program>)
 - Department of Health and Human Services, Administration of Children & Families, Administration for Native Americans (ANA). The ANA awards funds through grants to American Indians, Native Americans, Native Alaskans, Native Hawaiians, and Pacific Islanders. These grants are awarded to individual organizations that successfully apply for discretionary funds. ANA publishes in the Federal Register an announcement of funds available, the primary areas of focus, review criteria, and application information.
(<http://www.acf.hhs.gov/grants/open/foa/>)
 - Department of Housing and Urban Development (HUD) provides a variety of disaster resources. They also partner with Federal and state agencies to help implement disaster recovery assistance. Under the *National Response Framework* the FEMA and the Small Business Administration (SBA) offer initial recovery assistance.
(http://www.hud.gov/info/disasterresources_dev.cfm)

-
- HUD, Office of Homes and Communities, Section 108 Loan Guarantee Programs. This program provides loan guarantees as security for Federal loans for acquisition, rehabilitation, relocation, clearance, site preparation, special economic development activities, and construction of certain public facilities and housing. (<http://www.hud.gov/offices/cpd/communitydevelopment/programs/108/index.cfm>)
 - HUD, Office of Homes and Communities, Section 184 Indian Home Loan Guarantee Programs (IHLGP). The Section 184 Indian Home Loan Guarantee Program is a home mortgage specifically designed for American Indian and Alaska Native families, Alaska Villages, Tribes, or Tribally Designated Housing Entities. Section 184 loans can be used, both on and off native lands, for new construction, rehabilitation, purchase of an existing home, or refinance.
 - Because of the unique status of Indian lands being held in Trust, Native American homeownership has historically been an underserved market. Working with an expanding network of private sector and tribal partners, the Section 184 Program endeavors to increase access to capital for Native Americans and provide private funding opportunities for tribal housing agencies with the Section 184 Program. (<http://www.hud.gov/offices/pih/ih/homeownership/184/>)
 - Indian Housing Block Grant / Native American Housing Assistance and Self Determination Act (IHBG/NAHASDA) administration, operating & construction funds. The act is separated into seven sections:

The Indian Housing Block Grant Program (IHBG) is a formula grant that provides a range of affordable housing activities on Indian reservations and Indian areas. The block grant approach to housing for Native Americans was enabled by the Native American Housing Assistance and Self Determination Act of 1996 (NAHASDA).

Eligible IHBG recipients are Federally recognized Indian tribes or their tribally designated housing entity (TDHE), and a limited number of state recognized tribes who were funded under the Indian Housing Program authorized by the United States Housing Act of 1937 (USHA). With the enactment of NAHASDA, Indian tribes are no longer eligible for assistance under the USHA.

An eligible recipient must submit to HUD an Indian Housing Plan (IHP) each year to receive funding. At the end of each year, recipients must submit to HUD an Annual Performance Report (APR) reporting on their progress in meeting the goals and objectives included in their IHPs.

Eligible activities include housing development, assistance to housing developed under the Indian Housing Program, housing services to eligible families and individuals, crime prevention and safety, and model activities that provide creative approaches to solving affordable housing problems.

(http://portal.hud.gov/hudportal/HUD?src=/program_offices/public_indian_housing/ih/grants/ihbg)

- HUD/CDBG provides grant assistance and technical assistance to aid communities in planning activities that address issues detrimental to the health and safety of local residents, such as housing rehabilitation, public services, community facilities, and

-
- infrastructure improvements that would primarily benefit low-and moderate-income persons (<http://www.hud.gov/offices/cpd/communitydevelopment/programs/>)
- HUD/Indian Community Development Block Grants (ICDBG) provide grant assistance and technical assistance to aid communities or Indian tribes in planning activities that address issues detrimental to the health and safety of local residents, such as housing rehabilitation, public services, community facilities, and infrastructure improvements that would primarily benefit low-and moderate-income persons (http://portal.hud.gov/hudportal/HUD?src=/program_offices/public_indian_housing/i h/grants/icdbg)
 - Department of Labor (DOL), Employment and Training Administration, Disaster Unemployment Assistance (DUA). Provides weekly unemployment subsistence grants for those who become unemployed because of a major disaster or emergency. Applicants must have exhausted all benefits for which they would normally be eligible. (<http://www.workforcesecurity.doleta.gov/unemploy/disaster.asp>)
 - The Workforce Investment Act contains provisions aimed at supporting employment and training activities for Indian, Alaska Native, and Native Hawaiian individuals. The Department of Labor's Indian and Native American Programs (INAP) funds grant programs that provide training opportunities at the local level for this target population. (<http://www.dol.gov/dol/topic/training/indianprograms.htm>)
 - U.S. Department of Transportation (DOT), Hazardous Materials Emergency Preparedness (HMEP) Grant. The Hazardous Materials Transportation Safety and Security Reauthorization Act of 2005 authorizes the U.S. DOT to provide assistance to public sector employees through training and planning grants to States, Territories, and Native American tribes for emergency response. The purpose of this grant program is to increase State, Territorial, Tribal, and local effectiveness in safely and efficiently handling hazardous materials accidents and incidents, enhance implementation of the Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA), and encourage a comprehensive approach to emergency training and planning by incorporating the unique challenges of responses to transportation situations. (<http://www.phmsa.dot.gov/hazmat/grants>)
 - Federal Financial Institutions. Member banks of Federal Deposit Insurance Corporation, Financial Reporting Standards or Federal Home Loan Bank Board may be permitted to waive early withdrawal penalties for Certificates of Deposit and Individual Retirement Accounts.
 - Internal Revenue Service (IRS), Disaster Tax Relief. Provides extensions to current year's tax return, allows deductions for disaster losses, and allows amendment of previous year's tax returns (<http://www.irs.gov/Businesses/Small-Businesses-%26-Self-Employed/Disaster-Assistance-and-Emergency-Relief-for-Individuals-and-Businesses-1>).
 - U.S. Small Business Administration (SBA) Disaster Assistance Loans and Grants program provides information concerning disaster assistance, preparedness, planning, cleanup, and recovery planning. (<https://www.sba.gov/category/navigation-structure/loans-grants>)

-
- May provide low-interest disaster loans to individuals and businesses that have suffered a loss due to a disaster. (<https://www.sba.gov/category/navigation-structure/loans-grants/small-business-loans/disaster-loans>). Requests for SBA loan assistance should be submitted to DHS&EM.
 - United States Army Corps of Engineers (USACE) Alaska District's Civil Works Branch studies potential water resource projects in Alaska. These studies analyze and solve water resource issues of concern to the local communities. These issues may involve navigational improvements, flood control or ecosystem restoration. The agency also tracks flood hazard data for over 300 Alaskan communities on floodplains or the sea coast. These data help local communities assess the risk of floods to their communities and prepare for potential future floods. The USACE is a member and co-chair of the Alaska Climate Change Sub-Cabinet.
 - Civil Works and Planning (<http://www.poa.usace.army.mil/Missions/CivilWorksandPlanning.aspx>)
 - Environmental Resources Section (<http://www.poa.usace.army.mil/About/Offices/Engineering/EnvironmentalResources.aspx>)
 - USACE Alaska District Grants (http://search.usa.gov/search?affiliate=alaska_district&query=grants)
 - The Grants.gov program management office was established, in 2002, as a part of the President's Management Agenda. Managed by the Department of Health and Human Services, Grants.gov is an E-Government initiative operating under the governance of the Office of Management and Budget.

Under the President's Management Agenda, the office was chartered to deliver a system that provides a centralized location for grant seekers to find and apply for federal funding opportunities. Today, the Grants.gov system houses information on over 1,000 grant programs and vets grant applications for 26 federal grant-making agencies.

State Funding Resources

- Department of Military and Veterans Affairs (DMVA): Provides damage appraisals and settlements for VA-insured homes, and assists with filing of survivor benefits. (<http://veterans.alaska.gov/links.htm>)
 - DHS&EM within DMVA is responsible for improving hazard mitigation technical assistance for local governments for the State of Alaska. Providing hazard mitigation training, current hazard information and communication facilitation with other agencies will enhance local hazard mitigation efforts. DHS&EM administers FEMA mitigation grants to mitigate future disaster damages such as those that may affect infrastructure including elevating, relocating, or acquiring hazard-prone properties. (<http://ready.alaska.gov/plans/mitigation.htm>)
- DHS&EM also provides mitigation funding resources for mitigation planning on their Web site at <http://ready.alaska.gov/grants>.

-
- Division of Health and Social Services (DHSS): On this site you will find information intended to assist all who are interested in DHSS grants and services they support. (<http://dhss.alaska.gov/fms/grants/Pages/grants.aspx> and <http://dhss.alaska.gov/fms/Documents/FY15GrantBook.pdf>)
 - Division of Health and Social Services (DSS): Provides special outreach services for seniors, including food, shelter and clothing. (<http://dhss.alaska.gov/dsds/Pages/hcb/hcb.aspx>)
 - Division of Insurance (DOI): Provides assistance in obtaining copies of policies and provides information regarding filing claims. (<http://commerce.state.ak.us/dnn/ins/Consumers/AlaskaConsumerGuide.aspx>)
 - DCRA within the DCCED administers the HUD/CDBG, FMA Program, and the Climate Change Sub-Cabinet's Interagency Working Group's program funds and administers various flood and erosion mitigation projects, including the elevation, relocation, or acquisition of flood-prone homes and businesses throughout the State. This division also administers programs for State's "distressed" and "targeted" communities. (<http://www.commerce.state.ak.us/dca/>)
 - DCRA Planning and Land Management staff provide Alaska Climate Change Impact Mitigation Program (ACCIMP) funding to Alaskan communities that meet one or more of the following criteria related to flooding, erosion, melting permafrost, or other climate change-related phenomena: Life/safety risk during storm/flood events; loss of critical infrastructure; public health threats; and loss of 10% of residential dwellings. (<http://commerce.state.ak.us/dnn/dcra/PlanningLandManagement/ACCIMP.aspx>)

The Hazard Impact Assessment is the first step in the ACCIMP process. The HIA identifies and defines the climate change-related hazards in the community, establishes current and predicted impacts, and provides recommendations to the community on alternatives to mitigate the impact. (http://commerce.alaska.gov/dca/planning/accimp/hazard_impact.html)
 - Department of Environmental Conservation (DEC). DEC's primary roles and responsibilities concerning hazards mitigation are ensuring safe food and safe water, and pollution prevention and pollution response. DEC ensures water treatment plants, landfills, and bulk fuel storage tank farms are safely constructed and operated in communities. Agency and facility response plans include hazards identification and pollution prevention and response strategies. (<http://dec.alaska.gov/>)
 - The Division of Water's Village Safe Water (VSW) Program works with rural communities to develop sustainable sanitation facilities. Communities apply each year to VSW for grants for sanitation projects. Federal and state funding for this program is administered and managed by the VSW program. VSW provides technical and financial support to Alaska's smallest communities to design and construct water and wastewater systems. In some cases, funding is awarded by VSW through the Alaska Native Tribal Health Consortium (ANTHC), who in turn assist communities in design and construct of sanitation projects.

-
- Municipal Grants and Loans (MGL) Program. The Department of Environmental Conservation / Division of Water administer the Alaska Clean Water Fund (ACWF) and the Alaska Drinking Water Fund (ADWF). The division is fiscally responsible to the Environmental Protection Agency (EPA) to administer the loan funds as the EPA provides capitalization grants to the division for each of the loan funds. In addition, it is prudent upon the division to administer the funds in a manner that ensures their continued viability. (<http://dec.alaska.gov/water/MuniGrantsLoans/loanoverview.html>)
 - Under EPA's Clean Water State Revolving Fund (CWSRF) program, each state maintains a revolving loan fund to provide independent and permanent sources of low-cost financing for a wide range of water quality infrastructure projects, including: municipal wastewater treatment projects; non-point source projects; watershed protection or restoration projects; and estuary management, [and stormwater management] projects.
(<http://yosemite.epa.gov/R10/ecocomm.nsf/6da048b9966d22518825662d00729a35/7b68c420b668ada5882569ab00720988!OpenDocument>)

Alaska's Revolving Loan Fund Program, prescribed by Title VI of the Clean Water Act as amended by the Water Quality Act of 1987, Public Law 100-4. DEC will use the ACWF account to administer the loan fund. This Agreement will continue from year-to-year and will be incorporated by reference into the annual capitalization grant agreement between EPA and the DEC. DEC will use a fiscal year of July 1 to June 30 for reporting purposes.

(http://www.epa.gov/region10/pdf/water/srf/cwsrf_alaska_operating_agreement.pdf)

- Department of Transportation and Public Facilities (DOT/PF) personnel provide technical assistance to the various emergency management programs, to include mitigation. This assistance is addressed in the DHS&EM-DOT/PF Memorandum of Agreement and includes but is not limited to: environmental reviews, archaeological surveys, and historic preservation reviews.
 - DOT/PF and DHS&EM coordinate buy-out projects to ensure that there are no potential right-of-way conflicts with future use of land for bridge and highway projects, and collaborate on earthquake mitigation.
 - Additionally, DOT/PF provides the safe, efficient, economical, and effective State highway, harbor, and airport operation. DOT/PF uses its Planning, Design and Engineering, Maintenance and Operations, and Intelligent Transportation Systems resources to identify hazards, plan and initiate mitigation activities to meet the transportation needs of Alaskans, and make Alaska a better place to live and work. DOT/PF budgets for temporary bridge replacements and materials necessary to make the multi-modal transportation system operational following natural disaster events.
- DNR administers various projects designed to reduce stream bank erosion, reduce localized flooding, improve drainage, and improve discharge water quality through the stormwater grant program funds. Within DNR,
 - The Division of Geological and Geophysical Survey (DGGS) is responsible Alaska's mineral, land, and water resources use, development, and earthquake mitigation collaboration.

Their geologists and support staff are leaders in researching Alaska's geology and implementing technological tools to most efficiently collect, interpret, publish, archive, and disseminate information to the public.
(<http://dggs.alaska.gov/pubs/advanced-search>)

- The DNR's Division of Forestry (DOF) participates in a statewide wildfire control program in cooperation with the forest industry, rural fire departments and other agencies. Prescribed burning may increase the risks of fire hazards; however, prescribed burning reduces the availability of fire fuels and therefore the potential for future, more serious fires.
(<http://forestry.alaska.gov/pdfs/08FireSuppressionMediaGuide.pdf>)
- DOF also manages various wildland fire programs, activities, and grant programs such as the FireWise Program (<http://forestry.alaska.gov/fire/firewise.htm>), Community Forestry Program (CFP) (<http://forestry.alaska.gov/community/>), Assistance to Fire Fighters Grant (AFG), Fire Prevention and Safety (FP&S), Staffing for Adequate Fire and Emergency Response Grants (SAFER), and Volunteer Fire Assistance and Rural Fire Assistance Grant (VFA-RFA) programs (<http://forestry.alaska.gov/fire/vfarfa.htm>). Information can be found at <http://forestry.alaska.gov/fire/current.htm>.

- The Alaska Interagency Coordination Center (AICC) is the Geographic Area Coordination Center for Alaska. AICC serves as the focal point for initial attack resource coordination, logistics support, and predictive services for all state and federal agencies involved in wildland fire management and suppression in Alaska.

Fire management planning, preparedness, suppression operations, prescribed burning, and related activities are coordinated on an interagency basis. DOF has cooperative agreements with the Departments of Agriculture and Interior, and numerous local government and volunteer fire departments to respond to wildland fires, reduce duplication of efforts, and share resources.

In 1984 the State of Alaska adopted the National Interagency Incident Management System Incident Command System concept for managing fire suppression. The Incident Command System (ICS) guiding principles are followed in all wildland fire management operations. All State of Alaska Departments adopted ICS in 1996 through the Governor's administrative order.

Other Funding Resources

The following provide focused access to valuable planning resources for communities interested in sustainable development activities.

- Rural Alaska Community Action Program Inc. (RurAL CAP) In the nearly 50 years since it began, it is difficult to imagine any aspect of rural Alaskan lives which has not been touched in some way by the people and programs of RurAL CAP. From Head Start, parent education, adult basic education, and elder-youth programs, to Native land claims and subsistence rights, energy and weatherization programs, and alcohol and substance abuse prevention, RurAL CAP has left a lasting mark on the history and development of Alaska and its rural Peoples. (http://ruralcap.com/?page_id=334)

-
- Weatherization Assistance Program assists low to moderate income households in weatherization needs. The program is available to homeowners as well as renters and includes; single family homes, cabins, mobile homes, condominiums and multifamily dwellings. (http://ruralcap.com/?page_id=794)
 - Solid Waste Management. RurAL CAP continues to host an expert solid waste liaison, Ted Jacobson, through funding provided by the Environmental Protection Agency (EPA) and Senior Services America, Inc. The liaison provides solid waste management technical assistance to rural communities through training, site visits, hands-on demonstrations, and remote contact. Resources are provided for dump management activities, collaborating with funders for funding and technical assistance on solid waste management, recycling, and backhaul. (http://ruralcap.com/?page_id=198)
 - American Planning Association (APA), <http://www.planning.org> - a non-profit professional association that serves as a resource for planners, elected officials, and citizens concerned with planning and growth initiatives.
 - Institute for Business and Home Safety (IBHS), an initiative of the insurance industry to reduce deaths, injuries, property damage, economic losses, and human suffering caused by natural disasters. (<http://www.disastersafety.org/>)
 - American Red Cross (ARC). Provides for the critical needs of individuals such as food, clothing, shelter, and supplemental medical needs. Provides recovery needs such as furniture, home repair, home purchasing, essential tools, and some bill payment may be provided. (<http://www.redcross.org/find-help>)
 - Catalog of Federal Domestic Assistance (DFDA) Crisis Counseling Program (CCP). Provides grants to State and Borough Mental Health Departments, which in turn provide training for screening, diagnosing and counseling techniques. Also provides funds for counseling, outreach, and consultation for those affected by disaster. (<http://dialoguemakers.org/Resources4states+Nonprofits.htm>)
 - Denali Commission. Introduced by Congress in 1998, the Denali Commission is an independent federal agency designed to provide critical utilities, infrastructure, and economic support throughout Alaska. With the creation of the Denali Commission, Congress acknowledged the need for increased inter-agency cooperation and focus on Alaska's remote communities. Since its first meeting in April 1999, the Commission is credited with providing numerous cost-shared infrastructure projects across the State that exemplifies effective and efficient partnership between federal and state agencies, and the private sector. (<http://www.denali.gov/grants>)
 - The Energy Program primarily funds design and construction of replacement bulk fuel storage facilities, upgrades to community power generation and distribution systems, alternative-renewable energy projects, and some energy cost reduction projects. The Commission works with the Alaska Energy Authority (AEA), Alaska Village Electric Cooperative (AVEC), Alaska Power and Telephone and other partners to meet rural communities' fuel storage and power generation needs.

-
- The goal of the solid waste program at the Denali Commission is to provide funding to address deficiencies in solid waste disposal sites which threaten to contaminate rural drinking water supplies.
 - Lindbergh Foundation Grants. Each year, The Charles A. and Anne Morrow Lindbergh Foundation provides grants of up to \$10,580 (a symbolic amount representing the cost of the Spirit of St. Louis) to men and women whose individual initiative and work in a wide spectrum of disciplines furthers the Lindberghs' vision of a balance between the advance of technology and the preservation of the natural/human environment.
(<http://www.thelindberghfoundation.org/awards>)
 - Rasmuson Foundation Grants. The Rasmuson foundation invests both in individuals and well-managed 501(c)(3) organizations dedicated to improving the quality of life for Alaskans.

Rasmuson Foundation awards grants both to organizations serving Alaskans through a base of operations in Alaska, and to individuals for projects, fellowships and sabbaticals. To be considered for a grant award, grant seekers must meet specific criteria and complete and submit the required application according to the specific guidelines of each program. (<http://www.rasmuson.org/index.php?switch=viewpage&pageid=5>)

- Tier 1 Awards: Grants of up to \$25,000 for capital projects, technology updates, capacity building, program expansion, and creative works.
- Tier 2 Awards: Grants over \$25,000 for projects of demonstrable strategic importance or innovative nature.
- Pre-Development Program: Guidance and technical resources for planning new, sustainable capital projects.

The Foundation trustees believe successful organizations can sustain their basic operations through other means of support and prefer to assist organizations with specific needs, focusing on requests which allow the organizations to become more efficient and effective. The trustees look favorably on organizations which demonstrate broad community support, superior fiscal management and matching project support.
(<http://www.rasmuson.org/index.php>)

Appendix B
FEMA Hazard Mitigation Plan (HMP) Review Tool

This page intentionally left blank.

Appendix C
DHS&EM HMP Promulgation

This page intentionally left blank.

Appendix D
Public Outreach Activities

This page intentionally left blank

From: Simmons, Scott
To: "mewest@alaska.edu"; "hdenny@anthc.org"; "tneal@usgs.gov"; "swhite@avcp.org"; "steve.heppner.bia.ak@gmail.com"; "kato_howard@ak.blm.gov"; "jneimeyer@denali.gov"; "leslie.pearson@alaska.gov"; "ryan.anderson@alaska.gov"; "Alice.Edwards@alaska.gov"; "taunnie.boothby@alaska.gov"; "scott.nelsen@alaska.gov"; "alan.wien@alaska.gov"; "terri.lomax@alaska.gov"; "Soderlund.Dianne@epamail.epa.gov"; "john.lingaas@noaa.gov"; "joel.curtis@noaa.gov"; "sam.albanese@noaa.gov"; "meg.mueller@ak.usda.gov"; "merlaine.kruse@ak.usda.gov"; "greg.magee@alaska.gov"; "Anna.Plager@dnr.state.ak.us"; "kerry.walsh@dnr.state.ak.us"; "John.Dunker@dnr.state.ak.us"; "Steve.Clautice@dnr.state.ak.us"; "patricia.burns@dnr.state.ak.us"; "Steve.McGroarty@dnr.state.ak.us"; "Mac.McLean@dnr.state.ak.us"; "Margie.Goatley@dnr.state.ak.us"; "Bruce.R.Sexauer@poa02.usace.army.mil"; "colleen.bickford@hud.gov"; "ak_le@fws.gov"
Cc: Eileen Bechtol (erbechtol@gmail.com); DHSEM Scott Nelsen; Evans, Jessica; Appleby, Elizabeth; URS Evan Wasserman
Subject: Hazard Mitigation Plan Development Project Initial Notice
Date: Thursday, November 20, 2014 11:18:00 AM
Attachments: [image002.png](#)

Dear Potential HMP Development Participants,
URS Corporation has received a 2014 contract from the State Division of Homeland Security and Emergency Management (DHS&EM) to develop 21 Local/Tribal All-Hazard Mitigation Plans for the following communities:

New HMP Development

- Atmautlauk (Unorganized)
- Chitina (Unorganized)
- Copper Center (Unorganized)
- Grayling (Unorganized)
- Kongiganak (Unorganized)
- Kwigillingok (Unorganized)
- City of Merkoryuk (2nd Class City)
- City of Nightmute (2nd Class City)
- Tuntutuliak (Unorganized)
- Tununak (Unorganized)
- City of Wales (2nd Class city)

HMP Update Required

- Newtok (Unorganized)
- City of Aniak (2nd Class City)
- City of Dillingham (1st Class City)
- City of Golovin (2nd Class City)
- Lake and Peninsula Borough, MJHMP
- City of Hooper Bay (2nd Class City)
- City of Kivalina (2nd Class City)
- City of Saint Paul (2nd Class City)
- City of Unalakleet (2nd Class City)
- City and Borough of Yakutat

The Lake and Peninsula Borough (L&PB) Multi-Jurisdictional HMP (MJHMP) consists of six organized cities and 12 unorganized communities:

The Lake and Peninsula Borough, MJHMP

Organized Cities

- City of Chignik (2nd Class City)
- City of Egegik (2nd Class City)
- City of Newhalen (2nd Class City)
- City of Nondalton (2nd Class City)
- City of Pilot Point (2nd Class City)
- City of Port Heiden (2nd Class City)

Unorganized Communities

- Chignik Lagoon
- Chignik Lake
- Igiugig
- Iliamna
- Ivanof Bay
- Kokhanok

We invite you to participate in this important community planning effort during the development process. Community newsletters will be located on the DHS&EM Local/Tribal All Hazard Mitigation Plan Development website at:

<http://ready.alaska.gov/plans/localhazmitplans> as the communities finalize them.

Please feel free to contact me and to forward this email to the most appropriate person within your agency involved with hazard assessments, hazard mitigation plan development or community specific hazard information or planning suggestions. (Please cc me so I may update the contact list)

I encourage you to acknowledge receiving this invitation at your earliest convenience to allow me to include your participation (with appropriate acknowledgments) within the Draft and Final HMPs prior to State and FEMA review and subsequent approvals.

Kind Regards

-Scott-

R. Scott Simmons, CFM, CPM

AECOM + URS

700 G Street, Suite 500 | Anchorage, AK 99501

Ph: 907.261.9706 | 800.909.6787 | Personal Mobile: 841.1832 | Fax: 907.562.1297

eMail Address: scott.simmons@urs.com

This e-mail and any attachments contain URS Corporation confidential information that may be proprietary or privileged. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.

From: [Appleby, Elizabeth](#)
To: nativevillageofchitina@yahoo.com
Cc: [Simmons, Scott](#)
Subject: Hazard Mitigation Plan for Chitina
Date: Monday, November 24, 2014 4:49:35 PM
Attachments: [ChitinaHazardMitigationPlan_NewLetter#1.pdf](#)

Hello President Mahle,

I am writing to introduce myself, Elizabeth Appleby, as well as our project manager, Scott Simmons, with AECOM-URS. We were contracted by the Division of Homeland Security and Emergency Management (DHS&EM) to develop a Hazard Mitigation Plan for eleven communities. The Village of Chitina is one of the selected communities. We have previously worked with the neighboring community of Gulkana to write their plan.

Your Hazard Mitigation Plan will identify hazards which routinely impact your community, locate facilities that could be impacted, and list potential projects to reduce impacts before they occur. It is important to note that the Village of Chitina does not have to pay anything for this project.

Our task is to write the plan while guiding you through the process using a planning team from your community. AECOM-URS will write the plan. The community Planning Team will work with AECOM-URS to identify hazards, and provide information on historic damage and facilities. As a team we can come up with projects to reduce risk, and develop mitigation goals. We will provide a list of potential funding sources for projects.

Our first goal is to encourage you to select a planning team leader and a few team members. Team members should have knowledge of natural hazards that continually cause damages and what facilities are critical for protection from these hazards. We suggest you look for team members from the Village elders, the health clinic, school, volunteer fire fighters, law enforcement, and other potential members. We suggest no more than four or five members on this team.

I am attaching a draft newsletter to encourage public involvement. When it is final, you can distribute it to the community. It will ask the community to identify known hazards, and confirm critical infrastructure. When the Planning Team is selected, I will update the draft and return it to you for distribution to your community.

I would like to schedule an introductory meeting with your Planning Team to introduce the project and the process. You will be able to call into a teleconference using a speaker phone to simplify the discussions. We would like to schedule this teleconference by the end of next week if feasible. Please let me know which day and time is convenient for you. We will then provide you the toll-free number which you can pass to each essential participant.

I will look for you reply about:

- Who will be on your Planning Team
- When you would like to schedule an introductory meeting

I look forward to working with you and your Team on this exciting project!

Thank you,

Elizabeth Appleby
Environmental Planner

AECOM - URS Corporation
700 G Street, Suite 500
Anchorage, AK 99501
Direct: (907) 375-9019
Office: (907) 261-6721

This e-mail and any attachments contain URS Corporation confidential information that may be proprietary or privileged. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.

VILLAGE OF CHITINA HAZARD MITIGATION PLAN

Newsletter #1

January 2015

This newsletter describes the Village of Chitina Hazard Mitigation Planning project development processes to interested agencies, stakeholders, and the public. This newsletter also serves to solicit comments.

The State of Alaska, Department of Military and Veterans Affairs, Division of Homeland Security and Emergency Management (DHS&EM) was awarded a Pre-Disaster Mitigation Program grant from the Federal Emergency Management Agency (FEMA) to prepare Hazard Mitigation Plans (HMP) for fifteen Alaskan Communities. The Village of Chitina was selected for participation in this effort.

AECOM was contracted to assist the community with preparing a FEMA approvable hazard mitigation plan and subsequent hazard mitigation grant program application during 2012 and 2013.

The Chitina Hazard Mitigation Plan will identify all natural hazards, such as earthquake, erosion, flood, severe weather, and wildland fire hazards, etc. The plan will also identify the people and facilities potentially at risk and ways to mitigate damage from future hazard impacts. The public participation and planning process is documented as part of these projects.

What is Hazard Mitigation?

Across the United States, natural and human-caused disasters have increasingly caused injury, death, property damage, and business and government service interruptions. The toll on individuals, families, and businesses can be very high. The time, money, and emotional effort required to respond to and recover from these disasters takes public resources and attention away from other important programs and problems.

The people and property in the State of Alaska are at risk from a variety of natural hazards that can potentially cause human injury, property damage, or environmental harm.

Hazard mitigation projects eliminate the risk or reduce the hazard impact severity to people and property. Projects may include short- or long-term activities to reduce exposure to or the effects of known hazards. Hazard mitigation activities include relocating or elevating buildings, replacing insufficiently sized culverts, using alternative construction techniques, or developing, implementing, or enforcing building codes, and education.

Why Do We Need A Hazard Mitigation Plan?

Communities must have a State, FEMA approved, and community adopted mitigation plan to receive a project grant from FEMA's pre- and post- disaster grants identified in their Hazard Mitigation Assistance and other agency's mitigation grant programs. The Village of Chitina plans to apply for mitigation funds after our plan is complete.

A FEMA approved and community adopted HMP enables the Local government to apply for the Hazard Mitigation Grant Program (HMGP), a disaster related assistance program. Applicants typically compete on a statewide basis.

The Pre-Disaster Mitigation (PDM) and the National Insurance Program's Flood Mitigation Assistance (FMA), grant programs are nationally competitive funding programs. These grants use the same application process and eligibility requirements.

The Planning Process

There are very specific federal requirements that must be met when preparing a hazard mitigation plan. These requirements are commonly referred to as the Disaster Mitigation Act of 2000, or DMA2000 criteria. Information about the criteria and other applicable laws and regulations may be found at: <http://www.fema.gov/mitigation-planning-laws-regulations-guidance>.

The DMA2000 requires the plan to include and document the following topics:

- ❑ Plan development process
- ❑ Identify hazards specific to the community
- ❑ Identify the population's and structures' risks
- ❑ Define the jurisdiction's mitigation goals
- ❑ List the community's mitigation strategy, selected actions, and implemented projects
- ❑ Provide a copy of the community's HMP Adoption Resolution

FEMA has prepared a Local Planning Review Guide) and (available at:

<http://www.fema.gov/library/viewRecord.do?fromSearch=fromsearch&id=4859>). It explains how the HMP meets each of the DMA2000 requirements.

FEMA has prepared and “Mitigation Planning Guidance) and “How to” Guides (available at: <http://www.fema.gov/hazard-mitigation-planning-resources>). The Village of Chitina’s Hazard Mitigation Plan will follow those guidelines.

We are currently in the very beginning stages of preparing the plan. We will be conducting a public meeting to introduce the project and planning team, and to gather comments from our community residents. Specifically we will complete the hazard identification task, and collect data to conduct the risk assessment.

DHS&EM has previously identified natural hazards that occur in the Copper River Regional Educational Attendance Area (REAA) that may also occur specifically in Chitina.

We Need Your Help

Please use the following table to identify any hazards you have observed in your area that DHS&EM is not aware of AND any additional natural hazards that may not be on the list.

Chitina Hazard Worksheet		
Hazard	Copper River REAA*	Village of Chitina
Earthquake	Yes	Yes
Erosion	No	Yes
Flood	Yes	Yes
Ground Failure (Avalanche, Landslide, Permafrost)	No	Yes
Severe Weather	Yes	Yes
Tsunami & Seiche	No	No
Volcano	No	No
Wildland Fire	No	Yes

*Hazard Matrix from the 2013 State of Alaska Hazard Mitigation Plan for the Copper River REAA. (Parentheses indicate threat level and number of historical events)

The Planning Team

The planning team is being led by Scott Simmons (AECOM), with assistance from Elizabeth Appleby (AECOM) and Chitina’s Planning Team. AECOM has been contracted by DHS&EM to provide assistance and guidance to the Planning Team throughout the planning process.

Public Participation

Public involvement will continue throughout the project. The goal is to receive comments, identify key issues or concerns, and improve ideas for mitigation. When the Draft C Hazard Mitigation Plan is complete, the results will be presented to the community before DHS&EM and FEMA approval and community adoption.

DHS&EM identified critical facilities within the Village of Chitina as part of the Alaska Critical Facilities Inventory, but the list of critical facilities needs to be updated and the estimated value and location (latitude/longitude) determined.

In addition, the number and value of structures, and the number of people living in each structure will need to be documented. Once this information is collected we will determine which critical facilities, residences, and populations are vulnerable to specific hazards in Chitina. Please add additional facilities if needed.

Chitina Critical Facilities*	
Facility Type	Facility Name/Details
Power Generation	Chitina Electric Facility
Airport	Chitina Landing Strip
Community Garden	Garden and Toolshed
Community Hall	Chitina Village Hall
Telephone	Copper Valley Line/Satellite
Reservoir/Water Supply	CRBHA Chitina HUD Housing
Reservoir/Water Supply	Chitina Fire Well #2 (CIAC)
Generator	Bar/hotel Generator
Generator	Communications Building/Store Generator
Generator	Electric Co.
Generator	Garage
Generator	Store/café
Service/Maintenance Shop	Garage
Hospital/Clinic/ER	Clinic
Bridge	unnamed
Community Freezer	unnamed
Radio Transmitter	unnamed
Washeteria	Laundromat
Service/Maintenance Shop	Maintenance Garage
Cemetery	Native Cemetery
Post Office	Post Office
Store	Store
Store	Store/café
Fire Station	Volunteer Fire Dept.

* Alaska Critical Facilities Inventory

Please email or fax updated hazard and critical facility information directly to AECOM or provide it to your community planning and project team leader.

We encourage you to take an active part in Chitina’s Hazard Mitigation Plan development effort. The purpose of this newsletter is to keep you informed and to allow you every opportunity to voice your opinion regarding these important projects. Please contact your community HMP Team Leader or Elizabeth Appleby, AECOM directly if you have any questions, comments, or requests for more information:

**Village of Chitina
Planning Team Leader**
Fred Dahl,
Chitina EPA/IGAP Director
Chitina, AK 99566
Phone: 823.2215
chitinaepa@outlook.com

AECOM Corporation
Elizabeth Appleby,
Environmental Planner
700 G Street, Suite 500
Anchorage, Alaska 99501
375.9019 or 562.3366
elizabeth.appleby@aecom.com

**Division of Homeland Security &
Emergency Management**
Scott Nelsen, State Support
PO Box 5750
Anchorage, AK 99505-5750
428.7010 or 800.478.2337
scott.nelsen@alaska.gov

Subject: Chitina Kick-Off – Team Meeting Teleconference -- Division of Homeland Security and Emergency Management (DHS&EM) Hazard Mitigation Plan (HMP)

Date/Time: January 21st, 2015—3pm

Attendees:

- Elizabeth Appleby, AECOM Environmental Planner
 - Fred Dahl, Chitina EPA/IGAP Director
-

Subjects covered included:

- Introductions
 - Staff introduced themselves.
- AECOM was hired to develop a hazard mitigation plan (HMP) for Chitina by the Alaska State Division of Homeland Security and Emergency Management. It is AECOM's responsibility to write the plan and take on the bulk of the work to guarantee FEMA compliance, but we need several critical items that only the community can provide, including hazard observations and proposed mitigation measures.
 - A mitigation plan ensures community eligibility for FEMA and potentially other federal agency funding, for which they are not currently eligible. The HMP prepares the community to potentially obtain funding to implement mitigation projects.
 - FEMA requires two public involvement activities—these can take a variety of forms.
 - AECOM will provide 2 newsletters for public distribution that will outline how to provide input to the planning process and will let the public know where a copy of the plan is available for review, etc.
- Fred noted that there are at time disagreements in Chitina between residents living downtown and in other areas of the village. Recommended teleconferences with a planning team as the best form of public outreach.
- Erosion
 - Discussed erosion on O'Brien Road that was initially mentioned to Elizabeth by Toni Goodlawtaw.
 - Last year the Edgerton Highway and parts of McCarthy Road eroded from runoff. The Edgerton Highway was down to one lane. It is the only way to get in/out of Chitina.
 - Drainage ditches along the Edgerton Highway erode every year. The main concern is the area near Tonsina Hill above the Tonsina River.
 - The airstrip is along Five-Mile Creek, and floods at times.
 - The RV park and DOT building may be concerns for erosion/flooding.
- Chitina is within a glacier bowl, and surrounded by mountains that have the potential for a rock landslide or possibly an avalanche hazard. Ground failure will be a hazard analyzed in Chitina's plan.
- Fred discussed a wildfire in 2012 or 2013 that caused worries in the community since it was near Chitina. Wildland fire will be a hazard analyzed in Chitina's HMP.
- Fred confirmed excluding volcano, tsunami, and seiche analysis from Chitina's plan.
- Critical Facilities List was discussed from Newsletter #1:

- The generator listed at the Texaco Station should be deleted—there is a privately owned gas station/store. A new gas station that would likely have a generator is being built by the Chitina Native Corporation.
 - Change made to clinic description (hospital wording taken out; it is a clinic).
 - Fred noted historic buildings in Chitina.
 - Fred noted a community garden with a small toolshed.
-
- Chitina and AECOM will follow up with communication to complete the Chitina HMP.

Appleby, Elizabeth

From: Chitina EPA Dept <chitinaepa@outlook.com>
Sent: Wednesday, May 13, 2015 3:40 PM
To: Appleby, Elizabeth
Subject: RE: Chitina HMP

The people that helped me get the figures for the HMP is Martin Finnesand with the Chitina Electric company (Chitina Corporation) and Ronald Mahle the Chitina village president.

Fred Dahl
Chitina EPA/IGAP Director
907-823-2215 Office
907-823-2233 Fax
chitinaepa@outlook.com

From: elizabeth.appleby@aecom.com
To: chitinaepa@outlook.com
Subject: Chitina HMP
Date: Wed, 13 May 2015 16:45:20 +0000

Hi Fred,

I will give you a call around 10:30am today. I am attaching the entire list of Mitigation Action Items that we will go over today.

Thank you!

Elizabeth Appleby
Environmental Planner
D 1-907-375-9019
elizabeth.appleby@aecom.com

AECOM
700 G St. Suite 500, Anchorage, AK 99501
T 1-907-562-3366 F 1-907-562-1297
www.aecom.com

AECOM and URS have joined together as one company. [Learn more.](#)

This e-mail and any attachments contain AECOM confidential information that may be proprietary or privileged. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.

Appleby, Elizabeth

From: Appleby, Elizabeth
Sent: Tuesday, May 19, 2015 8:56 AM
To: 'jdotychitinanative@cvinternet.net'
Subject: Chitina Critical Facilities
Attachments: Chitina-CriticalFacility-HazardsSpreadsheet.pdf

Hi Jeff,

Thanks for your help in this spreadsheet. Here are the columns I need help completing:

- # of Occupants – How many people would be at the facility on a typical day/time. The one that are “0” do not need an estimate for this.
- Address – Just the street name. I completed some of these, but was uncertain for other ones.
- Estimated Value – Estimated cost of replacement for buildings (includes construction).
- Erosion/Flood – Place an “x” if the building is at risk of flood or erosion.
- Ground Failure – Place an “x” if the building is at risk of ground failure/avalanche.

Please feel free to call me if you have questions. I will plan to call you this Thursday at 9am.

Thanks again!

Elizabeth Appleby
Environmental Planner
D 1-907-375-9019
elizabeth.appleby@aecom.com

AECOM
700 G St. Suite 500, Anchorage, AK 99501
T 1-907-562-3366 F 1-907-562-1297
www.aecom.com

AECOM and URS have joined together as one company. [Learn more.](#)

VILLAGE OF CHITINA HAZARD MITIGATION PLAN (HMP)

August 2015

Newsletter 2

This newsletter discusses the preparation of the Village of Chitina Hazard Mitigation Plan. It has been prepared to inform interested agencies, stakeholders, and the public about the project and to solicit comments. This newsletter can also be viewed on the State of Alaska Division of Homeland Security and Emergency Management Website at: <http://www.ready.alaska.gov/plans/localhazmitplans.htm>.

HMP Development

The Village of Chitina was one of 21 communities selected by the State of Alaska, Division of Homeland Security and Emergency Management (DHS&EM) for a Hazard Mitigation Planning (HMP) development project. The plan identifies natural hazards that affect the community including earthquake, erosion, flood, ground failure, severe weather, and tundra/wildland fire. The HMP also identifies the people and facilities potentially at risk and potential actions to mitigate community hazards. The public participation and planning process is documented as part of the project.

What is Hazard Mitigation?

Across the United States, natural disasters have increasingly caused injury, death, property damage, and business and government service interruptions. The toll on individuals, families, and businesses can be very high. The time, money, and emotional effort required to respond to and recover from these disasters take public resources and attention away from other important programs and problems.

People and property throughout Alaska are at risk from a variety of hazards that have the potential for causing human injury, property damage, or environmental harm.

The purpose of hazard mitigation is to implement projects that reduce the risk severity of hazards on people and property. Mitigation programs may include short-term and long-term activities to reduce hazard impacts or exposure to hazards. Mitigation could include education, construction or planning projects. Hazard mitigation activity examples include relocating buildings, developing or strengthening building codes, and educating residents and building owners.

Why Do We Need A Hazard Mitigation Plan?

A community is only eligible to receive grant money for mitigation programs by preparing and adopting a hazard mitigation plan. Communities must have an approved mitigation plan to receive grant funding from the Federal Emergency Management Agency (FEMA) for eligible mitigation projects.

The Planning Process

There are very specific federal requirements that must be met when preparing a HMP. These requirements are commonly referred to as the Disaster Mitigation Act of 2000, or DMA2000 criteria. Information about the criteria may be found on the Internet at: <http://www.fema.gov/mitigation-planning-laws-regulations-guidance>.

The DMA2000 requires the plan to document the following topics:

- ❑ Planning process
- ❑ Community Involvement and HMP review
- ❑ Hazard identification
- ❑ Risk assessment
- ❑ Mitigation Goals
- ❑ Mitigation programs, actions, and projects
- ❑ A resolution from the community adopting the plan

FEMA has prepared a Local Planning Review Guide) and (available at: <http://www.fema.gov/library/viewRecord.do?fromSearch=fromsearch&id=4859>). It explains how the HMP meets each of the DMA2000 requirements. FEMA has prepared and “Mitigation Planning Guidance” and “How to Guides” (available at: <http://www.fema.gov/hazard-mitigation-planning-resources>). The City’s Hazard Mitigation Plan will follow those guidelines.

The planning process kicked-off on January 21, 2015 by establishing a local planning committee and holding a meeting. The planning committee examined the full spectrum of hazards listed in the State Hazard Mitigation Plan and identified five hazards the HMP would address.

After the first meeting, Village staff and AECOM began identifying critical facilities, compiling the hazard profiles, assessing capabilities, and conducting the risk assessment for the identified hazards. Critical facilities are facilities that are critical to the recovery of a community in the event of a disaster. After collection of this information, AECOM helped to determine which critical facilities and estimated populations are vulnerable to the identified hazards in Chitina.

A mitigation strategy was the next component of the plan to be developed. Understanding the community’s local capabilities and using information gathered from the public

and the local planning committee and the expertise of the consultants and agency staff, a mitigation strategy was developed. The mitigation strategy is based on an evaluation of the hazards, and the assets at risk from those hazards. Mitigation goals and a list of potential actions/projects were developed as the foundation of the mitigation strategy.

Mitigation goals are defined as general guidelines that explain what a community wants to achieve in terms of hazard and loss prevention. Goals are positively stated future situations that are typically long-range, policy-oriented statements representing community-wide visions. Mitigation actions and projects are undertaken in order to achieve your stated objectives. On May 13, 2015, the local planning committee identified projects and/or actions for each hazard that focus on six categories: prevention, property protection, public education and awareness, natural resource protection, emergency services, and structural projects. A representative sample of the mitigation actions identified as a priority by the planning team are listed below, and explained in more detail in the plan.

The selected projects and/or actions will potentially be implemented over the next five years as funding becomes available. A maintenance plan was also been developed for

the hazard mitigation plan. It outlines how the community will monitor progress on achieving the projects and actions that will help meet the stated goals and objectives, as well as an outline for continued public involvement.

The draft plan is available in the Tribal office for public review and comment. Comments should be made via email, fax, or phone to Elizabeth Appleby (listed below) and be received no later than September 4, 2015. The plan will be provided to DHS&EM and FEMA for their preliminary approval and returned to Chitina's Tribal Council for formal adoption.

The Planning Committee

The plan was developed with the assistance from the community's planning committee consisting of a cross section from the community. Planning Team members who helped with developing the plan include Chitina EPA/IGAP Coordinator Fred Dahl, Jonathan Doty with Chitina Electric, and AECOM. Other community members who played a role in plan development include Tribal Administrator Toni Goodlataw, Martin Finnesand with Chitina Electric Company, and Dan Boone, Jr. with the Fire Department.

Sample of the Village of Chitina's Mitigation Actions. Review the draft HMP for a complete list.		
Continue the Hazard Mitigation Planning Team's forward progress to implement, monitor, review, and evaluate hazard and mitigation actions.	Develop prioritized list of mitigation actions for threatened critical facilities and other buildings or infrastructure.	Develop vegetation projects to restore ground loss from high water flow, ground failure, or other hazard impact damages and to provide slope stability in avalanche or landslide areas.
Identify and pursue funding opportunities to implement mitigation actions.	Integrate the Mitigation Plan findings for enhanced emergency planning and training for first responders.	Promote FireWise building, siting, design, and construction processes and materials.
Disseminate FEMA pamphlets to educate and encourage homeowners concerning structural and non-structural retrofit benefits.	Work with Alaska Department of Transportation to reduce potential for flood, erosion, and landslides along the Edgerton Highway and McCarthy Highway.	Develop and implement tree clearing mitigation programs to keep trees from threatening lives, property, and public infrastructure from severe weather events.
Acquire emergency warning sirens to communicate critical emergency warnings and alerts.	Promote permafrost sensitive construction practices in permafrost areas.	Identify, develop, implement, and enforce mitigation actions such as fuel breaks and reduction zones for potential wildland fire hazard areas.

We encourage you to learn more about the Village of Chitina's Hazard Mitigation Plan. The purpose of this newsletter is to keep you informed and to allow you every opportunity to voice your opinion regarding this important project. If you have any questions, comments, or requests for more information, please contact:

Elizabeth Appleby, Environmental Planner
 AECOM
 700 G Street, Suite 500
 Anchorage, Alaska 99501
 907.375.9019 or 800.909.6787
 elizabeth.appleby@aecom.com

Scott Nelsen, Emergency Management Specialist
 DHS&EM
 P.O. Box 5750
 Fort Richardson, Alaska 99506
 907.428.7010 or 800.478.2337
 scott.nelsen@alaska.gov

Appendix E
Benefit–Cost Analysis Fact Sheet

This page intentionally left blank

Benefit-Cost Analysis Fact Sheet

Hazard mitigation projects are specifically aimed at reducing or eliminating future damages. Although hazard mitigation projects may sometimes be implemented in conjunction with the repair of damages from a declared disaster, the focus of hazard mitigation projects is on strengthening, elevating, relocating, or otherwise improving buildings, infrastructure, or other facilities to enhance their ability to withstand the damaging impacts of future disasters. In some cases, hazard mitigation projects may also include training or public-education programs if such programs can be demonstrated to reduce future expected damages.

A Benefit-Cost Analysis (BCA) provides an estimate of the “benefits” and “costs” of a proposed hazard mitigation project. The benefits considered are avoided future damages and losses that are expected to accrue as a result of the mitigation project. In other words, benefits are the reduction in expected future damages and losses (i.e., the difference in expected future damages before and after the mitigation project). The costs considered are those necessary to implement the specific mitigation project under evaluation. Costs are generally well determined for specific projects for which engineering design studies have been completed. Benefits, however, must be estimated probabilistically because they depend on the improved performance of the building or facility in future hazard events, the timing and severity of which must be estimated probabilistically.

All Benefit-Costs must be:

- Credible and well documented
- Prepared in accordance with accepted BCA practices
- Cost-effective ($BCR \geq 1.0$)

General Data Requirements:

- All data entries (other than Federal Emergency Management Agency [FEMA] standard or default values) **MUST** be documented in the application.
- Data **MUST** be from a credible source.
- Provide complete copies of reports and engineering analyses.
- Detailed cost estimate.
- Identify the hazard (flood, wind, seismic, etc.).
- Discuss how the proposed measure will mitigate against future damages.
- Document the Project Useful Life.
- Document the proposed Level of Protection.
- The Very Limited Data (VLD) BCA module cannot be used to support cost-effectiveness (screening purposes only).
- Alternative BCA software **MUST** be approved in writing by FEMA HQ and the Region prior to submittal of the application.

Damage and Benefit Data

- Well documented for each damage event.
- Include estimated frequency and method of determination per damage event.
- Data used in place of FEMA standard or default values **MUST** be documented and justified.

-
- The Level of Protection MUST be documented and readily apparent.
 - When using the Limited Data (LD) BCA module, users cannot extrapolate data for higher frequency events for unknown lower frequency events.

Building Data

- Should include FEMA Elevation Certificates for elevation projects or projects using First Floor Elevations (FFE).
- Include data for building type (tax records or photos).
- Contents claims that exceed 30 percent of building replacement value (BRV) MUST be fully documented.
- Method for determining BRVs MUST be documented. BRVs based on tax records MUST include the multiplier from the County Tax Assessor.
- Identify the amount of damage that will result in demolition of the structure (FEMA standard is 50 percent of pre-damage structure value).
- Include the site location (i.e., miles inland) for the Hurricane module.

Use Correct Occupancy Data

- Design occupancy for Hurricane shelter portion of Tornado module.
- Average occupancy per hour for the Tornado shelter portion of the Tornado module.
- Average occupancy for Seismic modules.

Questions to Be Answered

- Has the level of risk been identified?
- Are all hazards identified?
- Is the BCA fully documented and accompanied by technical support data?
- Will residual risk occur after the mitigation project is implemented?

Common Shortcomings

- Incomplete documentation.
- Inconsistencies among data in the application, BCA module runs, and the technical support data.
- Lack of technical support data.
- Lack of a detailed cost estimate.
- Use of discount rate other than FEMA-required amount of 7 percent.
- Overriding FEMA default values without providing documentation and justification.
- Lack of information on building type, size, number of stories, and value.
- Lack of documentation and credibility for FFEs.
- Use of incorrect Project Useful Life (not every mitigation measure = 100 years).

Appendix F
Plan Maintenance Documents

This page intentionally left blank

Annual Review Questionnaire

PLAN SECTION	QUESTIONS	YES	NO	COMMENTS
PLANNING PROCESS	Are there internal or external organizations and agencies that have been invaluable to the planning process or to mitigation action			
	Are there procedures (e.g. meeting announcements, plan updates) that can be done more efficiently?			
	Has the Planning Team undertaken any public outreach activities regarding the HMP or implementation of mitigation actions?			
HAZARD PROFILES	Has a natural and/or manmade/ technologically caused disaster occurred during this reporting period?			
	Are there natural and/or manmade/ technologically caused hazards that have not been addressed in this HMP and should be?			
	Are additional maps or new hazard studies available? If so, what have they revealed?			
VULNERABILITY ANALYSIS	Do any critical facilities or infrastructure need to be added to the asset lists?			
	Have there been development patterns changes that could influence the effects of hazards or create additional risks?			
MITIGATION STRATEGY	Are there different or additional resources (financial, technical, and human) that are now available for mitigation planning within the Village as applicable?			
	Are the goals still applicable?			
	Should new mitigation actions be added to the Mitigation Action Plan (MAP)?			
	Do existing mitigation actions listed in the Mitigation Strategies' MAP need to be reprioritized			
	Are the mitigation actions listed in the MAP appropriate for available resources?			

MITIGATION ACTION PROGRESS REPORT

Plan Goal(s) Addressed: _____

Goal: _____

Success Indicators: _____

Project Status

- On Schedule
- Completed
- Delayed*

* Explain: _____

Canceled

Project Cost Status

- Cost Unchanged
- Cost Overrun**

** Explain: _____

Cost Underrun***

*** Explain: _____

Summary of progress on project for this report:

A. What was accomplished during this reporting period? _____

B. What obstacles, problems, or delays did you encounter, if any? _____

C. How was each problem resolved? _____

Next Steps: What is/are the next step(s) to accomplish over the next reporting period?

Other Comments: _____
