

Federal Healthcare Resilience Task Force

Alternate Care Site Toolkit

Second Edition

Product Purpose:

This Toolkit is guidance and was developed to help state, local, tribal, and territorial (SLTT) entities address potential capacity and capability gaps in healthcare systems during the 2020 SARS-CoV2 virus (COVID-19) pandemic. It is intended to provide guidance and technical assistance to SLTT entities in establishing and operationalizing Alternate Care Sites (ACS) used to care for COVID-19-positive or presumed positive patients. If an ACS is used to treat non-COVID-19 patients, additional considerations will apply.

Intended Audience:

State, Local, Tribal, and Territorial Entities
FEMA Regional Administrators
HHS Regional Administrators
Healthcare Systems

KEY UPDATES IN THE SECOND EDITION

The Second Edition of the ACS Toolkit provides augmented guidance based on feedback and experience with the national ACS mission. The Second Edition builds upon, but does not change, basic tenets from the original guidance provided in the First Edition.

Key updates in the second edition based on lessons learned include:

- [Streamlined definitions of ACS models for clarification \(page 8\);](#)
- [Defined a new hybrid ACS model called the Hospital Care ACS Model \(Page 125\);](#)
- [Added an Emergency Resuscitation Capability to all ACS Models \(Page 71\);](#)
- [Added a COVID-19 Push Pack for all ACS Models \(Page 16\);](#)
- [Included information on understanding the relationship between Federal Medical Station \(FMS\) and ACS \(Page 8\);](#)
- [Included information on funding solutions, including the graphic in Appendix D \(Page 13\);](#)
- [Added five key considerations for SLTTs on assessing staffing and ventilator needs \(Page 17\);](#)
- [Included a comparison of the three ACS Models \(Page 10\);](#)
- [Included the “ACS Model Composition by HHS Standardized Equipment and Supply Caches” table \(Page 16\);](#)
- [Included key considerations for oxygen needs \(Page 18\);](#)
- [Included key considerations for personal protective equipment \(PPE\) \(Page 18\) and a protocol matrix for PPE posture for different levels of staffing \(Page 57\);](#)
- [Included key considerations for pulse oximeters \(Page 18\);](#)
- [Included Centers for Medicare & Medicaid Services \(CMS\) waiver information \(Page 19\);](#)
- [Included pandemic-specific Health and Safety Plan \(HASP\) and Hazard Evaluation and Risk Assessment \(HERA\) information \(Page 59\);](#)
- [Revised the tear sheet ACS checklist \(Page 236\);](#) and
- Revised formatting of the toolkit for ease of use and navigation.

HOW TO USE THIS TOOLKIT




TABLE OF CONTENTS

| | |
|--|-----------|
| Key Updates in the Second Edition | ii |
| 1. Purpose and Scope | 8 |
| 1.1 Concept..... | 9 |
| 1.2 ACS Decision Framework | 9 |
| 1.2.1 Can your community benefit from an ACS?..... | 9 |
| 1.2.2 Which ACS model would best meet the needs of your community? | 10 |
| 1.3 ACS Process Flowchart | 11 |
| 2. Procedures | 11 |
| 2.1 Identify Potential Sites..... | 11 |
| 2.2 Conduct Site Assessment | 11 |
| 2.2.1 Physical Considerations..... | 11 |
| 2.2.2 Logistical Considerations | 12 |
| 2.2.3 Operational Considerations | 12 |
| 2.2.4 Infection Prevention and Control Considerations..... | 13 |
| 2.2.5 Pharmaceutical Considerations | 13 |
| 2.3 Secure Funding..... | 13 |
| 2.3.1 FEMA Public Assistance Program | 14 |
| 2.3.2 ASPR Hospital Preparedness Program | 14 |
| 2.3.3 CDC Division of State and Local Readiness..... | 14 |
| 2.4 Secure Property | 15 |
| 2.5 Convert Site for Healthcare Use..... | 15 |
| 2.6 Secure Wraparound Services | 15 |
| 2.7 Staff, Equip, and Supply Site..... | 16 |
| 2.7.1 Staff | 17 |
| 2.7.2 Equip..... | 17 |
| 2.7.3 Supply..... | 18 |

| | | |
|-----------|--|-----------|
| 2.8 | Operate Site | 18 |
| 2.8.1 | Roles and Responsibilities..... | 19 |
| 2.8.1.1 | Site Manager..... | 19 |
| 2.8.1.2 | Law Enforcement | 20 |
| 2.8.1.3 | Safety Officer | 20 |
| 2.8.1.4 | Chief Medical Officer..... | 21 |
| 2.8.1.5 | Public Health Representative..... | 21 |
| 2.8.1.6 | Wraparound Services Contractor | 22 |
| 2.8.1.7 | Medical Team..... | 22 |
| 2.8.1.8 | Logistics and Administrative Staff..... | 22 |
| 2.8.1.9 | Ambulance Services..... | 23 |
| 2.8.1.10 | Personal Protective Equipment (PPE) Coordinator..... | 23 |
| 2.8.1.11 | Public Affairs/Information Officer | 24 |
| 2.8.1.12 | Case Management Team..... | 24 |
| 2.8.2 | Site Flow Plan..... | 24 |
| 2.8.3 | Site Security Plan | 26 |
| 2.8.4 | Site Communications Plan..... | 27 |
| 2.8.5 | Onsite Plan for Caregivers and Family Members | 27 |
| 2.9 | Service Animals and Companion Animals | 27 |
| 2.10 | Restore Site | 28 |
| 3. | Reporting and Records Management Requirements..... | 28 |
| 3.1.1 | Reporting Requirements..... | 28 |
| 3.1.2 | Medical Record Requirements..... | 28 |
| 4. | Contact Information for Technical Inquiries and Lessons Learned | 28 |
| | Appendix A: Acronyms and Abbreviations | 30 |
| | Appendix B: Sample ACS Execution Plan | 33 |

| | |
|--|-----------|
| Appendix C: Sample Alternate Care Site Assessment Form | 34 |
| Appendix D: Funding Solutions Graphic | 36 |
| Appendix E: Sample Right of Entry Permit..... | 37 |
| Appendix F: Wraparound Services Checklist..... | 41 |
| Appendix G: Sample Alternate Care Site Schematic | 44 |
| Appendix H: Sample Statement of Work for Wraparound Services | 45 |
| Appendix I: COVID-19 Push Pack Recommendations | 49 |
| Appendix J: Staffing Solution Resource..... | 52 |
| Appendix K: Sample Statement of Work For Medical and Support Personnel..... | 56 |
| Appendix L: Sample PPE Protocol Matrix..... | 57 |
| Appendix M: HASP and HERA | 59 |
| Appendix N: Sample Fire Safety Plan..... | 60 |
| Appendix O: Sample Patient Intake Form | 61 |
| Appendix P: Sample Patient Instructions | 62 |
| Appendix Q: Sample Wellness Check Form | 65 |
| Appendix R: Sample Site Photos..... | 66 |
| Supplement 1: Additional Guidance for Non-Acute Care ACS Model | 71 |
| 50-Bed Footprint | 71 |
| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | 73 |
| Non-Acute Care / 50-bed / Pharmacy Recommendations..... | 83 |
| Non-Acute Care / 50-bed / Lab Recommendations | 92 |
| 250-Bed Footprint | 95 |
| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | 96 |
| Non-Acute Care / 250-bed / Pharmacy Recommendations..... | 106 |
| Non-Acute Care / 250-bed / Lab Recommendations | 115 |
| Emergency Resuscitation Capability..... | 117 |

| | |
|--|------------|
| Mobile Lifesaving Kit..... | 117 |
| Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy | 123 |
| Supplement 2: Additional Guidance for Hospital Care ACS Model | 125 |
| Non-Acute Care / 250-bed / Medical-Biomed Recommendations..... | 127 |
| Non-Acute Care / 250-bed / Pharmacy Recommendations | 137 |
| Non-Acute Care / 250-bed / Lab Recommendations | 146 |
| Acute Care / 50-bed / Medical-Biomed Recommendations | 148 |
| Acute Care / 50-bed / Pharmacy Recommendations | 176 |
| Mobile Lifesaving Kit..... | 181 |
| Mobile Lifesaving Kit - Augmented..... | 186 |
| Mobile Lifesaving Kit - Pharmacy..... | 190 |
| Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy | 192 |
| Supplement 3: Additional Guidance for Acute Care ACS Model | 194 |
| Acute Care / 50-bed / Medical-Biomed Recommendations | 196 |
| Acute Care / 50-bed / Pharmacy Recommendations..... | 224 |
| Emergency Resuscitation Capability..... | 228 |
| Mobile Lifesaving Kit..... | 228 |
| Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy | 234 |
| Tear Sheet: Alternate Care Site Checklist..... | 236 |

1. PURPOSE AND SCOPE

This Alternate Care Site (ACS) Toolkit is guidance and was developed by the United States (U.S.) government to help state, local, tribal, and territorial (SLTT) entities address potential capacity and capability gaps in healthcare systems during the 2020 SARS-CoV2 virus (COVID-19) pandemic. It should not be viewed as comprehensive and final. Medical, operations, and construction experts from the U.S. government – U.S. Department of Health and Human Services (HHS) and the U.S. Army Corps of Engineers (USACE) – developed this Toolkit as a best practices reference to support SLTT entities in establishing and operationalizing ACSs.

This Toolkit provides “one good approach” to configure Alternate Care Sites. All SLTT are encouraged to adapt these principles to meet the specific needs of their community.

ACS is a broad term for any building or structure of opportunity that is temporarily converted for healthcare use. Federal Medical Station (FMS) is a specific type of pre-packaged ACS. It consists of federal equipment and supplies that are deployed, managed, and supported by the federal government out of the Strategic National Stockpile. In many past disasters, the FMS was a familiar entity provided by the federal government to impacted communities. In this pandemic, FMS represent a limited ACS capability and may not be available to meet every community’s needs. Therefore, other ACS options need to be considered for increasing healthcare capacity and capability during this pandemic.

Decisions about the need for and type of ACS should be made by SLTT entities.

This Toolkit details the type and level of care provided; various roles and responsibilities of the necessary personnel; and development, operations, and demobilization of an ACS. Supporting documents and web links* for the foundational ACS model may be found in Appendices and Supplements.

With modification, the foundation of the ACS could be enhanced or otherwise modified to serve as one of three ACS models based on level of care:

1. **Non-Acute Care ACS Model:** General, low-level care for mildly to moderately symptomatic COVID-19 patients. These patients may require oxygen (less than or equal to 2L/min), but do not require extensive nursing care or assistance with activities of daily living (ADL). This level of care corresponds to Level 5 (ambulatory care) and Level 4 (minor acuity care) patients in medical care terminology.

* There are non-federal weblinks in this document. They are denoted by an asterisk. Linking to a non-federal website does not constitute an endorsement by the U.S. government, or any of its employees, of the information and/or products presented on that site.

2. **Hospital Care ACS Model:** Mid-level care for moderately symptomatic COVID-19 patients. These patients require oxygen (more than 2L/min), nursing care, and assistance with ADL. This level of care corresponds to Level 3 (medical-surgical care) patients in medical care terminology.
3. **Acute Care ACS Model:** Higher acuity care for COVID-19 patients. These patients require significant ventilatory support, including intensive monitoring on a ventilator. This level of care corresponds to Level 2 (step-down care) and Level 1 (intensive care unit [ICU] care) patients in medical care terminology.

Additional guidance for staffing and equipping these specific ACS Models can be found in the Supplements. If an ACS is used to care for COVID-19 and non-COVID-19 patients who require care for other reasons, additional infection prevention and control considerations will apply. For example, SLTT planning would need to address physical separation between COVID-19 and non-COVID-19 patients and assigning different healthcare providers (HCP) with dedicated equipment to each patient population.

1.1 Concept

An ACS is a building or structure of opportunity that is temporarily converted for healthcare use during a public health emergency to provide additional health capacity and capability for an affected community, outside the walls of a traditional established healthcare institution. The safety of patients, care providers, and the general public is the main priority.

ACSs can be established in many types of buildings or structures of opportunity including hotels, National Guard armories, gymnasiums, civic sports centers, schools, health clubs (only if equipment can be moved/removed), convention centers, community centers, dormitories, ships, and modular units within close proximity to hospital systems. These make ideal locations for ACSs for a number of reasons. They have the ability to house patients individually and are scalable to increase capacity and support an increase of patients, as necessary. Some also have the potential for individual heating, ventilation, and air conditioning (HVAC) units, which can limit the spread of the virus between rooms.

Frequently, the lifecycle of an ACS begins with identification and establishment of the site by federal, state, or local personnel in conjunction with the state public health and medical authorities over 48-72 hours. Once a site is established, staff and services can be supplemented by contractors, allowing for withdrawal of federal or state medical and law enforcement assets to leave behind just a sentinel onsite team.

1.2 ACS Decision Framework

The decision to incorporate an ACS into the COVID-19 response is one part of a multi-modal strategy. The decision framework below provides guidance on whether to utilize an ACS and which type of ACS Model (Non-Acute Care, Hospital Care, or Acute Care) will best meet the needs of the community.

1.2.1 Can your community benefit from an ACS?

Your community should consider establishing an ACS if you answer “yes” to any or all of the following questions:


- Does your jurisdiction or healthcare system have an anticipated or current *need* for additional surge capacity or capability?

- Does your jurisdiction or healthcare system have the *ability to support* additional non-traditional facilities as part of the healthcare system?
- Does your jurisdiction or healthcare system have the *ability to staff* an additional healthcare site using traditional or non-traditional medical providers?

1.2.2 Which ACS model would best meet the needs of your community?

| Characteristics | Non-Acute Care Model | Hospital Care Model | Acute Care Model |
|-------------------------------|---|--|---|
| Purpose | Capacity building (increase beds) | Capacity building (increase beds) and capability building (increase ventilators) | Capability building (increase ventilators) |
| Structural Alterations | Requires minimal structural alteration | May require structural alteration | Requires significant structural alteration |
| Cost | Lower cost | Moderate cost | Higher cost |
| Timeline | Operational in days | Operational in days | Operational in days to weeks |
| Level of Care | Level 5 (ambulatory care) and Level 4 (minor acuity care) | Level 3 (medical-surgical care) | Level 2 (step-down care) and Level 1 (ICU care) |
| Providers | Emergency/Mid-level Providers | Emergency or Hospital level Providers | ICU/Critical Care Providers |
| Patient Population | <ul style="list-style-type: none"> - General, low-level of care - Mildly to moderately symptomatic COVID-19 patients that may require oxygen (less than or equal to 2L/min), but do not require extensive nursing care or assistance with ADL - Level 5 (ambulatory care) and Level 4 (minor acuity care) patients | <ul style="list-style-type: none"> - Mid-level care - Moderately symptomatic COVID-19 patients that may require oxygen (more than 2L/min), nursing care, and assistance with ADL - Level 3 (medical-surgical care) patients | <ul style="list-style-type: none"> - Higher acuity care - COVID-19 patients requiring significant ventilatory support, including intensive monitoring on a ventilator - Level 2 (step-down care) and Level 1 (ICU care) patients |
| Planning Factor | Given the potential for decompensation at the non-acute level, it is recommended there be a medical footprint at any Non-Acute care ACS | 25-30% of medical-surgical patients with COVID-19 are at risk of decompensating which may require urgent ventilator support | Patients with COVID-19 may require prolonged courses of ventilator support. Recommend fatality management plan. |

1.3 ACS Process Flowchart



2. PROCEDURES

The following section outlines the broad recommended steps to establish an ACS. See *Appendix B: Sample ACS Execution Plan* for a sample execution plan and timeline for an ACS.

2.1 Identify Potential Sites

Potential ACS locations should be identified/prioritized. SLTT entities may reach out to FEMA representatives to determine available sites for conversion. The goal is to be ready to move out on site(s) in the area(s) of greatest impact and need (synced with hospitalization/ICU rates).

2.2 Conduct Site Assessment

Assess each potential site for suitability for an ACS. For sample approach, see *Appendix C: Sample Alternate Care Site Assessment Form*.

2.2.1 Physical Considerations

- Should comply with the Architectural Barriers Act (ABA) and Americans with Disabilities Act (ADA);
- Should not be in the Special Flood Hazard Area (SFHA), but acknowledge that there may not be a practical location outside of the floodplain;
- Should be clear of contaminants including mold, toxic chemicals, and vermin;
- Must be capable of being adequately secured on perimeter;
- Should not have structural issues or be in a state of unsafe disrepair;
- Should identify location for aeromedical transport, if available/needed;
- Should have a fire sprinkler system;
 - If not, must conduct additional monitoring in accordance with local fire jurisdiction
- Should have elevator access for patients, if the building is more than one floor;
- Should have a designated secure ambulation/exercise area for patients;
- Should have a functional kitchen;

- Should have bathrooms in each room; and
- Should have an individual HVAC in each room.

2.2.2 Logistical Considerations

- Should be otherwise vacant of patrons;
- Should allow for photocopier, fax, printer, and internet setup;
- Should be able to accommodate a tent or other structural barrier for ambulance arrival at entrance to protect patients' privacy from photography/drones;
 - Consider researching local drone laws during site assessment
- Should allow for the separation of COVID-19 and non-COVID-19 patients;
- Should have a dedicated space for a 24/7 dispatch center with one dedicated phone number;
- Should have separate areas for donning and doffing personal protective equipment (PPE);
- Should be able to accommodate a team staging area at least 12 feet away from patients (e.g., hotel lobby);
- Should have an arrival and cleaning and disinfecting area for Emergency Medical Services (EMS), if EMA is not already on-site;
- Should have access to a medical and non-medical supply chain for sustainment support;
- Should have a loading area/dock for receipt of equipment and supplies;
- Should have a location identified for the receipt, staging, and secure storage of medical and non-medical supplies for sustainment/replenishment operations; and
- Should determine potential oxygen needs:
 - Oxygen distribution system;
 - Liquid oxygen supply;
 - Individual oxygen tanks;
 - Vendor-based supply;
 - Fire marshal waiver; and
 - Structural oxygen distribution solution.

2.2.3 Operational Considerations

- Obtain building engineer contact information;
- Walk site with building manager and engineer to understand key systems in the building and emergency procedures for each such as water, power, phone, internet for patients, and fire suppression systems;
- Work with the local Fire Marshal to ensure the building meets local fire safety codes, identify fire exits, and ensure site floor plan is in step with evacuation plans as they are developed;
- Walk through rooms to ensure clean linen, towels, refrigerators, etc. and identify what is already at the site and what will be provided by the wraparound service contractor;
- Develop map layout of site with bed types, suite types, ADA-compliant rooms, and adjoining rooms for family units;
- Identify closed-circuit television (CCTV) systems in building and make sure that they are disabled with no way of reactivating them remotely;
- Make sure cable and internet work on patient floors;

- Identify a process for maintenance at the site, as maintenance providers in the Operational Area will need to be in appropriate PPE;
- Understand site key system:
 - Master keys for room access (need more than one for teams);
 - Keys made and labeled for all rooms to facilitate patient arrival and room check-in;
 - Knowledge of how to make additional keys, including emergency override keys;
- Find keys to lock out elevators to the lobby so patients do not show up in the lobby unannounced;
- Close off all public bathrooms in anticipated patient areas due to infection control concerns;
- Clean out any food in common areas; and
- If applicable, ensure pool area is secured or blocked off.

2.2.4 Infection Prevention and Control Considerations

Consideration should be given to conducting routine surveillance for potentially transmissible infectious diseases (e.g., infectious diarrhea) to ensure clusters are detected early and addressed.

For additional information on infection prevention and control consideration refer to the U.S. Centers for Disease Control and Prevention (CDC) website for the latest infection prevention and control recommendations at: <https://www.cdc.gov/coronavirus/2019-ncov/hcp/index.html>, including infection control considerations for an ACS at: <https://www.cdc.gov/coronavirus/2019-ncov/healthcare-facilities/alternative-care-sites.html>.

2.2.5 Pharmaceutical Considerations

Ensure access to an established hospital/clinic medical supply chain capable of supporting additional demands generated by ACS. All medical supplies should be stored in a secure, climate-controlled area in close proximity to the patient treatment area. Most pharmaceuticals are labeled with storage temperatures. United States Pharmacopeia (USP) defines the various temperatures as:

- Controlled room temperature: 59 to 86 degrees Fahrenheit (°F) or 15 to 30 degrees Celsius (°C)
- Refrigerator: 36°F to 46°F or 2°C to 8°C
- Freezer: 32°F and lower or 0°C and lower

Pharmaceuticals that are stored at other than USP standard temperatures are considered to be "adulterated" and therefore unsuitable for human use. It is the responsibility of the SLTT to ensure that the cold chain storage is completed from deployment to arrival on scene. It is the responsibility of the logistics section to ensure that the cold chain storage is maintained from that point forward.

2.3 Secure Funding

Funding solutions are unique to each SLTT entity based on a number of factors, including the target of funds and type of emergency declaration. It is recommended for SLTTs to reach out to the Regional Federal Emergency Management Agency (FEMA) or HHS representatives for the most recent guidance. SLTT entities may access several sources of federal funding to support

the establishment and operation of ACSs, listed below. Funding from these sources is subject to program-specific cost allowability and eligibility requirements. See *Appendix D: Funding Solutions Graphic* for additional information on funding solutions.

2.3.1 FEMA Public Assistance Program

The establishment and operation of ACSs by SLTT entities and certain private non-profit organizations (eligible applicants) to expand capacity for COVID-19 are eligible emergency protective measures under the FEMA [Public Assistance](#) (PA) Program. Eligible applicants may perform or contract for the work directly and seek reimbursement through PA or submit a resource request for Direct Federal Assistance (DFA) to FEMA through the state, tribe (if direct recipient) or territory. **Both options are cost shared.** For more information, please see the FEMA Fact Sheet: Coronavirus (COVID-19) Pandemic Emergency Medical Care at: <https://www.fema.gov/news-release/2020/03/31/coronavirus-covid-19-pandemic-emergency-medical-care>.

2.3.2 ASPR Hospital Preparedness Program

The Assistant Secretary for Preparedness and Response's (ASPR) Hospital Preparedness Program (HPP) annual cooperative agreement recipients and subrecipients (e.g., health care coalitions and state and jurisdiction special pathogen treatment centers as well as Regional Ebola and Other Special Pathogen treatment centers) may identify and operate ACSs to expand health care surge capacity for COVID-19, as these are allowable activities within HPP's COVID-19 emergency administrative supplement. Funding may be used for staff to set up and/or operate ACSs; however, funding may not be used for clinical care or for staffing to provide clinical care.

Hospital association recipients and subrecipients (hospitals and other health care entities) of a new HPP cooperative agreement established for COVID-19 through emergency supplemental funding may create and operate ACSs to provide surge capacity for patient care or to increase the numbers of patient care beds at a facility. Again, funding may be used for staff to set up and/or operate ACSs; however, funding may not be used for clinical care or for staffing to provide clinical care.

For more information about these cooperative agreements, please see the HHS press release on the HPP Coronavirus Emergency Supplemental Funding (CESF) at: <https://www.hhs.gov/about/news/2020/03/24/hhs-provides-100-million-to-help-us-healthcare-systems-prepare-for-covid-19-patients.html>.

2.3.3 CDC Division of State and Local Readiness

The CDC Division of State and Local Readiness (DSLRL) is administering supplemental funding to SLTT entities to prevent, prepare for, and respond to COVID-19 through the CDC Crisis Response Cooperative Agreement. Funding is intended to support surveillance, epidemiology, laboratory capacity, infection control, mitigation, communications, and other preparedness and response activities. Generally, funding is not intended to support clinical care except in limited cases regarding quarantine and isolation support. CDC COVID-19 funding may also support the provision of care in ACSs by paying for beds, equipment, and supplies, but cannot be used for personnel to provide clinical care in that setting.

All Crisis Response Cooperative Agreement recipients currently have access to program funds. For COVID-19 supplemental activities, they are required to provide revised budgets and work plans to their CDC Crisis Response Cooperative Agreement point of contact (POC).

2.4 Secure Property

SLTTs often identify property that they already own. If not, they are responsible for securing the property through an agreement or lease. If the SLTT will be receiving federal assistance, they must provide the lands, easements, and rights of way necessary to accomplish any approved modifications to the property. For information on right of entry, if applicable, see *Appendix E: Sample Right of Entry Permit*.

2.5 Convert Site for Healthcare Use

FEMA may mission assign USACE to undertake site modifications. Alternately, if site modifications are required to convert the property for healthcare use, the SLTT will need to prepare a design and issue a contract for this work.

Within the different ACS models, there are a variety of healthcare concepts to select from based on building availability and desired level of care. Potential concepts include hotel to healthcare concept, arena to healthcare concept, and closed hospital to healthcare concept. For additional information on these healthcare concepts, please see <https://www.usace.army.mil/Coronavirus/Alternate-Care-Sites/>.

Of note, civil rights laws cannot be waived during emergencies and should be complied with in a timely manner. Alterations to preexisting structures must be in accordance with applicable accessibility standards under the ABA or ADA to the maximum extent feasible. See ABA Accessibility Standard F202.3, Exception 2 and 28 CFR § 35.151(b)(1) (ADA Accessibility Standard). Entities are also not required to take any action that would result in undue financial and administrative burdens.

2.6 Secure Wraparound Services

The ACS setup process requires an orderly approach to ensure that the site is properly configured for safe occupancy. It is important to adapt these basic principles to the realities of the specific site chosen. See *Appendix F: Wraparound Services Checklist* and *Appendix G: Sample Alternate Care Site Schematic*.

Critical actions include:

- Obtain wraparound services contract. See *Appendix H: Sample Statement of Work for Wraparound Services*;
- Ensure fencing or other line of demarcation is installed around perimeter to enforce the isolation and prevent unauthorized access to the site;
- Ensure the site is secured with onsite guard force;
- Establish the appropriate number of fire-compliant access points to the site depending on local regulations;
- Establish a separate staging/ingress/egress point for patients and EMS;
- Establish a separate ingress/egress point for staff;
- Determine safe evacuation routes with designated rally point;
- Establish Command Post/Administrative Area in lobby or other suitable location;
- Delineate between Operational Area and Support Area:
 - Clearly mark with signage;
 - Clearly designate Support Areas for both staff staging and PPE donning;

- Clearly identify Transition Area for PPE doffing; and
- Clearly identify Living Quarters in individual rooms for patients.
- Designate separate floors for COVID-19-positive patients and Persons Under Investigation (PUI);
- Conduct safe isolation practices in common areas, stairwells, and elevators;
- Utilize plastic dividers to effectively demarcate and reinforce site footprint; and
- Establish a designated media area.

2.7 Staff, Equip, and Supply Site

Based on an initial analysis of the community's need, select the staffing and equipment configuration for the site as either a Non-Acute Care ACS Model, Hospital Care ACS Model, or Acute Care ACS Model. Refer to *Supplement 1: Additional Guidance for Non-Acute Care ACS Model* for the Non-Acute Care ACS Model, *Supplement 2: Additional Guidance for Hospital Care ACS Model* for the Hospital Care ACS Model, and *Supplement 3: Additional Guidance for Acute Care ACS Model* for the Acute Care ACS Model.

For reference, the following matrix provides an overview of the standard HHS equipment and supply caches used in configuring the different ACS Models described in the Supplements. Of note, a COVID-19 Push Pack has been specifically configured for the pandemic response and should be considered as an adjunct to all ACS Models described below. For cache information on the COVID-19 Push Pack, see *Appendix I: COVID-19 Push Pack Recommendations*.

Table 1: ACS Model Composition by HHS Standardized Equipment and Supply Caches

| Description | 50-bed NON-ACUTE ACS Model | 250-bed NON-ACUTE ACS Model | 300-bed HOSPITAL ACS Model | 50-bed ACUTE ACS Model |
|--|----------------------------------|-----------------------------------|----------------------------------|------------------------------|
| COVID-19 Push Pack | 1 | 1 | 1 | 1 |
| Non-Acute Care / 50-bed / Medical-Biomed | 1 | N/A | N/A | N/A |
| Non-Acute Care / 50-bed / Pharmacy | 1 | N/A | N/A | N/A |
| Non-Acute Care / 50- bed / Lab | 1 | N/A | N/A | N/A |
| Non-Acute Care / 250- bed / Medical-Biomed | N/A | 1 | 1 | N/A |
| Non-Acute Care / 250-bed / Pharmacy | N/A | 1 | 1 | N/A |
| Non-Acute Care / 250-bed / Lab | N/A | 1 | 1 | N/A |
| Mobile Life-Saving Kit* | 1** | 1** | 2 | 1** |
| Mobile Life-Saving Kit – Augmented* | N/A | N/A | 2 | N/A |
| Mobile Life-Saving Kit – Pharmacy* | N/A | N/A | 2 | N/A |
| Mobile Life-Saving Kit – Advanced Cardiac Life Support Pharmacy* | 1** | 1** | 2 | 1** |
| Acute Care / 50-bed / Medical-Biomed | N/A | N/A | 1 | 1 |

| Description | 50-bed NON-ACUTE ACS Model | 250-bed NON-ACUTE ACS Model | 300-bed HOSPITAL ACS Model | 50-bed ACUTE ACS Model |
|--------------------------------|----------------------------------|-----------------------------------|----------------------------------|------------------------------|
| Acute Care / 50-bed / Pharmacy | N/A | N/A | 1 | 1 |

*Designates a resource for hospital ICU only

**Recommended for crash-cart equipment to treat the potential decompensation of patients

2.7.1 Staff

Staffing models for ACS will vary by locations depending on the strategy adopted. It is important to look at all potential pools of staffing resources. See Appendix J: Staffing Solution Resource for a list of potential sources for non-traditional staff that could be deployed to support ACS surge. See *Appendix K: Sample Statement of Work For Medical and Support Personnel* for a sample staffing statement of work.

Key considerations related to assessing staffing needs for any ACS in a given jurisdiction include, but are not limited to:

- What percent of hospitals/jurisdictions have implemented crisis standards of care (e.g., increased patient to healthcare worker ratios)?
- What percent of healthcare providers are practicing outside of the discipline they are licensed for (e.g., anesthesiologists to intensivists)?
- What percent of healthcare providers have been reallocated (e.g., practicing outside of their usual practice site, including those relocated across state lines)?
- How many state Medical Reserve Corps (MRC) volunteers, National Guard, or Department of Defense (DoD) staff have been deployed for medical surge (or what percent of facilities/jurisdictions with those staff deployed)?
- What percent of healthcare providers are unable to practice due to isolation or COVID-19 infection?

2.7.2 Equip

Equipment needs for an ACS will vary based on the strategy adopted and unique site needs. **IMPORTANT: Ventilator needs and required backup systems are a critical consideration.**

For current information on maximizing the effectiveness of ventilator distribution across states, see <https://files.asprtracie.hhs.gov/documents/proposed-state-ventilator-distribution-procedure-4.3.20.pdf>.

Key considerations related to assessing ventilator needs for any ACS in a given jurisdiction include, but are not limited to:

- How many usable ventilators, ICU beds, convertible vents are available?
- What is the hospital bed and ICU bed occupancy rate in the area?
- How many new ICU beds does the area estimate it can stand up? What is the number of ventilators or alternatives it can or is standing up?
- What is the decompression ability of hospitals in the area?
- How many anesthesia machines are in the area and have they been converted for use?

2.7.3 Supply

Supply needs should be assessed and planned prior to and during an ACS operation. Unintended consequences of supply chain shortfalls should be taken in consideration at all times.

In this COVID-19 pandemic, key considerations related to assessing supply needs for any ACS in a given jurisdiction include, but are not limited to:

- Oxygen
 - Alternate backup oxygen sources (e.g., reserve oxygen cylinders);
 - Logistics of getting the product to a facility;
 - 24/7 maintenance of the vaporizers;
 - Appropriate heating and cooling systems to prevent damage of gas lines;
 - Updating pipes in a potential facility to distribute oxygen more broadly to additional rooms; and
 - Planning for the volume needed at each ACS.
- PPE
 - Potential reuse of disposable filtering facepiece respirators (FFR) as a crisis capacity strategy to conserve available supplies for healthcare environments during a pandemic. Strategies for FFR extended use and reuse (without decontamination of the respirator) are currently available from [CDC's National Institute for Occupational Safety and Health \(NIOSH\)](#).
 - Additional information on strategies to optimize PPE supply and equipment can be found at <https://www.cdc.gov/coronavirus/2019-ncov/hcp/ppe-strategy/index.html>.
 - See *Appendix L: Sample PPE Protocol Matrix* for a sample PPE posture for different ACS staff.
- Pulse Oximeters
 - Given the increased need for patients and providers to monitor PulseOx, an ACS should have an abundance of pulse oximeters available for distribution.

2.8 Operate Site

Operation of an ACS focuses on creating a safe and comfortable setting where COVID-19 patients can receive the appropriate level of care by healthcare providers. It also ensures that all onsite staff are provided with proper oversight and supervision.

ACS assets should be capable of rapid integration into and interoperability within the community's existing healthcare infrastructure

ACS operations should be deliberate and synchronized for maximum efficiency and effectiveness. Linkage of the site to the adjacent healthcare system should include a communications networking strategy and telemedicine options. From the selection of an ACS site to contracting logistical site support requirements, every effort should be made to rapidly achieve operational capability and effective integration and interoperability. All applicable SLTT jurisdictional statutory, regulatory, and related authorities, policies and other governing

documents should be observed. If they compete, the ACS Site Manager in coordination with SLTT governments, should consult with their legal counsel to determine how to proceed.

The Secretary of HHS using Section 1135 of the Social Security Act (SSA) can temporarily modify or waive certain Medicare, Medicaid, Children's Health Insurance Program (CHIP), or Health Insurance Portability and Accountability Act (HIPAA) requirements, called 1135 waivers. There are different kinds of 1135 waivers, including Medicare blanket waivers. When there is an emergency, Sections 1135 or 1812(f) of the SSA allows HHS to issue blanket waivers to help beneficiaries access care. When a blanket waiver is issued, providers do not have to apply for an individual 1135 waiver. When there is an emergency, HHS can also offer healthcare providers other flexibilities to make sure Americans continue to have access to the health care they need.

CMS is empowered to take proactive steps through 1135 waivers as well as, where applicable, authority granted under section 1812(f) of and rapidly expand the Administration's aggressive efforts against COVID-19.

Please review the document titled, COVID-19 Emergency Declaration Blanket Waivers for Health Care Providers at: <https://www.cms.gov/files/document/summary-covid-19-emergency-declaration-waivers.pdf>.

As of April 9, 2020, these waivers are in effect, with a retroactive effective date of March 1, 2020, through the end of the emergency declaration. The most current information on waivers is available at: <https://www.cms.gov/about-cms/emergency-preparedness-response-operations/current-emergencies/coronavirus-waivers>. Information on blanket waivers can be found here: <https://www.cms.gov/files/document/covid-flexibilities-overview-graphic.pdf>.

Additional background information from CMS on regulatory changes to address COVID-19 patient surge is available here: <https://www.cms.gov/newsroom/fact-sheets/additional-backgroundsweeping-regulatory-changes-help-us-healthcare-system-address-covid-19-patient>.

2.8.1 Roles and Responsibilities

ACS site setup requires a variety of staff, services, and supplies along parallel lines of effort. These lines of effort include site oversight, site security, wraparound support, EMS transport, site safety evaluation, onsite medical care, public information messaging, patient support, PPE coordination, and case management. The steps below focus on a general model as a blueprint for the establishment of an ACS. All personnel involved with the ACS should be housed off site, not at the site.

2.8.1.1 Site Manager

The ACS Site Manager serves as the site administrator and oversees site selection, setup, operations, and breakdown. It is critical for the Site Manager to be able to see the site through safety, security, medical, and logistical lenses. The responsibilities of the Site Manager include, but are not limited to the following:

- Work with various points of contact to coordinate support capabilities;
- Develop site footprint;
- Coordinate with local health department, as needed;
- Establish face-to-face coordination with the Public Information Officer (PIO) during site setup;

- Ensure the PIO is aware of patient/site status;
- Provide statements to press when necessary, ensuring appropriate privacy requirements are followed;
- Establish an Incident Management Team (IMT) structure for operations and connect at least twice a day with Operations, Logistics, Chief Medical Officer, PIO, and Safety Officer;
- Triage information to send to lead agency;
- Maintain site for duration of activation;
- Provide and retain notification to patients of quarantine/isolation orders signed, if applicable, and make copies for onsite security personnel;
- Provide appropriate supervision of all contract actions for contracts executed at the site; and
- Ensure appropriate reporting and records management requirements are met.

2.8.1.2 Law Enforcement

A strong law enforcement presence is critical to initial setup of an ACS. Law enforcement officers (LEO) will help to guide a contract guard force, if one is present. The responsibilities of law enforcement at an ACS include, but are not limited to the following:

- Perform site security assessment of site;
- Determine security needs of site in conjunction with local jurisdictions;
- Determine if site can be adequately secured for operations;
- Provide initial security footprint at site to Site Manager;
- Work with Medical Team, ambulance services, and local healthcare systems to determine routes to and from a hospital;
- Run hospital transport routes with ambulance and security; and
- Coordinate and oversee contract guard force once in place.

2.8.1.3 Safety Officer

The ACS Safety Officer should work closely with local safety officials during site assessment and setup. A close working relationship with the fire marshal will help the Safety Officer ensure all evacuation plans are in line with local requirements to ensure patient and responder safety. Some aspects of setup, like fencing, could impact fire department response plans. Safety Officers must have knowledge of infection control practices. The Safety Officer, if possible, should work with the building engineer to ensure that the donning and doffing locations for PPE use two different ventilation systems to protect the health of all personnel.

The Safety Officer should ensure compliance to the greatest extent possible with the Health and Safety Plan (HASP) and Hazard Evaluation and Risk Assessment (HERA). See *Appendix M: HASP and HERA* for additional information on the two documents. It is recommended that the HERA be pushed to all staff prior to site arrival for preparedness. The HASP should be distributed at the site. The responsibilities of the Safety Officer include, but are not limited to the following:

- Develop a force health protection plan for workplace exposures and illnesses among healthcare providers;
- Develop plans for the evacuation and relocation of non-acute patients and the need for shelter in place or specialized evacuation and relocation of acute care patients;

- Consider plan for potential future risks (hurricanes, etc.) including how to meet the needs of different types of patients;
- Develop a plan for a potential high-risk/high-hazard event during a potential flooding event, including coordination with local hospital/care facilities as these facilities will have predetermined evacuation plans;
- Conduct early assessment of site with local public safety agencies (e.g., fire, EMS, police) and maintain ongoing liaison role;
- Assess final risk category for site;
- Monitor CDC guidance on the most up-to-date guidance for infection control;
- Implement blueprint for infection control protocols;
- Implement appropriate guidance for isolation;
- Maintain safe practices onsite and site evacuation plan;
- Demonstrate appropriate knowledge/use of PPE, including donning and doffing procedures;
- Implement appropriate guidance for required PPE;
- Oversee fit testing, as needed; and
- Ensure the safety of responders while in PPE.

Safety metrics to consider:

- Watch for PPE breaches during donning and doffing;
- Ensure proper hand-washing protocol (at least 20 seconds);
- Ensure patient bed rails are left down after patient encounter to prevent trips or falls;
- Prohibit smoking or open flame (e.g., food prep/heating) within 50 feet of oxygen;
- Watch for medication errors, needle sticks, contamination with body fluid (i.e., face, hands, torso);
- Watch for assaults or threats to healthcare providers;
- Develop plan for seizures or medical codes;
- Develop plan for any patients experiencing drug or alcohol withdrawal; and
- Develop plan to treat patients who may have a psychiatric episode while off medication.

2.8.1.4 Chief Medical Officer

The Chief Medical Officer (CMO) oversees the medical team, support personnel, and patients. The ideal CMO would be a current medical practitioner with emergency care experience. The responsibilities of the CMO include, but are not limited to the following:

- Monitor medical conditions of support personnel and patients;
- Monitor health of onsite team;
- Review medical documentation for site; and
- Plan to connect with coroner for mortuary support at the ACS, as needed.

2.8.1.5 Public Health Representative

The Public Health Representative works closely with the Site Manager and the CMO to help facilitate a smooth patient experience while maintaining the security and overall health of the site and personnel inside. The responsibilities for the Public Health Representative include, but are not limited to the following:

- Keep security personnel and the medical team updated on the arrival or departure of patients and the type of transportation being used;
- Perform isolation standards inspection;
- Confirm site is conforming to latest quarantine/isolation guidance;
- Provide updates to Site Manager and CMO on when to expect incoming patients; and
- Ensure no gross violations of general sequestering protocol.

2.8.1.6 Wraparound Services Contractor

Due to the variation of contract requirements, wraparound services will differ at each ACS. Successful wraparound services will ensure patients are satisfied with their services and will be willing to adapt their processes and protocols to ensure successful execution of their contract. Potential responsibilities for wraparound services include, but are not limited to the following:

- Linen and laundry service;
- Food preparation and delivery;
- Fencing;
- Contract security guards;
- Professional cleaning for each room after use;
- Porta-potties;
- Hand-washing stations; and
- Waste (to include medical waste and sharps) and garbage removal.

2.8.1.7 Medical Team

The Medical Team plays a crucial role in the execution of an ACS and may differ in structure depending on the state or locality setting it up and the medical mission of the ACS. However, all Medical Teams will provide a similar role for patient care. The Medical Team at an ACS will need to incorporate certain unique duties due to the COVID-19 situation. Responsibilities include, but are not limited to the following:

- Follow patient monitoring protocol (e.g., take temperature of patient twice a day);
- Provide medical monitoring;
- Perform intake/screening;
- Deliver food to patients;
- Assess patients;
- Emergency medical response in the isolation zone;
- Identify medical gear to be placed in the isolation zone;
- Set up crash cart capability in the isolation zone;
- Monitor chronic conditions;
- Procure medication refills;
- Consider establishing formal pharmacy services based on need;
- Deliver and document required care;
- Deal with initial acute decompensation of patients;
- Request ambulance transfer, if needed;
- Assist with transfer of patients to ambulance; and
- Work with security team to create transport plan in case of decompensation.

2.8.1.8 Logistics and Administrative Staff

Logistics and administrative staff provide necessary 24/7 coverage for patients and medical personnel. They maintain constant contact with patients and resolve any non-medical requests that come up during patient care. They provide essential “front desk” services that are typically found in hotels. They also provide crucial communication between medical and non-medical staff and work to setup the ACS with the Site Manager to ensure smooth operations.

Responsibilities include, but are not limited to the following:

- Monitor the usage rate (e.g., burn rate) of all supplies and order them appropriately to maintain operational status;
- Maintain Virtual Town Halls for patient updates, if applicable;
- Staff a Dispatch Center including the switchboard, daily screening, and all incoming calls and requests;
- Deliver services directly to rooms (e.g., meals, prescription refills, online order deliveries, additional towels, blankets, pillows, etc.);
- Supply over-the-counter medications for patients (e.g., acetaminophen, ibuprofen, cough syrup, cough drops, etc.) with medical team permission; and
- Set up internet services if site cannot provide internet.

2.8.1.9 Ambulance Services

Ambulance services provide additional emergency response capabilities for the Medical Team to respond to medical emergencies and transport patients to and from the hospital. Ambulance service providers should work with the Site Manager, law enforcement, the Safety Officer, and the Medical Team to determine PPE needs, security transport requirements, and practice transport routes to the nearest medical facilities. If local EMS services are unable to meet the need, consider contracting with a private Advanced Life Support (ALS) EMS provider for dedicated services. Ambulance services responsibilities include, but are not limited to the following:

- Provide onsite ambulance for emergency transport;
- Identify closest definitive care site;
- Establish a location/capability for air transport, if needed;
- Provide reliable transportation of patients to hospital when needed; and
- Practice transport routes to hospital with security team.

2.8.1.10 Personal Protective Equipment (PPE) Coordinator

For ACSs treating patients with COVID-19 or other infectious diseases, all personnel working at the site should be trained and competent on the use of all PPE. Personnel should be fit-tested as part of respiratory protection program for N95 respirators. The PPE Coordinator will serve as the lead in ensuring that staff are appropriately trained on the indications and use of PPE and should audit donning and doffing of PPE to ensure it is being done correctly. They should also define PPE requirements for specific parts of the facility and will determine any changes in PPE requirements over the mission. The same PPE Coordinator can also perform this function for contract staff. See *Appendix L: Sample PPE Protocol Matrix* for a sample PPE posture for different levels of staff.

Responsibilities include, but are not limited to the following:

- Determine required PPE for unique site demographics;

- Coordinate with the CMO for any required medical screening of personnel prior to usage of PPE;
- Acquire PPE;
- Fit test and certify all site personnel, including contracting staff; and
- Support approved strategies for extended use and reuse of PPE.

2.8.1.11 Public Affairs/Information Officer

The Public Affairs Officer (PAO) or PIO is a critical role to provide communication on the ACS to command staff, local PIOs, and the public, as needed. Each command structure will have its own preference for notification of the PAO/PIO through the command staff, but the establishment of the position is necessary for a public-serving site like an ACS. Responsibilities include but are not limited to the following:

- Provide messaging for site to command staff, local PIOs, media, and the public, as needed;
- Prepare and edit informational material (welcome letter, site information, etc.) for site residents;
- Handle onsite press arrivals and coordinate with local jurisdictions, as needed; and
- Interact with state and local jurisdictions regarding coordination of site.

2.8.1.12 Case Management Team

The Case Management Team acts as a liaison between patients, medical staff, non-medical staff, command staff, and families. They provide crucial services to ensure patients have the resources they need, are comfortable, and have their needs addressed in a timely manner. The team also provides support, including mental health, to responders. Their responsibilities include but are not limited to the following:

- Help organize patient transport once released;
- Assist with family connections to facilitate transport home;
- Staff an additional behavioral health specialist to monitor personnel at site; and
- Staff a hotline phone at the front desk to liaise with patient requests.

2.8.2 Site Flow Plan

- Develop Site Emergency Plans for key contingencies, such as:
 - Fire emergencies. See *Appendix N: Sample Fire Safety Plan*;
 - Medical decompensation of a patient requiring emergency care and transport;
 - Compromised staff PPE and exposure requiring decontamination
 - Emergency evacuation from the site to designated rally point (e.g., fires);
 - Running routes from site to local hospital for medical transports; and
 - Panic button call protocol for patients (in the event of a fall, acute needs, etc.).
- Ensure all personnel and practices are consistent with CDC guidance on PPE, including:
 - Calculate on an ongoing basis the PPE to care for **(# of pts) x (# of days)**;
 - CDC PPE calculator is available at:
<https://www.cdc.gov/coronavirus/2019-ncov/hcp/ppe-strategy/burn-calculator.html>
 - Ensure all personnel are fit tested for PPE including law enforcement/guard presence;

- Ensure that assigned personnel are provided appropriate PPE and training in proper use; and
 - Ensure approved strategies for extended use and reuse of PPE are appropriately taken advantage of.
- Ensure communication linkage to receive advance pre-arrival notification of individuals to site:
 - Coordinate with EMS Dispatch; and
 - Coordinate with discharging hospitals.
- Ensure coordinated site access control plan:
 - Consider using identification tags, colored tape, or colored wristbands for approved personnel allowed onsite;
 - Set up fencing around perimeter;
 - Stand up pop-up tents for privacy in key areas (e.g., ambulance arrival); and
 - Establish onsite security/law enforcement presence.
- Ensure clear medical reception plan to receive patients in ambulance staging
- Post triage flow poster for staff; sample triage flow language can include the following:
 - Greet and welcome patient;
 - Apply identification bracelet;
 - Identify name, cell phone number, date of birth, home origin, country, state, and veteran status (if applicable);
 - Obtain medical history:
 - Current history of present symptoms including: cough, fever, head or body aches, chest pains;
 - Current medications including last dose taken, need for refills, availability of medication, allergies, smoking status, date and location of COVID-19 testing, date of leaving last location;
 - Obtain temperature and, if appropriate, SpO₂ and heart rate;
 - Document any dietary restrictions;
 - Assign patient a room based on testing results;
 - Instruct patient on how to reach front desk;
 - Review room restrictions and fresh air plan;
 - Provide patient instructions handout;
 - Escort patient to room with belongings; and
 - Disinfect equipment, chair, table, and any touched surface including: staircase, railings, and elevator if used.
- Complete Patient Intake Form. See *Appendix O: Sample Patient Intake Form*;
- Distribute standardized Patient Instructions. See *Appendix P: Sample Patient Instructions*;
- Ensure clear path of patient movement through the site from arrival to room placement;
- Ensure onsite communication net to control different parts of the operation (e.g., radios);
- Conduct a daily Virtual Town Hall to keep patients apprised of site status;
- Designate an area for patients to spend time outside of their rooms while preserving isolation practices;
 - Consider outdoor patios, courtyards, etc.;

- Develop combined protocol to coordinate food delivery and conduct daily wellness checks, based on keeping patients isolated in their individual rooms. See *Appendix Q: Sample Wellness Check Form*;
 - Temperature checks with no-touch thermometers;
 - Patient food delivery three times/day with ability to modify for dietary and religious needs;
- Coordinate with Swab Teams to laboratory-test patients as indicated; and
- Coordinate with Site Manager and Case Managers for patient disposition needs.

2.8.3 Site Security Plan

Figure 1: Site Security Plan

- Obtain local/federal law enforcement support (dependent on state/federal quarantine or isolation)
- Coordinate with federal, state and local law enforcement in the operational area
 - Meet with the law enforcement shift supervisor every day
 - Discuss arrest and disturbance procedures with law enforcement supervisor in conjunction with the security lead
 - Develop procedures for investigation of suspicious activity at the site
 - Obtain mechanisms to channel intelligence regarding threats to the operation
 - Plan on how LEOs will respond to low to mid-level policing requests at the site
 - Allow onsite LEOs to mitigate the immediate threats and allow full investigations to take place afterwards
 - Coordinate with local law enforcement PIO to manage local media arriving on scene
- Coordinate with local fire department/EMS department(s) in the operational area
 - Meet with fire department chief officer when establishing the ACS
 - If EMS services are provided by a third-party or non-Fire based EMS provider, meet with the lead for that service as well
 - Meet with local fire marshal, as needed
 - Conduct a site walkthrough with the local fire crew to go over internal procedures and to understand the fire/EMS procedures in the event of a fire or emergency
 - If local EMS services are unable to meet the need, consider contracting with a private ALS EMS provider for dedicated services
 - Coordinate with a senior official representing the EMS vendor and any hospital affiliations
- Perform site security assessment.
- Develop an Operations Plan
 - Relay site specific security requirements to medical team
 - Provide PPE for LEOs based on guidance by CDC
 - Review use of force issues



- Verify scope of authority
- Establish communications systems (e.g., onsite radios)
- Ensure fencing/barriers
 - Maintain the integrity of fences and barriers
- Work with contractor regarding private security requirements
 - PPE fit testing
 - Armed vs. less lethal
 - Ability to expand numbers to accommodate hospital details
- Integrate security into the Unified Command for site
- Coordinate with the Safety Officer for the responding medical team
 - Participate in evacuation planning
 - Understand routine LEO response and fire/EMS response procedures
- Work with the CDC or health department to verify proper legal documentation is maintained

2.8.4 Site Communications Plan

Communication flow and accurate information are critical to effective decision-making. A standardized framework for communications that is capable of ensuring continuous and uninterrupted communications is critical. It is based on the concepts of interoperability, reliability, scalability, portability, and addresses the need for resiliency and redundancy of communications and information systems. Plain language and common terminology should be used. Codes should not be used, and all communications should be confined to essential messages. Use of acronyms should be limited and clarified for safety. Communications equipment should be issued by the SLTT Logistics team. Both equipment and protocols are subject to change based upon technological advances, emerging operational requirements, and lessons learned. Communications systems should be:

- **Interoperable:** Able to communicate within and across agencies and jurisdictions as required;
- **Reliable:** Able to function in the context of any kind of emergency;
- **Portable:** Built on standardized radio technologies, protocols, and frequencies;
- **Scalable:** Suitable for use on a small or large scale as the needs of the incident dictate;
- **Resilient:** Able to perform despite damaged or lost infrastructure; and
- **Redundant:** able to use alternate communications methods when primary systems go out.

2.8.5 Onsite Plan for Caregivers and Family Members

During displacement due to catastrophic incidents, some patients may present to an ACS along with their home healthcare provider or other caregiver(s). Family members may want to remain together, especially if one member has a need for medical care or treatment.

Policies on family members residing in the ACS with a patient vary by state and should be considered and incorporated into ACS planning.

2.9 Service Animals and Companion Animals

A low percentage of ACS patients may present with service animals and companion animals. Service animals should remain with their owners. Companion animals are not required to remain with their owners; however, keeping them as close as possible supports the wellbeing of

patients and their families. The SLTT should assist in coordinating necessary animal care resources when they are not available near the ACS.

2.10 Restore Site

Once established, ACS will maintain continuous operations. The endpoint for the site is appropriate disposition of all patients from isolation protocol. The onsite team will maintain the site until site is deactivated or the responsibility is turned over to another appropriate authority. The site will require standard decontamination cleaning in accordance with CDC guidelines prior to turning it back over. Additional guidance on cleaning is available at: <https://www.cdc.gov/coronavirus/2019-ncov/community/disinfecting-building-facility.html>.

3. REPORTING AND RECORDS MANAGEMENT REQUIREMENTS

3.1.1 Reporting Requirements

Upon achieving initial operating capability (IOC) and throughout the duration of operations, each ACS should provide reports to the SLTT to inform the Common Operating Picture (COP).

Reporting recommendations include details regarding ACS response and recovery activities, at a minimum:

- Number of ACS beds (and cots) occupied;
- Number of ACS beds (and cots) available;
- Number of non-medical attendants (family members or caregivers who are not patients);
- The types of patients being cared for and common disease states encountered;
- Existing or anticipated issues relating to personnel, security, logistics sustainment, or operational capabilities (e.g., personnel, the ACS site, or wrap-around services, etc.) other than those already identified/submitted for resolution.

3.1.2 Medical Record Requirements

Electronic Medical Records (EMR) may be used at ACS locations. The records maintained by this system and application should adhere to guidelines, applicable legal authorities, and guidance governing the routine collection, use, and storage of personal and patient related data.

Paper medical records may be used as an alternative and should adhere to the same applicable legal authorities and guidance governing the routine collection, use, and storage of personal information.

4. CONTACT INFORMATION FOR TECHNICAL INQUIRIES AND LESSONS LEARNED

- All SLTT entities are encouraged to modify all information contain in this Toolkit to meet the needs of each community.
- For technical inquiries, please contact your HHS Regional Emergency Coordinators (REC) or FEMA Regional Administrators (RA).
- Additional information and downloadable tools can be found online at the following sites:
 - <https://asprtracie.hhs.gov/technical-resources/111/covid-19-alternate-care-site-resources/99>

- <https://www.usace.army.mil/Coronavirus/Alternate-Care-Sites/>

APPENDIX A: ACRONYMS AND ABBREVIATIONS

| Acronym | Literal Translation |
|----------------|---|
| ABA | Architectural Barriers Act |
| ACS | Alternate Care Sites |
| ADA | Americans with Disabilities Act |
| ADL | Activities of daily living |
| AGP | Aerosol-Generating Procedure |
| ALS | Advanced Life Support |
| ASHP | American Society of Health-System Pharmacists |
| ASPR | Assistant Secretary for Preparedness and Response |
| BLS | Basic Life Support |
| C | Celsius |
| CCTV | Closed-Circuit Television |
| CDC | Centers for Disease Control and Prevention |
| CESF | Coronavirus Emergency Supplemental Funding |
| CHIP | Children's Health Insurance Program |
| CLN | Contract Line Number |
| CMO | Chief Medical Officer |
| CMS | Centers for Medicare & Medicaid Services |
| CNA | Certified Nursing Assistant |
| CO | Contracting Officer |
| COP | Common Operating Picture |
| COR | Contracting Officer's Representative |
| COVID-19 | 2020 SARS-CoV2 virus |
| CPR | Cardiopulmonary Resuscitation |
| CVL | Central Venous Line |
| DFA | Direct Federal Assistance |
| DoD | Department of Defense |
| DSLRL | Division of State and Local Readiness |

| Acronym | Literal Translation |
|----------------|---|
| EMAC | Emergency Medical Assistance Compact |
| EMR | Electronic Medical Record |
| EMS | Emergency Medical Services |
| EMT | Emergency Medical Technician |
| ENT | Ear, Nose, Throat |
| F | Fahrenheit |
| FEMA | Federal Emergency Management Agency |
| FFR | Filtering facepiece respirator |
| FMS | Federal Medical Station |
| GPS | Global Positioning System |
| HASP | Health and Safety Plan |
| HCP | Healthcare Provider |
| HERA | Hazard Evaluation and Risk Assessment |
| HHS | U.S. Department of Health and Human Services |
| HIPAA | Health Insurance Portability and Accountability Act |
| HOSA | Health Occupations Students of America |
| HPP | Hospital Preparedness Program |
| HRSA | Health Resources and Services Administration |
| HVAC | Heating, Ventilation, and Air-Conditioning |
| ICU | Intensive Care Unit |
| IMT | Incident Management Team |
| IOC | Initial operating capability |
| LEO | Law Enforcement Officers |
| LPN | Licensed Practical Nurse |
| MLK | Mobile Lifesaving Kit |
| MRC | Medical Reserve Corps |
| MOU | Memorandum of Understanding |
| MRC | Medical Reserve Corps |
| NIOSH | National Institute for Occupational Safety and Health |

| Acronym | Literal Translation |
|---------|--|
| NP | Nurse Practitioner |
| NPR | National Public Radio |
| O&M | Operations and Maintenance |
| OSHA | Occupational Safety and Health Administration |
| PA | Physician Assistant Public Assistance |
| PAO | Public Affairs Officer |
| PAPR | Powered, air-purifying respirator |
| PAR | Personal Accountability Report |
| PIO | Public Information Officer |
| POC | Point of Contact |
| PPE | Personal Protective Equipment |
| PUI | Persons Under Investigation |
| RA | Regional Administrator |
| REC | Regional Emergency Coordinators |
| RFR | Request for Resources |
| SFHA | Special Flood Hazard Area |
| SLTT | State, Local, Tribal, Territorial |
| SSA | Social Security Act |
| SOW | Statement of Work |
| TA | Technical Assistance |
| TO | Task Order |
| TRACIE | Technical Resources, Assistance Center, and Information Exchange |
| U.S. | United States |
| USACE | United States Army Corps of Engineers |
| USP | United States Pharmacopeia |
| USPHS | United States Public Health Service |

APPENDIX B: SAMPLE ACS EXECUTION PLAN

Sample Execution Plan: Alternate Care Site (ACS) Setup

Red signifies priority tasks to be completed in 24 hours. **Orange** signifies priority tasks to be completed within 48 hours. **Green** signifies secondary tasks for each of the priorities.

| Task Priority | First 48 Hours Target: [DATE] | Next 5 days Target: [DATE] | Next 10 days Target: [DATE] | Mid-range Target: [DATE] |
|---------------|---|---|---|--|
| 1 | Identify Sites: Potential ACS locations identified/prioritized. Ready to move out on site(s) in area(s) of greatest impact and need(synched with hospitalization/intensive care unit (ICU) rates) Conduct Site Assessments: Assess suitability for ACS. Lead Point of Contact (POC): | # of ACS locations ready based upon battle rhythm | # additional ACS locations ready based upon battle rhythm | Restore Site: Develop a plan for off-lining facilities as needed (contract, staffing, etc.) |
| 2 | Secure Funding: Clarify Mission Assignment/Public Assistance/additional funding support; lease site and begin resource standup Lead POC: | Monitor surge needs and communicate additional staffing/facility needs (Palantir Dashboard and other resources) | Continue to evaluate need for additional sites and set-up as needed | |
| 3 | Secure Property: Develop a battle rhythm for ACS set-up (who – identify site manager, where, where, how based upon prioritization) Lead POC: | Monitor staffing/personal protective equipment (PPE)/ equipment needs | | |
| 4 | Convert Site: Coordinate operational plans for sites based on ACS Toolkit Lead POC: | Plan for medical staffing/PPE/ equipment reload | | |
| 5 | Secure Wrap-Around Services: Define wrap around contract(s), ready for turn-on Lead POC: | | | |
| 6 | Staff, Equip, Supply Site: Define medical staffing requirements, build out rosters Lead POC: | | | |
| 7 | Identify supply needs Lead POC: | | | |
| 8 | Operate Site: Develop plan with local Health Authority to identify hospital(s) that will be transferring patients to and from the ACS Lead POC: | | | |

APPENDIX C: SAMPLE ALTERNATE CARE SITE ASSESSMENT FORM

Site name _____ Phone number _____

Site point of contact _____ Phone number _____

Address _____

City _____ County _____ State _____ Zip _____

Geo coordinates _____

Nearest hospital name / address _____

Nearest hospital name / address _____

Structure construction type _____

How many parking spaces for staff _____ trucks _____ daily cost _____

Loading docks: Yes No Location _____

Entry door 48" or greater with no obstructions: Yes No

Location _____

Sidewalks Americans with Disabilities Act (ADA) compliant: Yes No Helipad: Yes No

Location _____

Perimeter lighting _____

Entry door locks and have panic bars for exit from inside: Yes No

How many restrooms (1 / 20 people):

Men _____ ADA compliant _____

Women _____ ADA compliant _____

How many showers (3 people / hour / 24 hours):

Men _____ ADA compliant _____

Women _____ ADA compliant _____

Hot water (120 degrees – 6 gallons per patient)

Number of tanks _____

Size of tanks (gallons) _____

Flooring type _____

Protective covering available: Yes No
No

Pallet Jack permitted on flooring: Yes

Bariatric capable: Yes No

Staff billeting prearranged on-site: Yes No

Site Point of Contact _____

Local hotels _____ within _____ miles

Pharmacy has a separate room with locking door/limited access: Yes No

Refrigerator size _____ Freezer size _____

Kitchen facilities: Yes No

Available for staff: Yes No

Electrical

40 Amp, 480 volt, 3 phase, 80 Amp Service

200 Amp, 120/240 volt, 3 phase)

Power coming into site

Volts _____ Amps _____

Phase _____ Number of outlets _____

Back-up generator on-site: Yes No

Operational: Yes No

Type _____ KW _____ Phase _____ Volt _____

Number of outlets dedicated to generator power _____

Fuel on-site: Yes No

Amount in gallons _____ burn rate _____ gallons/hour _____

Heating, Ventilation, and Air-Conditioning (HVAC) operational in entire site: Yes No

Location of shut-off valve _____

Flood Zone _____

Shelter in place areas _____ Evacuation areas _____

APPENDIX D: FUNDING SOLUTIONS GRAPHIC

The following graphic is intended to be a simplified overview of funding solutions and a reference to guide outreach to specific grant program points of contact. For specific information, reach out to the points of contact below.

| | HHS HPP | CDC PHEP | FEMA PA | KEY | |
|-------------------------------|---|--|--|---|---|
| Allowable Expenses | Supplies Includes PPE | ✓ | ✓ | Includes medications and diapers | ✓ Allowable ✗ Unallowable Sometimes Allowable/Unspecified |
| | Temporary Structures With restrictions | ✓ | — | Such as tents or portable buildings | |
| | Retrofitting/Alterations Includes screening, treatment, and isolation rooms (with restrictions) | ✓ | ✓ | Included in temporary relocation and facility funding | |
| | Patient Treatment | ✗ | — Only under federal or state isolation or quarantine orders (absent another payor) | Treatment, stabilization, and monitoring (absent another payor) | |
| | Beds | ✓ | ✓ | Defined as 'durable medical equipment' | |
| | Tests & Diagnosis | ✗ | ✓ Public health lab testing | Triage and medically necessary tests and diagnosis | |
| | Medical Equipment | ✓ | ✓ | Includes walkers, wheelchairs, oxygen equipment, etc. | |
| | Staffing To set up and/or operate ACS, not to provide clinical care | ✓ | ✓ Surge staffing, not to provide clinical care | For eligible entities | |
| Eligible Direct Recipients | Hospital Associations Distribute funding to hospitals and other health care entities | ✓ | ✗ | Private non-profits with eligible expenses | |
| | Public Health Departments Distribute funding to health care coalitions, state/jurisdiction special pathogen treatment centers, & other health care entities | ✓ | ✓ | ✓ | |
| | STTL Jurisdictions via Public Health Departments | ✓ | ✓ | ✓ | |
| | Nonprofits Some subrecipients may be nonprofits | ✓ | ✗ | ✓ Certain private nonprofits | |
| Contact | Jennifer Hannah | Your SLTT's CDC Grant POC | Your Regional FEMA Representative | | |
| Additional Information | HPP Funding Press Release* | Public Health Crisis Response NOFO | COVID-19 Public Assistance Application | | |

*HPP funding is being released to 4 different recipient groups that make up the National Special Pathogen System; the terms and conditions and eligible entities vary across these different recipients. For more information, view [the HHS press release](#) about the funding.

APPENDIX E: SAMPLE RIGHT OF ENTRY PERMIT

Right-of-Entry Permit

(2020 COVID-19 Response to Property)

State of [STATE NAME]

Date: _____

Department: _____

Address: _____

Property Address: _____

Building Name: _____ (hereinafter known as "Property")

Age of Structure(s): _____

The undersigned hereby certifies it/they/he/she are/is (check):

_____ Record title owner of the Property with legal authority to grant access to the Property for performance of Work (as that term is defined in Section 1, below), to accept the terms and condition of this Permit, and to bind the Property owner.

_____ The authorized agent or official representative of record title owner the Property with legal authority to grant access to the Property for performance of Work (as that term is defined in Section 1, below), to accept the terms and condition of this Permit, and to bind the Property owner.

_____ Permitter with legal authority to grant access to the Property for performance of Work (as that term is defined in Section 1, below), to accept the terms and condition of this Permit, and to bind Permitter.

I, _____ (Property owner/Property owner's authorized agent or official representative, or Permitter) (hereinafter collectively "Owner") hereby permit the United States, including but not limited to the U.S. Department of Homeland Security's Federal Emergency Management Agency (FEMA), and the U.S. Army Corps of Engineers (USACE), its officers, officials, employees, volunteers, independent contractors and subcontractors, and/or any agencies, entities and/or individuals necessary for the performance of work pursuant to **[Insert Title of the Request for Direct Federal Assistance and the Contract Number (Direct Federal Assistance)]** (hereinafter collectively "Permittees") to enter the Property, upon the following terms and conditions:

1. Grant of Right-of-Entry. An irrevocable right of entry is hereby granted to Permittees under this right-of-entry permit (Permit) to use and enter upon the Property, and all related appurtenances thereto, for the purposes of inspecting, testing materials, designing, constructing, retrofitting, operating, maintaining, demolishing and/or reconstructing, which purposes shall be defined as broadly as possible in the sole discretion of Permittees, an alternative care facility and any related structure(s) or portion(s) thereof in support of the COVID-19 response (hereinafter known as the "Work"), subject to the terms and conditions set forth in this Permit, and to perform all incidents necessary thereto. This right-of-entry includes the rights of use, entry, access, ingress and/or egress on other lands of the Owner not described herein, in addition to the rights of use, entry, access, ingress and/or egress on all lands, easements, and rights-of-ways necessary to accomplish the Work regardless of

ownership (collectively “Additional Lands”), which Additional Lands shall be provided by Owner to Permittees to accomplish the Work. The Owner understands and accepts that Permittees will determine, in its sole discretion, what Work, materials in support of said Work and/or Additional Lands are necessary to perform and complete the Work. The Owner understands this Permit does not obligate Permittees to perform or complete the Work. Owner understands Permittees will undertake no Work until this Permit is executed by all parties to this Permit, at which time this Permit shall become effective.

2. Consideration. In exchange for the Owner’s receipt of Direct Federal Assistance provided by the United States, this Permit and the rights of use of, and entry, access, ingress and/or egress to and/or from the Property and/or any Additional Lands, is granted at no cost to Permittees. It is also expressly understood by Owner that Permittees have no restoration obligation or claim, whether in law or equity, with respect to the Property and/or Additional Lands, and that Permittees shall not be required to return the Property and/or Additional Lands to the condition which existed prior to the Permittees’ performance of the Work, including but not limited to use of, entry, access, ingress and/or egress to and/or from the Property and/or Additional Lands.

3. Termination. This Permit, and the permissions granted herein to Permittees, will automatically terminate upon completion of the Work, which termination and/or completion of Work shall be within the sole discretion of Permittees and shall be determined and delivered, in writing, to Owner by Permittees to the address identified in Section 7, Notices, below. All tools and equipment taken upon or placed upon the Property and/or Additional Lands by Permittees shall remain the property of Permittees and may be left on or removed from the Property by Permittees at any time within a reasonable period after the provision of said Notice without any responsibility or liability whatsoever to Permittees.

4. Insurance. Owner shall be responsible for the maintenance of all insurance on Permittees’ behalf, in the nature, sum, and amount as is determined to be necessary by Permittees, in its sole discretion, under the separate contract for performance of the Work.

5. Indemnification – Hold Harmless. The State of [STATE NAME], and its political subdivisions and Owner agree to hold and save the United States and Permittees free from all damages of any kind whatsoever, whether in law or equity, arising from or in any way related to the Permittee’s performance of the Work, including but not limited to use of, and entry, access, ingress and/or egress to and/or from the Property and/or the Additional Lands, and/or post-construction operation and maintenance of any completed Work; and shall indemnify Permittees against any and all claims and Liabilities, as that term is defined in this Section 5, below, arising from or relating to such Work. The State of [STATE NAME], its political subdivisions, and Owner waive and abandon, and hereby release and discharge the United States, Permittees, and their attorneys, from any and all liabilities, demands, liability judgments, damages, claims, losses, crediting, accountings, penalties, fines, mechanic’s liens or other liens, labor disputes, awards, relief, fees, costs, expenses, personal injury, death, property damage, environmental damage or liability, attorney’s fees, interest, charges, and damages of any kind, and in any amount, (collectively “Liabilities”), arising out of, or in any way related to the use of, and entry, access, ingress and egress to and/or from the Property and/or the Additional Lands, and/or in any way related to performance of the Work.

6. Property Accessibility. Owner shall provide Permittees with unfettered accessibility to the Property and/or Additional Lands at all times required, which times shall be determined in the sole discretion of Permittees. Owner shall also be responsible for assisting Permittees with all State and local jurisdictional matters, including, but not limited to, securing all local building permits, control of traffic and pedestrians, and compliance with local building

ordinances. Permittees shall have the right, but not necessarily the obligation, to patrol and police the Property and/or Additional Lands during the period of this Permit.

7. Notices. Any and all notices or other correspondence required under this Permit shall be delivered to the other Party in writing and shall be deemed delivered three (3) business days after deposit in the United States mail addressed to the Party as follows:

| | |
|-----------------------|--|
| If to the Permittees: | |
| | |
| | |
| | |
| Attention: | |
| If to Owner: | |
| | |
| | |
| Attention: | |

8. Authority. Owner represents and warrants that it has full power and legal authority to execute and fully perform its obligations under this Permit without the need for any further action, including but not limited to any further action, notice to, or approval from any agencies, co-owner(s), leaseholder(s), tenant(s), lender(s), or lienholder(s), and any person(s) executing this Permit on behalf of the Owner(s) is the duly designated agent(s) of Owner(s) and is authorized to do so, and that sufficient real estate rights to Additional Lands permitting Permittees access have been obtained by Owner. In the event Owner needs to acquire Additional Lands for performance of Work after the execution of this Permit, Owner shall execute another Permit with Permittees covering said Additional Lands.

9. Entire Agreement. This Permit constitutes the entire agreement between the parties with respect to the subject matter hereof, and all prior or contemporaneous agreements, understandings and representations, oral or written, are superseded.

10. Modification. The provisions of this Permit may not be modified, except by a written instrument signed by both parties.

11. Partial Invalidity. If any provision of this Permit is determined by a court of competent jurisdiction to be invalid or unenforceable, the remainder of this Permit shall not be affected thereby. Each provision shall be valid and enforceable to the fullest extent permitted by law.

12. Successors and Assigns. This Permit shall bind and benefit the parties and their heirs, successors, and assigns.

IN WITNESS WHEREOF, Owner and Permittees have executed this Permit effective April ____, 2020.

[Signature Blocks to Follow]

For Owner:

Signature: _____

Print Name: _____

Title: _____

Notary and/or Certification of Authority:

For Permittees:

Signature: _____

Print Name: _____

Title: _____

APPENDIX F: WRAPAROUND SERVICES CHECKLIST

Site name _____ Phone number _____

Site point of contact _____ Phone number _____

Address _____

City _____ County _____ State _____ Zip _____

Global Positioning System (GPS) coordinates _____

Nearest hospital name / address _____

Nearest hospital name / address _____

Capacity _____ Primary power source _____ Restrooms _____

Helo Pad Yes No Alternate/Back-up power Yes No

Americans with Disabilities Act (ADA) Restrooms Yes No


GPS coordinates Available Yes No Showers Yes No

| Wraparound Services | Quantity | Organization Name/Location | Point of Contact for Service Contract Information | Timeframe in Place By | Status | Comments |
|---|----------|----------------------------|---|-----------------------|--------|--|
| Building requirement | | | | | | 250-bed = 40K sq. ft. 100-bed = 25K sq. ft. 50-bed = 15K sq. ft. |
| Lease / Memorandum of Understanding (MOU) for use of site | | | | | | On-file at: |
| Staffing | | | | | | |
| Security inside (24-hr) | | | | | | |
| Security outside (24-hr) | | | | | | |
| Total occupants beds / staff / security | | | | | | |
| Billeting for staff | | | | | | On-site On-site list local hotels in comments at end of form |
| Fire Suppression | | | | | | System operational |

| Wraparound Services | Quantity | Organization Name/Location | Point of Contact for Service Contract Information | Timeframe in Place By | Status | Comments |
|---|----------|----------------------------|---|-----------------------|--------|---|
| Secure room | | | | | | For pharmacy |
| Parking for staff | | | | | | |
| Parking for trucks | | | | | | |
| Electrical distribution | | | | | | Uninterrupted service for 40+ outlets |
| Heating, Ventilation, and Air-Conditioning (HVAC) | | | | | | Operational for entire site |
| Heat | | | | | | Operational for entire site |
| Ventilation | | | | | | Operational for entire site |
| Setup labor | | | | | | |
| Forklift | | | | | | Operate on pavement |
| Pallet jack | | | | | | Permitted to operate on floor |
| Toilet | | | | | | 1 / 20 ADA compliant |
| Showers | | | | | | 3 persons per hour for 24hrs ADA compliant |
| Hot water | | | | | | |
| Hand washing station | | | | | | |
| Meals | | | | | | |
| Drinking water | | | | | | |
| Ice | | | | | | |
| Oxygen | | | | | | |
| Medical resupply | | | | | | |
| Lab arrangement with local hospital | | | | | | To conduct lab |
| Lab arrangement with local lab | | | | | | To conduct lab |
| Transportation for outpatient services | | | | | | |
| Waste removal | | | | | | Normal day-to-day waste |

| Wraparound Services | Quantity | Organization Name/Location | Point of Contact for Service Contract Information | Timeframe in Place By | Status | Comments |
|---|-----------------|-----------------------------------|--|------------------------------|---------------|--|
| Biohazard waste removal | | | | | | Daily pickup |
| Cleaning services | | | | | | Common areas, restrooms, showers |
| Laundry | | | | | | Service for 250 set of clothes daily for patients / caregivers |
| Washer / Dryer | | | | | | 5 each for emergency laundry service |
| Wi-Fi | | | | | | No interference or signal shielding |
| Telephone service | | | | | | Number of lines into site |
| Emergency Medical Services (EMS)/ Advanced Life Support (ALS) ambulance | | | | | | |
| Mortuary services | | | | | | |
| Additional comments | | | | | | |

APPENDIX G: SAMPLE ALTERNATE CARE SITE SCHEMATIC



APPENDIX H: SAMPLE STATEMENT OF WORK FOR WRAPAROUND SERVICES

Statement of Work (SOW)

Task Order (TO) #[XXXX]

1.0 INTRODUCTION

The contractor shall provide the following services under the [NAME OF CONTRACT] contract to support the [WHO/WHAT]. The services will be for up to [NUMBER] rooms at [LOCATION], for [NUMBER] days from [DATE] through [DATE]. Demobilization will occur on [DATE].

- 1.1. **Services:** All services shall be provided for [NUMBER] days from [DATE] through [DATE] and final cleaning and demobilization will occur on [DATE]. There will be a total of up to [NUMBER] rooms at this site. Services include: delivery to each room with individually wrapped catered meals and beverages; transportation to/from lodging locations to airport (if/when requested, will be added via modification); Basic Life Support (BLS) Ambulance service shall be provided 24/7 with a backup available when the ambulance is in use. Additional ambulance transport to and from lodging location to designated medical facility or airport may be needed (if needed it will be added via modification) Mod-01 adds ambulance service for the duration of the contract; perimeter fencing, lighting and barriers; facilities management; laundry pickup from each room and delivery laundry services to each room to include linen exchange; custodial services; Biomedical waste removal ; and Heating, Ventilation, and Air-Conditioning (HVAC) with generator power and equipment fueling/serving for XX days.

1.2. Support Locations

| Location | All Specified Services as listed below |
|------------|--|
| [LOCATION] | X |

2.0 REQUIREMENTS

2.1 Catered Meals and Beverages:

- 2.1.1 The Contractor shall provide drinking water: Bottled water should be provided with every meal (breakfast, lunch and dinner). Additional bottled water shall be provided to ensure each person is provided a minimum of 2 liters per day.
- 2.1.2 The Contractor shall provide meals: Hot meals three times per day (breakfast, lunch, dinner) delivered to lodging location and specifically to each room. Meal Times: Breakfast: 08:00 AM, Lunch: 12:00 PM, Dinner: 6:00 PM. Any dieting or dietary restrictions shall be conveyed per site. On the final day, lunch may be required at an earlier time and a bag lunch may be required. Dinner may or may not be needed for the final day.

| Meal | Population At Site Up To |
|-----------|--------------------------|
| Breakfast | 72 |
| Lunch | 72 |
| Dinner | 72 |

2.2 Transportation: The Contractor shall provide vehicle transportation between lodging locations and designated international airport provided by onsite or regional representative. (This will be added via modification if required).

| Population At Site Up To | Origin | Destination |
|--------------------------|---------|-------------|
| 72 | Airport | Lodging |
| 72 | Lodging | Airport |
| 72 | Lodging | Lodging |

2.3 Ambulance: Provide two (2) standby BLS ambulances 24/7 for 30-days

- 2.3.1 Be equipped to transport patients exhibiting symptoms related to Coronavirus.
- 2.3.2 Ambulance will be required to transport patients to a predetermined hospital (TBD) within 100 miles of [LOCATION of the ACS]. Replace ambulance on site for coverage within [NUMBER] (XX) hour of departure of the first ambulance when transport is required as directed by the Contracting Officer (CO) and Contracting Officer's Representative (COR) through the onsite personnel.
- 2.3.3 Transit destination facility solely determined by the [state, local, tribal, territorial (SLTT) ENTITY] through the CO and COR.
- 2.3.4 Furnish all labor, management, travel, supplies, equipment, materials, and vehicles to perform the work described herein, unless otherwise specifically stated.
- 2.3.5 Comply with applicable federal, state, and local laws, regulations, and guidance; and perform all work in accordance with these requirements and any applicable agreements.
- 2.3.6 Provide a dispatch-managed standby full service transportation 24 hours a day. The Contractor shall manage dispatch requirements, transport schedules and requests for transport to ensure timely transportation.
- 2.3.7 Maintain a serviceable transportation fleet that meet DOT inspection standard, service ADA loading and unloading equipment, and appropriate safety equipment such as fire extinguishers, breakdown markers. Operators must be properly licensed in accordance with federal and state requirements, to operate in the county.
- 2.3.8 Must be licensed to transport to and pick up from local hospitals.
- 2.3.9 Provide courteous customer service during operations and driver or and assistant should be able to assist non-ambulatory clients in and out of vehicles, and assist into facilities if other support is not available, if required by the patient.

| | Type/Quantity | Staff | Coverage | Transit within 100 miles |
|-----------|---------------|---------|--------------|--------------------------|
| Ambulance | 2-BLS | 2 EMTs, | 24 hours/day | Yes |

| | | | | |
|---------------------|-----------------------|---------------------------|---|-----|
| | | 1 Driver | | |
| Ambulance backup | BLS as required | 2 EMTs, 1 Driver | Replace ambulance on site to for coverage within 1 hour of departure of the first ambulance when transport is required as directed by the CO and COR through the onsite IMT | Yes |

2.4 Custodial Services: The Contractor shall provide house cleaning service and daily waste removal to community housing occupants at lodging locations and dispose of at authorized trash sites per local laws. Waste should be disposed of in accordance with the contract.

| Cleaning | Total Rooms | Timeframe | Remark |
|-----------------------------|-------------------|---|---------|
| Daily | Up to [NUMBER] | 11am – 2pm | Lodging |
| Final Cleaning on [DATE] | Up to [NUMBER] | Start cleaning after evacuees depart. Must be completed no later than 11:59 PM on [DATE]. | Lodging |

2.5 Biomedical Bodily Fluids Cleanup: The contractor shall provide biomedical bodily fluid removal for any evacuee who is sick. This will be added via option Contract Line Item Number (CLIN) and funded for two incidents per site. If more incidents are needed, they will be added via modification.

2.6 Laundry Services: The Contractor shall perform laundry operations for community housing occupants at lodging locations and as detailed within this section. Services shall be provided for up to XX residents at each lodging location. All individuals may not require laundry service every day, but it should be available daily. (Wash and fold). All laundry must be returned by the evening of the day prior to the end of the period of performance.

| Laundry Pickup | Population | Timeframe | Remark |
|----------------|------------|------------|--------------------------|
| Daily | Up to XX | 11am – 2pm | Pickup/Return to Lodging |

2.7 Perimeter Fencing: The Contractor shall provide perimeter fencing or crowd control barriers, around [LOCATION of the ACS] with personnel and vehicle gates to create and maintain zones and separations as defined by the government.

The Contractor shall provide 1,300 linear feet of perimeter fencing with personnel and vehicle gates to create and maintain zones and separations as defined by the government at the facility.

2.8 Biomedical Waste Removal: The Contractor shall provide routine pickup of biomedical waste items (biohazard, medical/surgical, expired and partly used pharmaceuticals) at designated lodging locations and disposal of such items per Federal and state laws. Service shall include all sharps containers and red bags at designated locations.

2.9 Facilities Management: The Contractor shall provide on-call Operations and Maintenance (O&M) Services such as plumbing and handyman repairs to maximize life expectancy of government occupied site or facilities.

2.10 Final/Exit Day Cleaning: Cleaning rooms and common areas will be requirement at end of mission. Routine cleaning is required. If this changes during the task order period of performance, a modification will be issued for this change.

2.11 HVAC: Provide HVAC units, cabling, ducting and power generation/fueling capable of cooling/heating tent structures in accordance with industry standards (4-tons per 400s.f.). This should include support for (1) independent sites (same general location) supporting (4) 19' x 35' and (1) 20' octagon shelters.

2.12 Americans with Disabilities Act (ADA) compliant Latrines, Showers and Ablution units: Provide trailer mounted Latrines and Showers for both male and female guests (note: anticipate 50/50 gender requirement) see chart below for needs by site. Must meet OSHA minimum requirements for capacity. Facilities must provide privacy and come with internal lighting, toilet paper, paper towels, and liquid soap. Provide daily custodial cleaning services two times per day to clean and replace supplies (toilet paper etc.). Contractors must provide their own water supply and waste removal. 2010 ADA Standards for Accessible Design, found at: https://www.ada.gov/2010ADASTandards_index.htm

2.12.1 All units shall be fully serviced once weekly, or as site capacity requires, or as directed by the COR.

2.12.2 All wastewater if generated shall be collected with vacuum trucks, transported offsite, and disposed of through legally permissible methods.

2.12.3 When available, public utilities shall be utilized pending authorization with local authorities vetted (by the local Incident Management Team [IMT]) through the CO and COR.

2.12.4 Ten percent (10%) of restroom facilities must be ADA compliant.

2.12.5 The Contractor shall ensure the toilets are adequately stocked with toilet paper.

2.12.6 The Contractor shall ensure the hand wash stations remain stocked with hot or warm water, hand soap and paper towels and cleanliness maintained at all times.

2.12.7 Disposal trucks shall maintain a service schedule to remove the wastewater and portable toilets from the site and transport offsite to dispose of at a permitted treatment facility. Local utilities shall be used if available.

2.13 Light Tower with Generator: Provide (XX) light towers (XXXX watt min) with generator to include fueling services.

3 GOVERNMENT FURNISHED EQUIPMENT /PROPERTY

No Government furnished equipment/Property will be provided.

APPENDIX I: COVID-19 PUSH PACK RECOMMENDATIONS

| COVID-19 Push Pack Recommendations | | |
|---|---------------------|----------|
| Item Description | Unit of Measure | Quantity |
| ACETAMINOPHEN INJ. 10MG PER ML, 100ml vial | package of 24 | 15 |
| acetaminophen tablets 500mg | bottles of 500 | 4 |
| Albuterol Inhalation Solution 0.083%, 3mL ampoule | packages of 25 | 10 |
| Albuterol Metered Dose Inhaler, HFA | each | 50 |
| Amlodipine Tablets 5mg | bottle of 90 | 1 |
| Amoxicillin capsules 500mg | bottles of 100 | 4 |
| Amoxicillin/Clavulanic Tablets 875mg/125mg | bottles of 20 | 10 |
| Atenolol Tablets 50mg | bottle of 100 | 1 |
| Azithromycin 500mg IV | package of 10 | 4 |
| Azithromycin Suspension 200mg/5mL, 30mL | each | 4 |
| Azithromycin Tablets 250mg, 3 x 6's | 3 pack of 6 tablets | 7 |
| Benzonotate capsules 100mg | bottles of 100 | 2 |
| Bisacodyl Suppositories 10mg | packages of 12 | 4 |
| Bisacodyl Tablets 5mg | bottle of 100 | 1 |
| Carvedilol Tablets 12.5mg | bottle of 100 | 2 |
| Ceftriaxone 1 gm, Inj | package of 25 | 10 |
| Chlorhexidine 0.12%, 15mL UD cups | package of 40 | 10 |
| Clinimix E 4.25/5 inj | 30 bags | 1 |
| Clinimix E 5/20 inj | 30 bags | 1 |
| Clonidine HCl Tablets 0.1mg | bottle of 100 | 1 |
| Clorhexidine 0.12% (oral hygiene) 120ml bottle | each | 50 |
| Dexamethasone Sodium Phosphate Inj. 4mg/mL, 5mL vial | package of 25 | 2 |
| Dexedetomidate 0.5mg/ml 10ml vial | package of 25 | 2 |
| Dextrose 5% & Sodium Chloride 0.45% Inj., 1000mL IV bag | cases of 12 | 40 |
| Diaper Rash Ointment, 30gm | each | 20 |
| Diazepam Inj. 5mg/mL, 2mL Carpuject | package of 10 | 3 |
| Diazepam Tablets 5mg | bottle of 100 | 2 |
| Doxycycline Hyclate Tablets/Capsules 100mg | bottle of 100 | 2 |
| Enoxaparin 30 mg Inj | package of 10 | 14 |
| Enoxaparin 40mg Inj | package of 10 | 20 |
| Famotidine Tablets 20mg | bottle of 100 | 1 |
| Fentanyl Citrate Inj. 50mcg/mL, 2mL vial - 10mL vial | packages of 25 | 20 |
| Furosemide 40mg Inj, 10 ml vials | package of 25 | 2 |
| Furosemide Tablets 40mg | bottle of 100 | 1 |
| Glipizide Tablets 5mg | bottle of 100 | 2 |
| Glucose Tablets | package of 10 | 2 |
| Guaifenesin DM Syrup, 120mL | bottles | 40 |
| Guaifenesin DM Tablets 600mg/30mg | packages of 20 | 20 |
| Haloperidol Lactate Inj. 5mg/mL, 1mL vial | package of 25 | 3 |

| COVID-19 Push Pack Recommendations | | |
|--|-----------------------|----------|
| Item Description | Unit of Measure | Quantity |
| HEPARIN SODIUM, CJECT 5000U/0.5ML | package of 50 | 1 |
| Hydrochlorothiazide Tablets 25mg | bottle of 100 | 1 |
| Hydroxychloroquine 200mg | bottle of 100 | 4 |
| Ibuprofen Tablets 400mg | bottle of 500 | 1 |
| Inhalation Chamber Spacer for MDI | each | 50 |
| Inhalation Chamber with Mask, size Medium | each | 20 |
| Insulin NPH 100 units/mL, 10mL vial | each | 10 |
| Insulin Regular 100 units/mL, 10mL vial | each | 10 |
| Insulin, Glargine 10mL | each | 10 |
| Ipratropium Bromide Inhalation Aerosol HFA, 12.9gm | each | 30 |
| Ipratropium Bromide Inhalation Solution 0.02%, 2.5mL ampoule | package of 25 | 5 |
| Ketamine HCl Inj. 50mg/mL, 10mL vial | package of 10 | 2 |
| Lactated Ringer's Inj. 1000mL IV bag | cases of 12 | 12 |
| Levofloxacin Inj. 750mg/150mL IV bag | each | 20 |
| Levofloxacin Tablets 750mg | bottles of 20 | 4 |
| Lisinopril Tablets 10mg | bottle of 90 or 100 | 2 |
| Lopinavir/ritonavir (Kaletra) oral solution 400-100mg/5ml | bottle of 160ml | 2 |
| Lopinavir/ritonavir (Kaletra) tablet 200/50mg | bottle of 120 tablets | 2 |
| Lorazepam Tablets 1mg | bottle of 100 | 2 |
| Losartan Potassium Tablets 25mg | bottle of 90 or 100 | 2 |
| Metformin HCl Tablets 500mg | bottle of 100 | 2 |
| Methylprednisolone Sodium Succinate Inj. 125mg/2mL vial | package of 25 | 2 |
| Methylprednisolone Tablets 4mg dosepack | dose packs of 21 tabs | 5 |
| Metoprolol Tartrate Tablets 50mg | bottle of 100 | 1 |
| Midazolam Inj. 5mg/mL, 2mL vial - 10mL vials | package of 25 | 4 |
| Morphine Sulfate Inj. 10mg/mL, 1mL vial | package of 25 | 6 |
| Norepinephrine Ing. 1 mg/ml vial | package of 10 | 3 |
| Omeprazole Capsule DR 20mg | bottle of 90 or 100 | 2 |
| Ondansetron Inj. 2mg/mL, 2mL vial | package of 25 | 2 |
| Osmolite Tube Feed | cases of 8 | 12 |
| Pantoprazole Inj. 40mg/mL vial | package of 10 | 10 |
| Piperacillin Sodium/Tazobactam Sodium Inj. 4.5g vial | each | 300 |
| Potassium Chloride ER Tablets 10mEq (750mg) | bottle of 100 | 2 |
| Potassium Chloride Inj. 2mEq/mL, 10mL vial | package of 25 | 2 |
| Propofol Inj. 10mg/mL, 100mL vial | case of 10 | 2 |
| Ribavirin 200mg capsule | bottle of 168 tablets | 2 |
| Sennosides Tablets 8.6mg | bottle of 100 | 2 |
| Sodium Chloride Inj. 0.9%, 1000mL IV bag | cases of 12 | 12 |
| Sodium Phosphate Rectal Enema, USP | each | 15 |
| Spirolactone Tablets 25mg | bottle of 100 | 2 |
| Throat Lozenges | packages of 16 | 20 |

| COVID-19 Push Pack Recommendations | | |
|---|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Vancomycin 1gm vial Inj | package of 25 | 4 |
| Warfarin Sodium Tablets 1mg | bottle of 100 | 2 |
| Water For Inj., Sterile, 20mL vial | package of 25 | 4 |
| Zinc Oxide Ointment, 28gm | each | 20 |

APPENDIX J: STAFFING SOLUTION RESOURCE

Assistant Secretary for Preparedness and Response (ASPR) Technical Resources, Assistance Center, and Information Exchange (TRACIE) Technical Assistance (TA) Response

Request Receipt Date (by ASPR TRACIE): 26 March 2020

Response Date: 31 March 2020

Type of TA Request: Complex

Request

The requestor asked for ideas/recommendations for alternate care site (ACS) staffing solutions for COVID-19 medical surge (i.e., where to recruit/ find additional staff for these sites assuming there is little/ no federal staffing or available Emergency Medical Assistance Compact [EMAC] support). The requestor also asked for examples of states that have implemented ideas/practices for creative medical surge staffing.

Response

The ASPR TRACIE Team reviewed existing resources, including those on our [Coronaviruses, Influenza Epidemic/Pandemic, Training and Workforce Development, Healthcare-related Disaster Legal/Regulatory/Federal Policy](#), and [Volunteer Management](#) Topic Collections, and [Novel Coronavirus Resources page](#). We also sent a request for recommendations from our ASPR Medical Reserve Corps (MRC) colleagues and regional ASPR staff. Additionally, we conducted a search online for relevant materials. Considerations and lessons learned from these materials are gathered and provided as points for consideration in this document.

[This document*](#) from the Federation of State Medical Boards (dated March 31, 2020) provides a snapshot of **states that are currently waiving licensure requirements and renewals in response to COVID-19**. The chart includes a description/note and the link to the citation/executive order/press release.

Please refer to the Centers for Disease Control and Prevention's [Coronavirus Disease 2019 webpage](#) for the most up-to-date clinical guidance on COVID-19 outbreak management.

Considerations and Lessons Learned

- The requestor noted that their organization has thought of the following areas to potentially recruit additional healthcare staff:
 - Medical residents
 - Senior year nursing students
 - Ancillary medical professionals as extenders (e.g., physical and occupational therapists, dentists, veterinarians)
 - Personnel from community healthcare facilities such as federally qualified health centers, ambulatory surgery centers, private clinics
 - Retired, yet still licensed, nurses and physicians
- ASPR MRC provided the following occupations, individuals, and groups to consider for medical surge staffing:
 - Veterinarians and Veterinary Technicians

- Dentists, Orthodontists, Dental Assistants, and Dental Technicians
- Ophthalmologists
- Optometrists
- Dermatologists
- Podiatrists
- Orthopedic doctors/doctors of sports medicine
- Radiologists
- Plastic surgeons
- School nurses
- Paramedics and Emergency Medical Technicians (EMTs)
- Medical students
- Nursing students
- Pharmacy students
- Respiratory therapy students
- Physician Assistant students
- Medical assistants
- Certified Nursing Assistants (CNAs)
- Licensed home health care workers
- Occupational therapists
- Chiropractors
- Holistic clinicians
- Nurse midwives
- Certified athletic trainers (knowledge of anatomy/physiology and first aid)
- Speech therapists
- Substance abuse counselors
- Mental health counselors and behavioral specialists
- Health Occupations Students of America ([HOSA students](#)*) (CNAs and EMTs may be licensed at 16 in some states)
- People who have expired healthcare licenses, but who may still be in good standing
- Retired healthcare professionals (please note: these individuals may be at higher risk due to their age, i.e., 60+)
- Non-profit medical groups (e.g., Heart to Heart International, Doctors without Borders, etc.)
- Medical professionals in private practice
- ASPR MRC provided the following healthcare licensing and regulations considerations:
 - Early graduation and/or accelerated licensing of students in the health professions (e.g., medical, nursing, pharmacy, etc.)
 - Temporary licensing through open call or recall of former military health professionals
 - Use of civilian paramedics, EMTs, and former military medics/hospital corpsmen with intermediate level medical training for non-acute duties so as to allow higher level medical clinicians to focus on acute patients and respiratory therapy
 - Extension of healthcare licenses
 - Reinstatement of licenses for retired healthcare professionals
 - Temporary licensing of healthcare volunteers
 - Licensing of healthcare professionals in academia, business and industry, research, etc.
 - Reciprocity and acceptance of healthcare licenses across state lines

- Expanded use of telehealth/telemedicine
- ASPR MRC provided the attached document that provides examples of how MRC volunteers are being used in the COVID-19 response, number of MRC units that may conduct activities related to the response, and a chart showing the numbers and types of MRC volunteers nationwide.
- Physical therapists are another group of healthcare professionals that could be considered. They are able to mobilize patients, teach and train in breathing strategies, strength train, and can assist with helping a patient transition to home.
- New York City Health + Hospitals, Bellevue, noted that for the current COVID-19 response, they are using healthcare staff as such:
 - Orthopedic Surgeons → Proning Teams
 - Outpatient Nurse Practitioners → Continuous Veno Venous Hemofiltration (CVVH) Support
 - Anesthesia → Procedure Team
 - Ear, Nose, and Throat (ENT) Specialist → Intervention Pulmonary Tracheostomy Team
 - Psychiatric/ Palliative Care → Family Contact Team
 - Medical Students → “Write Up Papers” Team

Other Resources

American Society of Health-System Pharmacists (ASHP). (2020). [Field/Surge Hospital and ICU Bed Expansion Responses to COVID-19*](#).

This document provides consolidated responses from ASHP members between March 25-March 30, 2020 on questions related to preparation for field and surge hospitals. States that responded include: California, Florida, Illinois, Louisiana, Michigan, New Mexico, New York, North Carolina, Ohio, Tennessee, Texas, Virginia, Washington, and Wisconsin. See Question 6: How are you planning for and staging pharmacy workforce for Field/Surge Hospitals?

Simmons-Duffin, S. (2020). [States Get Creative to Find and Deploy More Health Workers in COVID-19 Fight*](#). National Public Radio (NPR).

This article addresses the potential use of internationally trained physicians living in the U.S. and using medical students.

State of California. (2020). [Governor Newsome Announces California Health Corps, A Major Initiative to Expand Health Care Workforce to Fight COVID-19*](#).

California launched an initiative to expand healthcare workforce to address the COVID-19 surge, encouraging healthcare professionals with an active license, public health professionals, medical retirees, medical and nursing students, or members of medical disaster response teams to join the California Health Corps. Outreach will be done to unemployed healthcare workers, and under-employed foreign medical graduates to build the workforce.

Veenema, T., Friese, C. Meyer, D. (2020). [The Increasing Demand for Critical Care Beds- Recommendations for Bridging the RN Staffing Gap*](#). Center for Health Security.

This article provides a list of roles and responsibilities expected of nurses during the COVID-19 pandemic and provides the following as examples for surge staffing strategies:

- Pool existing rosters of registered healthcare workers and solicit availability for emergency reactivation.
- Develop rapid cross-training programs so registered nurses can partner with experienced critical care nurses to learn basic nursing care of ventilated patients.

- Reverse triage (discharge) patients to lower level healthcare facilities (rehabilitation hospitals) or home whenever it is safe to do so to create additional hospital beds and to free up nursing staff.
- Cohort COVID-19 patients and staff. Divide unit staff into cohorts and establish a consistent staffing pattern to facilitate strong teamwork. Rotate cohorts of nurses to care for confirmed COVID-19 patients. Schedule cohorts to work together (e.g., Monday, Thursday, and Sunday) with standardized rest periods. In the event of workplace exposure, consistent teams may limit the spread of infection across more workers.
- Reduce nonessential checking of vital signs; draw labs once a day or reduce blood draws in stable patients. Reconsider traditional patient assignment procedures or assign only key personnel to care for patients (e.g., assign nursing assistants to specific patients who require their care, not entire cohorts). Deploy extended length intravenous tubing and keep infusion pumps outside of isolation rooms. De-prescribe nonessential medications. Schedule medication administration at specified times. Deploy communication strategies (walkie-talkies, intercoms, baby monitors) to reduce traffic into isolation rooms.

APPENDIX K: SAMPLE STATEMENT OF WORK FOR MEDICAL AND SUPPORT PERSONNEL

Task Order XXX; Request for Resources (RFR) XXX; Medical and Support Personnel [Location]; Statement of Work

1.0 Scope

The Contractor shall provide experienced medical and support personnel to provide round the clock medical service at a quarantine site between [Date] and [Date].

2.0 Tasks

2.0 The Contractor shall provide contracted medical staff to support the alternative care site at [NAME of Facility or Address]. There will be three (3) teams covering three (3) eight hour shifts. Nine (9) personnel per shift for a total of twenty seven (27) personnel.

The composition of each of the teams (X 3) will be as follows: 1 Physician (emergency medicine or internal medicine), 1 Mid-Level (Physician Assistant [PA]/Nurse Practitioner [NP]), 2 Nurses, 2 Paramedics, 1 Safety Officer (with infection control training), 2 Logistics

2.1 All contract personnel must be on site no later than [Date] and be ready to begin operations at 08:00 pacific coast time. The contractor should arrange for three shifts of eight (8) hours each and they shall be organized based on contractor preference and arranged in such a manner as to reduce the stress on providers and allow for the safest possible situation for everyone.

2.2 This is a [SITE TYPE] that has a high volume of patients that have tested positive for the COVID19. All personal protective equipment (PPE) should meet Centers for Disease Control and Prevention (CDC) guidance.

2.3 The Contractor shall provide all personnel and equipment.

2.4 Contractor shall provision its own transportation, housing, per diem and wraparound services, per industry standards, for mission requirements and for personnel support.

2.5 The address of the location is: XXX

2.6 Contractor must be able to communicate with the local public health contingent during the operations that will be located at XXX.

2.7 Contractor will report daily operational status to appropriate point of contact (POC) that is inclusive of patient information (count, conditions, etc. [final reporting information will be provided]).

2.8 POC is XXXX

3.0 Period of Performance

3.1 The period of performance is [Date] 00:00 PDT through COB [Date] 00:00 PDT.

APPENDIX L: SAMPLE PPE PROTOCOL MATRIX

The safety of all mission staff is a top priority. To the extent possible, these measures are part of an [overall infection control package](#) designed to keep healthcare workers safe including adherence to respiratory and hand hygiene practices, [training staff on correct use of Personal Protective Equipment \(PPE\)](#), and routine environmental cleaning and disinfection of surfaces and equipment. For more information on COVID-19 for healthcare providers, go to the [Center for Disease Control and Prevention's \(CDC\) COVID-19 Infection Control Guidance for Healthcare](#).

| PPE Protocol | | | | |
|--------------|---|--|--|---|
| Level | Who | Where | PPE Requirement | Extended Use / Reuse |
| 1 | All Staff | While in areas outside patient care zones throughout Alternate Care Site (ACS) | Surgical mask, standard precautions (hand hygiene, cough/sneeze etiquette) and physical distancing | Use until damaged or visibly soiled. |
| 2 | Command Primary Pharmacy Medical Records Preventive Medicine Safety Related technicians Personnel (maintenance) State Fire State Troopers (Code Purple) | Inside the patient care area more than 6 feet from patients, and not interacting with patient zones (including patient restrooms) | N95 or higher Eye protection Gloves Uniform OR Scrubs | Perform hand hygiene frequently. Re-use N95 – follow re-use instructions. Clean and disinfect eye protection at doffing station. |
| 3 | Providers Nurses Preventive Medicine Safety Intake/Triage Dietitians Laboratory Environmental Services Related technicians | Inside the patient care area while performing patient care activities, coming within 6 feet of a patient, handling patient belongings, or interacting with patient zones (e.g., patient bathrooms) | N95 or higher Eye protection Gloves Scrubs + Gown | Change gloves or perform hand hygiene over gloves, between each patient and after departure from patient care. Re-use N95 – follow re-use instructions. Clean and disinfect eye protection at doffing station. |

| PPE Protocol | | | | |
|--------------|---|---|--|---|
| Level | Who | Where | PPE Requirement | Extended Use / Reuse |
| 4 | Intensive Care Unit (ICU) Providers ICU Nurses ICU Pharmacy Code teams Providers Nurses Related technicians | When performing aerosol- generating procedures (AGP) or if respiratory secretions are likely to be poorly controlled (e.g., cardiopulmonary resuscitation [CPR], intubation, extubation, nebulizer therapy, sputum induction) | N95 or higher (e.g., powered, air-purifying respirator [PAPR]) Gloves Scrubs + Gown Face shield (not required with PAPR) | Proceed to doffing station after AGP and doff PPE, following instructions provided. Dispose of all disposable PPE. Dispose of N95 at conclusion of shift. If using PAPR, clean and sanitize according to manufacturer instructions. |
| 5 | Providers Nurses Preventive Medicine Safety Dietitians Laboratory Environmental Services Related technicians | While inside the isolation area, where care is provided to patients with other pathogens requiring transmission precautions. | N95 or higher Eye protection Gloves Scrubs + Gown (Available in isolation PPE area) | Change gloves, doff gown, and perform hand hygiene between each patient. Dispose of gown, gloves and shoe covers upon exiting isolation area. Perform hand hygiene. Dispose of N95 at doffing. Clean and disinfect eye protection at doffing station. |

***The PPE requirements listed above are specific to one alternate care site based on unknown exposure risks in the patient areas and do not address sustained widespread community transmission risk.

APPENDIX M: HASP AND HERA

This 2019 Novel Coronavirus Hazard Evaluation and Risk Assessment (HERA) applies to all personnel deployed under Assistant Secretary for Preparedness and Response's (ASPR) operational control in support of the COVID-19 incident across the United States. This includes federal employees (full-time, part-time, and intermittent), U.S. Public Health Service (USPHS) Commissioned Corps, and contractors deployed by or with ASPR. All responders should review the HERA prior to deployment. The HERA for COVID-19 is found at: <https://files.asprtracie.hhs.gov/documents/2019-novel-coronavirus-hazard-evaluation-and-risk-4-12-2020.pdf>.

The Health and Safety Plan (HASP) outlines the safety and health requirements for the U.S. Department of Health and Human Services (HHS) workers involved in response operations to the COVID-19 Coronavirus. It is also applicable to other signatory agencies and contractors under the control of HHS. Pre- deployment safety and medical information and specific hazards are identified in a Hazard Evaluation and Risk Assessment (HERA), developed for each specific activity.

The HASP provides requirements for worker safety and health protection at mobilization, training, field operation sites, including pre-event staging, and demobilization area. It includes site characterization and decontamination requirements for operations. It meets the requirements of the U.S. Department of Labor, Occupational Safety and Health Administration (OSHA) for appropriately trained and certified personnel. COVID-19 is a novel virus, and as such this HASP adopts the recommendations of the HHS Centers for Disease Control and Prevention (CDC) in all cases. The HASP for COVID-19 is found at: <https://files.asprtracie.hhs.gov/documents/hasp-2020-ncov-v2.0.pdf>.

APPENDIX N: SAMPLE FIRE SAFETY PLAN

FIRE SAFETY INSTRUCTIONS

- Site Safety Office has implemented a 24-hour fire watch at this site
- Medical personnel and or Safety Officer will carry out this responsibility, and radio any issues that are identified
- Security stationed around the sire will radio any observed issues
- If a fire is confirmed via patient, the following procedures will take place:
 - Site Dispatch will call 911 and communicate over the radio that 911 has been called
 - Fire Watch will begin knocking on doors of the impacted building ([number] patient buildings and [number] administration buildings on site)
 - Front Gate Security and the Site Manager will meet the fire department and provide access
 - Below items can occur simultaneously:
 - Site Dispatch [phone number] will help to identify patients in affected building(s)
 - An “all hands on deck” will be called with the building number(s) affected
 - Personnel working inside the XXX will assist patients to the designated primary safe zone (or another location within the XXX as appropriate)
 - All personnel on site (with the exception of perimeter security) will stand by to support surge needs including donning personal protective equipment (PPE), then assist patients from the impacted buildings to:
 - Primary and secondary egress points that have been identified on site map
 - Conduct Personal Accountability Report (PAR) checks with Patient Accountability and personnel

APPENDIX O: SAMPLE PATIENT INTAKE FORM

Date: _____ **Time:** _____

Name: _____ **Date of Birth:** _____ **Room #** _____

Country of Origin: _____ **If US, State of Residence:** _____

Veteran's Status Yes / No

Previous COVID-19 Testing Yes / No **Date of Collection:** _____
Result: _____

Medical History:

Allergies:

Current Meds:

Vital Signs: Temp _____ **B/P** _____ **HR** _____ **Resp** _____ **POx** _____

Abnormal Findings:

APPENDIX P: SAMPLE PATIENT INSTRUCTIONS

<Name of Hotel>

Resident Information

<DATE>

During your stay, providing you with access to accurate and up-to-date information is important to us. We are providing you with the following information to assist you during your stay. We welcome the opportunity to answer any questions that you may have. There may be questions that we cannot answer, but be assured that we will diligently work with our partners to get responses to you as soon as possible. We are here to assist you during your stay. We thank you for your patience.

Important Reminders:

- We request that each of you remain in your room at all times until we finalize a plan that will allow scheduled visits outdoors.
- Should you require assistance, please contact the staff by dialing “0” on the room telephone.
- We must adhere to Center for Disease Control and Prevention (CDC) guidance and <state> laws and regulations that may prevent us from meeting some requests. We apologize for the inconvenience that this may cause for you and your family, and we acknowledge the difficulties you have each been experiencing.
- Twice a day, you will be visited by someone who will obtain your temperature and ask a series of questions about how you are feeling. Please note that it is very important for us to know if you begin to feel ill while you are here. If, at any time, you begin to feel ill, please contact the front desk by dialing “0” on the room telephone.

Medical Emergencies:

If you experience a medical emergency during your stay, call the front desk by dialing “0” from your room telephone. Please provide your name and room number. We have medical personnel on site and able to respond to your needs.

Meals

Meals are provided to you at no charge and will be brought to your room. If you have any special dietary needs or requests, please contact the front desk by dialing “0” on your room telephone, and we will work to accommodate your needs.

- Breakfast will be brought to your room approximately between 7am and 8am.
- Lunch will be brought to your room approximately between 12pm and 1pm.
- Dinner will be brought to your room approximately between 5pm and 6pm.
- If you are hungry at other times, we have a limited selection of snacks and other foods for you. For more information, please call the front desk by dialing “0” from your room telephone.

Food Safety

- Store all leftover food in sealed containers and place immediately into your room refrigerator.
- Reheat all your food within 24-48 hours.

- Only reheat food one time. Reheating food multiple times increases the risk of food poisoning.
- Make sure the food is hot and thoroughly reheated before eating. If you are unsure about the food safety, do not eat it.

Laundry

- We will let you know the days and times for laundry pickup.
- Bedsheets, linens and towels.
 1. Place these items in the bag provided to you
 2. Place the bag outside your door for pickup.
 3. Clean bedsheets, linens and towels will be placed outside your door.
- Clothing
 1. Place all dirty clothes in a bag provided to you. This will be a different bag than the one for the bedsheets, linens and towels.
 2. Place this bag outside your door for pickup.
 3. When these are cleaned, dried and folded, they will be returned by placing them outside your door.

Please note that your clothes will be washed in hot water with a strong detergent to optimize environmental infection control within the site.

Trash Pickup

Please place all trash into a trash bag that will be provided to you and put the trash bag outside your room by 12:30pm. If you need trash picked up at other times, please call the front desk by dialing “0” on your room telephone.

Room Maintenance

Please help us by cleaning your room while you are staying here. We will provide cleaning supplies for you. Vacuum cleaners, in these circumstances, cause more problems than they prevent, so they will not be provided. Please try keep the floor as clean as possible.

Pharmacy

Prescription refills can be obtained by calling one of the pharmacies at:

<Local Pharmacy Contact Information>

If you request a refill from one of the pharmacies, please contact the front desk by dialing “0” from your room telephone so we can pick up your prescription refill.

If you have no refills left on your current prescription, please contact the front desk by dialing “0” from your room telephone, and we will have a medical doctor assist you.

In either event, you will need to arrange to pay for the medications.

Telephone

People can telephone you by calling the main telephone number for the hotel, which is (xxx) xxx-xxxx and asking for you by name or your room number. To protect your privacy, we will not give out your room number to any caller, nor will we tell any caller that you are here. Callers will need to give us your name or room number in order for us to transfer the call to you.

You can make calls to people outside of the hotel by dialing 9 and then the area code and telephone number that you wish to call.

Internet Access

The hotel has w-fi. Connect to <Wi-Fi >. A password is not needed to connect to this Wi-Fi network.

Mail and Shipping

Orders can be placed through businesses and the items shipped to the following address

Your own name and room number

<Hotel Address>

Remember to include your name and room number in the above address so we can bring your package to you.

Please do not order anything that will not arrive before you leave here.

Centers for Disease Control and Prevention (CDC)

For general information related to coronavirus, please refer to the CDC website:

<https://www.cdc.gov/coronavirus/2019-ncov/index.html>

Support

Are you feeling stressed, overwhelmed or depressed? Do you need to talk to someone? We are here to listen, <name> can be reached by dialing the front desk "O".

APPENDIX Q: SAMPLE WELLNESS CHECK FORM

| | Last Name | First Name | AGE | Room # | AM TEMP | PM TEMP | COMMENTS |
|----|------------------|-------------------|------------|---------------|----------------|----------------|-----------------|
| 1 | | | | | | | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |
| 7 | | | | | | | |
| 8 | | | | | | | |
| 9 | | | | | | | |
| 10 | | | | | | | |
| 11 | | | | | | | |
| 12 | | | | | | | |

APPENDIX R: SAMPLE SITE PHOTOS

Figure 1: Site Perimeter Fencing



Figure 2: Dedicated Personal Protective Equipment Donning Area




Figure 3: Sample Plastic Barrier to Isolation Zone Area



Figure 4: Lobby as Administrative Area



Figure 5: Posted Triage Flow Instructions




Figure 6: Mobile Laundry Tent/Trailer Set-Up



Figure 7: Convention Center as an Alternate Care Site



Figure 8: Entry to Patient Area



Figure 9: Sample Patient Area



SUPPLEMENT 1: ADDITIONAL GUIDANCE FOR NON-ACUTE CARE ACS MODEL

Non-Acute Care: General, low-level care for mildly to moderately symptomatic COVID-19 patients. These patients may require oxygen (less than or equal to 2L/min), but do not require extensive nursing care or assistance with activities of daily living (ADLs). This level of care corresponds to Level 5 (ambulatory care) and Level 4 (minor acuity care) patients in medical care terminology.

The following recommendations should be modified depending on local needs and capacity. The recommended model assumes full bed occupancy and should be scaled according to patient needs.

Given the risk for patients with COVID-19 to abruptly decompensate, it is recommended that all Alternate Care Site (ACS) Models include an Emergency Resuscitation Capability. Included at the end of this Supplement is a table including equipment and supplies recommended for this Emergency Resuscitation Capability. It was derived from the U.S. Department of Health and Human Services (HHS) Mobile Lifesaving Kit (MLK).

There are two capacity options for the Non-Acute Care ACS Model:

- 50-bed footprint
- 250-bed footprint

50-Bed Footprint

The below table is a recommended staffing model for a 50-bed footprint for the Non-Acute Care ACS Model.

| Medical Staffing for 50-bed footprint | 24 hour care |
|--|--------------|
| Physician | 2 |
| Advanced Care Providers (Physician Assistants, Nurse Practitioners) | 4 |
| Care Providers (Combination of Nurses, Intermediate Care Technicians, Emergency Medical Technicians, Paramedics) | 20 |
| Total | 26 |

Note on Personal Protective Equipment (PPE)

Based on the current COVID-19 situation and availability of PPE, the Centers for Disease Control and Prevention (CDC) has specific recommendations PPE use. Please refer to current CDC guidance to ensure that all staff (e.g., security, support staff, logistics, medical providers) caring for patients with COVID-19 have appropriate PPE. PPE is a component of an overall

infection prevention and control strategy that includes administrative and environmental controls in addition to hand hygiene, PPE and other measures to ensure safe provision of care and limiting the risk of nosocomial spread of infection. Please refer to CDC current guidance for infection prevention and control strategies.

It is recommended that each site measure the amount of PPE at the beginning and end of each day and monitor the burn rate of PPE on a daily basis. The online [CDC Personal Protective Equipment Burn Rate Calculator](#) is a spreadsheet-based model that provides information for healthcare facilities to plan and optimize the use of PPE for response to coronavirus disease 2019 (COVID-19). This tool can also be used for planning PPE use outside the context of COVID-19, where PPE shortages may also occur due to supply chain issues related to the COVID-19 response (e.g., manufacturing facilities).

Potential reuse of disposable filtering facepiece respirators (FFRs) as a crisis capacity strategy to conserve available supplies for healthcare environments during a pandemic. Strategies for FFR extended use and reuse (without decontamination of the respirator) are currently available from [CDC's National Institute for Occupational Safety and Health \(NIOSH\)](#). Additional information on strategies to optimize PPE supply and equipment can be found at <https://www.cdc.gov/coronavirus/2019-ncov/hcp/ppe-strategy/index.html>.

Note on Oxygen

Unintended consequences of an insufficient supply chain should be taken in consideration. **Backup generators for ventilators and alternate oxygen reserve (e.g., bottled, tanks) are critical for oxygen needs to ensure that oxygen supply and delivery does not get interrupted.**

Potential challenges in getting oxygen to an ACS, include:

- Logistics of getting the product to a facility;
- 24/7 maintenance of the vaporizers;
- Appropriate heating and cooling systems to prevent damage of gas lines;
- Updating pipes in a potential facility to distribute oxygen more broadly to additional rooms; and
- Planning for the volume needed at each ACS.

Note on Pulse Oximeters

Given the increased need for patients and providers to monitor PulseOx, an ACS should have an abundance of pulse oximeters available for distribution.

Non-Acute Care / 50-bed / Medical-Biomed Recommendations

| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| AED, Defibrillator | EA | 1 |
| Aneroid, BP Cuff, Adult | EA | 2 |
| Aneroid, BP Cuff, Adult | EA | 1 |
| Aneroid, BP Cuff, Adult | EA | 1 |
| Aneroid, BP Cuff, Child | EA | 2 |
| Aneroid, BP Cuff, Child | EA | 1 |
| Aneroid, BP Cuff, Child | EA | 1 |
| Aneroid, BP Cuff, Infant | EA | 2 |
| Aneroid, BP Cuff, Infant | EA | 1 |
| Aneroid, BP Cuff, Infant | EA | 1 |
| Aneroid, BP Cuff, Obese | EA | 2 |
| Aneroid, BP Cuff, Obese | EA | 1 |
| Aneroid, BP Cuff, Obese | EA | 1 |
| Anti-Microbial Solution, 4%, 32 oz. | PKG | 1 |
| Arm Bands, Staff ID | EA | 100 |
| Aspirator, Portable w/ Charger | EA | 1 |
| Backboard (Adult) w/ Straps | EA | 1 |
| Backboard (Child) w/ Straps | EA | 1 |
| Bag, Ambu, Adult, Disposable w/ mask | EA1 | 6 |
| Bag, Ambu, Infant, Disposable w/ mask | EA1 | 1 |
| Bag, Ambu, Pediatric, Disposable w/mask | EA1 | 2 |
| Bag, Biohazard Specimen | EA1 | 1000 |
| Bag, Body (Adult) | PKG | 1 |
| Bag, Body (Child) | EA | 10 |
| Bag, Hamper | EA | 12 |
| Bag, Infectious Waste | EA | 300 |
| Bag, Patient Belongings | EA | 50 |
| Bag, Patient Belongings | EA | 50 |
| Bag, Trash, Liner, Clear | EA | 500 |
| Bag, Urinary Meter, 500mL | PKG | 1 |
| Bag, Urinary, Drainage | PKG | 1 |
| Band, ID (Adult) | EA | 250 |
| Band, ID (Child) | PKG | 1 |
| Basin, Emesis | EA | 50 |
| Basin, Emesis | EA | 250 |
| Basin, Wash | EA | 100 |
| Battery Pack, AED Defibrillator | EA | 1 |
| Battery, Alkaline, Size C | EA | 16 |
| Battery, Alkaline, Size D | EA | 40 |

| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Bed, Bariatric (Set) | EA | 1 |
| Bed, Bariatric (Set) | EA | 1 |
| Bed, Bariatric (Set) | EA | 1 |
| Bed, Bariatric (Set) | EA | 1 |
| Bed, Bariatric (Set) | EA | 1 |
| Bed, Hospital, Adjustable | EA | 1 |
| Bed, Hospital, Adjustable | EA | 1 |
| Bed, Westcot (Standard) | EA | 5 |
| Bed, Westcot (Standard) | EA | 5 |
| Bed, Westcot (Standard) | EA | 5 |
| Bed, Westcot (Standard) | EA | 5 |
| Bed, Westcot (Standard) | EA | 5 |
| Bed, Westcot (Standard) | EA | 5 |
| Bed, Westcot (Standard) | EA | 5 |
| Bed, Westcot (Standard) | EA | 5 |
| Bed, Westcot (Standard) | EA | 5 |
| Bed, Westcot (Standard) | EA | 5 |
| Bed, Westcot (Standard) | EA | 5 |
| Bedpan | 050 | 1 |
| Bedpan | 050 | 1 |
| Binder, 3 Ring, 1" | EA | 5 |
| Binder, 3 Ring, 2" | EA | 5 |
| Binder, 3 Ring, 3" | EA | 5 |
| Binder, 3 Ring, 3" | EA | 1 |
| Blanket, Cotton | EA | 25 |
| Blanket, Cotton | EA | 25 |
| Blanket, Cotton | EA | 30 |
| Blanket, Emergency | EA | 25 |
| Blanket, Emergency | EA | 25 |
| Blanket, Emergency | EA | 30 |
| Blanket, Space (Mylar) | EA | 250 |
| Blanket, Wool Blend | EA | 54 |
| Book, Record | EA | 2 |
| Bottle, Nursing, Starter, Kit | EA | 6 |
| Bottle, Spray, Quart, w/Trigger | EA | 6 |
| Box, File Storage w/Lid | EA | 25 |
| Brief, Adult, Bariatric | EA | 128 |
| Briefs, Ultra, Adult, Large | EA | 72 |
| Briefs, Ultra, Adult, Medium | EA | 96 |
| Briefs, Ultra, Adult, Small | EA | 90 |
| Briefs, Ultra, Adult, X-Large | EA | 60 |

| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Broom, Push (Two Piece) | EA | 1 |
| Broselow Bag (Ped Resuscitation Sys.) | EA | 1 |
| Bucket, 3 Gallon, Pour Spout, w/Handle | EA | 3 |
| Bucket, Mop, w/Ringer | EA | 2 |
| Bulb, Light, 120v, RS 60W | PKG | 4 |
| Bulb, Light, Perimeter Flood Lighting | EA | 2 |
| Bungee Cord Assortment | EA | 10 |
| Cable Ties, Black | PKG | 1 |
| Calculator, Metric Conversion | EA1 | 3 |
| Can, Trash, Lid, Red, 32 Gallon | EA | 3 |
| Can, Trash, Red, 32 Gallon | EA | 3 |
| Cane, Quad (700 lbs) | EA | 5 |
| Canister, Suction Tubing | EA | 50 |
| Canister, Suction, 800cc | 012 | 2 |
| Cannula Tubing (Adult) | EA | 500 |
| Cannula Tubing (Child) | EA | 50 |
| Case, Contact Lens | EA | 6 |
| Catheter, Foley Tray, 6 FR (Child) | EA | 10 |
| Catheter IV, 18G X 1 1/4", Green Safety Tip | PKG | 0 |
| Catheter IV, 20G X 1 1/4", Pink Safety Tip | PKG | 4 |
| Catheter IV, 22G X 1 " | PKG | 2 |
| Catheter IV, 24G X 3/4" | PKG | 2 |
| Catheter Kit, Foley Tray, 16fr, Closed System | EA | 100 |
| Catheter Kit, Foley Tray, 18fr, Closed System | EA | 10 |
| Catheter Plug & Drain Tube Protector | EA1 | 100 |
| Catheter, Self, 18FR (Robnell) | EA | 10 |
| Catheter, Urinary, External Large | PKG | 2 |
| Catheter, Urinary, External Medium | PKG | 2 |
| Catheter, Urinary, External Small | PKG | 2 |
| Caviwipes | EA | 2 |
| Chart Holder, Patient, Plastic | EA | 25 |
| Chart Holder, Patient, Plastic | EA | 25 |
| Chart Holder, Patient, Plastic | EA | 15 |
| Chart, Pain, Childrens | EA | 1 |
| Chest, Ice 48 QT | EA | 2 |
| Cleaner, Floor, Powdered | EA | 1 |
| Clipboard, 9" x 12.5" | EA | 5 |
| Clipboard, 9" x 12.5" | EA | 5 |
| Clips, Binder, Medium | PKG | 5 |
| Clips, Binder, Medium | PKG | 1 |

| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Clips, Paper, Jumbo | PKG | 3 |
| Clips, Paper, Jumbo | PKG | 1 |
| Comb, Two-Sided | EA | 60 |
| Commode, Bedside | EA | 1 |
| Commode, Bedside (1000 lbs) | EA | 5 |
| Compressor, Pulmo-Aide, Aerosol | EA | 2 |
| Container, Action Packer | EA | 1 |
| Container, Specimen | PKG | 1 |
| Cot, Toddler | EA | 5 |
| Cover, Shoe, Non Skid | EA | 400 |
| CPAP Machine | EA | 5 |
| CPAP Machine | EA | 1 |
| Crib, Portable | EA | 5 |
| Cup, Denture w/ Lid | EA | 5 |
| Cup, Denture w/ Lid | EA | 50 |
| Cup, Hot / Cold, 12 oz. | EA | 1000 |
| Cup, Medicine | PKG | 2 |
| Cup, Toddler | EA | 12 |
| Cutlery Combo Pack | PKG | 2 |
| Cylinder, Oxygen (D) | EA | 5 |
| Cylinder, Oxygen (E) | EA | 7 |
| Cystoscopy Irrigation Set | PKG | 1 |
| Diapers, Baby (Medium Size 3) 12-24 Lbs. | EA | 48 |
| Diapers, Baby, (Large - Size 4) | EA | 40 |
| Diapers, Baby, (Small - Size 2) | EA | 84 |
| Diapers, Baby, (XXLarge - Size 6) | EA | 15 |
| Disinfectant, Cleaning (Microcide) | PKG | 1 |
| Divider, Binder, Alphabet | EA | 5 |
| Divider, Binder, Alphabet | EA | 1 |
| Dolly, Handtruck | EA | 1 |
| Dolly, Trash Can | EA | 3 |
| Door Stop, Rubber | EA | 3 |
| Drape, Disposable (Sterile) | PKG | 1 |
| Dressing, DuoDERM | PKG | 6 |
| Ear Plugs (PR) | EA | 300 |
| Easel, Flip Board | EA | 2 |
| EDS 120V Extension Cable with Twist Lock Black Connectors, 50ft | EA | 10 |
| EDS 120V Wall Outlet Adapter Cable, 1.5ft w/Black Plugs | EA | 4 |
| EDS Outlet Tester (Red) | EA | 1 |
| Electrodes, Defibrillation, Infant/Child | EA | 1 |

| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Electrodes, Defibrillation, Adult | EA | 2 |
| Envelope, Manila, 9" x 12" | PKG | 2 |
| Feminine Hygiene Kit | KT | 1 |
| Fire Extinguishers | EA | 2 |
| Flashlight | EA | 12 |
| Flashlight | EA | 1 |
| Folder, Manila | PKG | 1 |
| Glasses, Safety (Large) | EA | 20 |
| Glasses, Safety (Small) | PKG | 1 |
| Gloves, Exam, Nitrile, Powder Free, Large | EA | 400 |
| Gloves, Exam, Nitrile, Powder Free, Large | EA | 100 |
| Gloves, Exam, Nitrile, Powder Free, Large | EA | 200 |
| Gloves, Exam, Nitrile, Powder Free, Medium | EA | 400 |
| Gloves, Exam, Nitrile, Powder Free, Medium | EA | 100 |
| Gloves, Exam, Nitrile, Powder Free, Medium | EA | 200 |
| Gloves, Exam, Nitrile, Powder Free, Small | EA | 400 |
| Gloves, Exam, Nitrile, Powder Free, Small | EA | 100 |
| Gloves, Exam, Nitrile, Powder Free, Small | EA | 200 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 6.5 (PAIR) | EA | 25 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.0 (PAIR) | EA | 25 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.5 (PAIR) | EA | 100 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.5 (PAIR) | EA | 25 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 8.0 (PAIR) | EA | 25 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 8.5 (PAIR) | EA | 25 |
| Glucometer, Lancets | PKG | 8 |
| Glucometer, One Touch Ultra II, Test Strips | PKG | 2 |
| Glucometer, One Touch, Ultra II | EA | 2 |
| Gown, Patient, Child (Large) | EA | 24 |
| Gown, Patient, Child (Medium) | EA | 24 |
| Gown, Patient, Child (Small) | EA | 24 |
| Gown, Patient, Obesity | PKG | 5 |
| Gown, Provider, Impervious | EA | 100 |
| Hamper, Stand, Single | EA | 2 |
| Hand Sanitizer, Foam | EA | 120 |
| Head Set, Magnifying Glass and Light | EA | 1 |
| Headlamp, LED | EA | 2 |
| Headlamp, LED | EA | 1 |
| Hi-Lighter Pack | PKG | 1 |
| Humidifier | EA | 2 |
| Irrigating Kit, Type 1, w/Syringe | PKG | 2 |

| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| IV Administration Set | EA | 50 |
| IV Set (Child) | EA | 50 |
| IV Starter Kit (Adult) | PKG | 2 |
| Jug, Collapsible, 5 Gal. | EA | 2 |
| Kit Wound Dressing | EA | 12 |
| Labels, 1" x 3" | EA | 2000 |
| Labels, 1" x 3" | PKG | 4 |
| Lid, Cup, Hot / Cold, 12 oz. | PKG | 1 |
| Light, Goose Neck | EA | 12 |
| Lighting, Perimeter Flood | EA | 4 |
| Litter Stands, Support, Pair | EA | 1 |
| Litter, De-Con Mesh Type | EA | 1 |
| Lubricant, Surgical | PKG | 12 |
| Marker, Expo, 6/set w/ eraser | EA | 2 |
| Marker, Expo, 6/set w/ eraser | EA | 1 |
| Marker, Fine Point (sharpie) | EA | 24 |
| Mask, Cone (3M) | EA | 120 |
| Mask, CPAP (Large) | EA | 5 |
| Mask, CPAP (Large) | EA | 1 |
| Mask, CPAP (Medium) | EA | 5 |
| Mask, CPAP (Medium) | EA | 1 |
| Mask, CPAP (Small) | EA | 5 |
| Mask, CPAP (Small) | EA | 1 |
| Mask, Duck (Regular) | EA | 35 |
| Mask, Duck (Small) | EA | 35 |
| Mask, Non-Rebreather (Adult) | PKG | 1 |
| Mask, Non-Rebreather (Child) | EA | 50 |
| Mask, Surgical | EA | 150 |
| Mask, Surgical | EA | 50 |
| Mask, Surgical | EA | 50 |
| Mask, Surgical | EA | 50 |
| Mask, Surgical | EA | 100 |
| Mat, Child | EA | 5 |
| Meter, Peak Flow | EA | 10 |
| Meter, Peak Flow, Mouthpiece (Adult) | EA | 100 |
| Meter, Peak Flow, Mouthpiece (Peds) | EA | 100 |
| Mop, Wet, Handle | EA | 2 |
| Mop, Wet, Head | EA | 6 |
| Name Badge/Holder | PKG | 1 |
| Needle, Hypodermic, 20G x 1 1/2" | EA | 1000 |

| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Notepads, White | PKG | 2 |
| Notepads, White | PKG | 1 |
| OB KIT | EA | 2 |
| Ostomy, Closed - End Pouch | PKG | 1 |
| Ostomy, Drainable Pouch | PKG | 1 |
| Ostomy, Wafer | PKG | 1 |
| Oxygen Concentrator | EA | 5 |
| Oxygen Cylinder Cart | EA | 12 |
| Oxygen Nebulizer, Handheld | PKG | 1 |
| Oxygen, Cylinder, Wrench | EA | 12 |
| Oxygen, Hose | EA | 6 |
| Oxygen, Manifold (Minilator) | EA | 6 |
| Oxygen, Regulator, D | EA | 15 |
| Oxygen, Tubing, 100' | EA | 6 |
| Oxymeter, Pulse | EA | 12 |
| Oxymeter, Pulse, Carrying Case | EA | 12 |
| Pacifiers, Orthodontic, Silicone (Large) | EA | 18 |
| Pack, Cold (Instant) | EA | 1 |
| Pack, Warm Solar-First Aid Size | PKG | 1 |
| Pad, ABD | EA | 1 |
| Pad, Chux, Absorbent | EA | 50 |
| Pad, Chux, Absorbent | EA | 50 |
| Pad, Convoluted (Egg crate) | EA | 8 |
| Pad, Easel | PKG | 2 |
| Pads, Gauze (Sterile) | EA | 3000 |
| Pads, Mattress, Crib | EA | 80 |
| Pallet, Hand Jack | EA | 1 |
| Paper, Copy 8.5 x 11 (1 ream) | PKG | 5 |
| Paper, Copy 8.5 x 11 (1 ream) | PKG | 1 |
| Paste, Stomahesive 2oz | EA | 2 |
| Patient lift, 1000 lb, Hydraulic | EA | 1 |
| Pens, Standard, Black / Blue | BX | 5 |
| Pens, Standard, Black / Blue | BX | 1 |
| Pillow | EA | 50 |
| Pillow | EA | 50 |
| Pillow | EA | 51 |
| Pillow Case, Disposable | EA | 50 |
| Pillow Case, Disposable | EA | 200 |
| Pillow Case, Disposable | EA | 50 |
| Pillow Case, Disposable | EA | 100 |

| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Plugs, Child Protective | EA | 30 |
| Power Cord, Electric, 100' | EA | 6 |
| Power Cord, Electric, 50' | EA | 7 |
| Power, Outlet Box, 6-Outlet Surge Type w/Cord | EA | 12 |
| Prep Pad, Alcohol | PKG | 1 |
| Privacy Screen, 3 Fold Panel | EA1 | 15 |
| Protective Underwear Pullups, Large | EA | 72 |
| Protective Underwear Pullups, Medium | EA | 80 |
| Protective Underwear Pullups, Small | EA | 88 |
| Protective Underwear Pullups, XLarge | EA | 56 |
| Protectors, Paper Sheet, Non-Glare | 050 | 3 |
| Protectors, Paper Sheet, Non-Glare | 050 | 2 |
| Razor, Disposable | EA | 100 |
| Rope Nylon | EA | 1 |
| Safety Pin, Large | PKG | 1 |
| Safety Pin, Large | PKG | 1 |
| Safety Pin, Medium | PKG | 1 |
| Scissor, Lister | EA | 1 |
| Scissor, Lister | EA | 3 |
| Scissors | EA | 2 |
| Set, Gravity Feeding | PKG | 1 |
| Shampoo, Personal | EA | 50 |
| Sharps Container, Large | EA | 3 |
| Sharps Container, Large | EA | 1 |
| Sharps Container, Small | EA | 10 |
| Sharps Container, Small | EA | 1 |
| Shaving Cream | EA | 150 |
| Sheet, Bed, White, Disposable | EA | 50 |
| Sheet, Bed, White, Disposable | EA | 200 |
| Sheet, Bed, White, Disposable | EA | 50 |
| Sheet, Bed, White, Disposable | EA | 100 |
| Shield, Face | EA | 96 |
| Shower Seat w/Back | EA | 1 |
| Shower Seat w/Back (700 lbs) | EA | 5 |
| Sign Language Board | EA | 1 |
| Slide Board, PT Transfer | EA | 1 |
| Soap, Bar | EA | 50 |
| Soap, Lotion | PKG | 3 |
| Stand, IV | EA | 10 |
| Staple Remover | EA | 3 |

| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Staple Remover | EA | 1 |
| Stapler | EA | 3 |
| Stapler | EA | 1 |
| Staples | CS | 3 |
| Staples | CS | 1 |
| Station, Hand Wash, Wheelchair Accessible | EA | 1 |
| Step Stool | EA | 1 |
| Stethoscope | EA | 1 |
| Stethoscope | EA | 3 |
| Stickers, Kids | EA | 1 |
| Stockinette 4" Roll | EA | 2 |
| Straw, Drinking | EA | 1000 |
| Stretcher, Bariatric (guerney) | EA | 1 |
| Stretcher, IV Rod | EA | 1 |
| Suction Catheter 14 FR | EA | 1 |
| Suture Kit, Laceration Tray | EA | 16 |
| Syringe, Luer-Lock, 5cc | EA | 600 |
| Syringe, Luer-Lock, Disposable 10cc | EA | 400 |
| Syringe, Piston 60cc | BX | 1 |
| Table, Folding | EA | 9 |
| Tag, Triage | PKG | 1 |
| Tape Dispenser w/ 6 rolls of tape | EA | 3 |
| Tape Dispenser w/ 6 rolls of tape | EA | 1 |
| Tape, Coban, 1" | EA | 30 |
| Tape, Coban, 4" | EA | 18 |
| Tape, Duct | EA | 5 |
| Tape, Electrical | EA | 2 |
| Tape, Masking | EA | 12 |
| Tape, Medipore 2" | EA | 12 |
| Tape, Surgical, Durapore 1" | EA | 24 |
| Tarp, Blue | EA | 4 |
| Thermometer, Bat Powered w/Probe (Welch Allyn) | EA | 3 |
| Thermometer, Probe Cover (Welch Allyn) | EA | 1000 |
| Thermometer, Probe Cover (Welch Allyn) | EA | 100 |
| Tissue, Facial | EA | 72 |
| Tissue, Facial | EA | 50 |
| Toilet Brush & Cup Combo | EA | 3 |
| Toilet Paper | EA | 80 |
| Toilet Paper | EA | 50 |
| Tongue Depressor | PKG | 1 |

| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Tongue Depressor | PKG | 2 |
| Tool Kit | EA | 1 |
| Toothbrush, Adult | EA | 36 |
| Toothbrush, Adult | EA | 50 |
| Toothbrush, Child | EA | 10 |
| Tourniquets | EA | 1 |
| Tourniquets | EA | 1 |
| Towel, Bath, Cotton | EA | 50 |
| Towel, Bath, Cotton | EA | 60 |
| Towel, Bath, Cotton | EA | 50 |
| Towel, Bath, Cotton | EA | 72 |
| Towel, Folded, Paper | EA | 50 |
| Towel, Folded, Paper | EA | 24 |
| Towel, Folded, Paper | EA | 1 |
| Towel, Paper Roll | CS | 1 |
| Transfer Bench w/ Back, 700lb | EA | 5 |
| Trauma Pack, Back Pack, Empty | EA | 1 |
| Trauma Pack, Back Pack, Full | EA | 1 |
| Trauma Pack, Bag, Empty | EA | 1 |
| Trauma Pack, Bag, Full | EA | 1 |
| Tray, Tracheostomy Care Kit | PKG | 1 |
| Tube, Nasal Gastric (14FR) | EA | 1 |
| Tube, Nasal Gastric (16FR) | EA | 1 |
| Tube, Yankauer | PKG | 1 |
| Tubing, CPAP | EA | 5 |
| Tubing, CPAP | EA | 1 |
| Urinal, Male, Disposable | EA | 50 |
| Walker, 300lbs | EA | 1 |
| Walker, 700lb | EA | 5 |
| Wash Cloth, Cotton, White | EA | 50 |
| Wash Cloth, Cotton, White | EA | 50 |
| Wash Cloth, Cotton, White | EA | 75 |
| Wash Cloth, Disposable, Face | EA | 2500 |
| Wash Cloth, Disposable, Face | EA | 500 |
| Water, Sterile | EA | 20 |
| Wedge, Foam | EA | 2 |
| Wheel Kit, Walker, 700lb | EA1 | 10 |
| Wheelchair, 22" | EA | 1 |
| Wheelchair, 24" | EA | 1 |
| Wheelchair, 26" | EA | 2 |

| Non-Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|-----------------|----------|
| Description | Unit of Measure | Quantity |
| Wheelchair, 26" | EA | 1 |
| Wheelchair, 26" | EA | 2 |
| Wheelchair, 18" | EA | 1 |
| Wipes, Baby | EA | 12 |

Non-Acute Care / 50-bed / Pharmacy Recommendations

| Non-Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Acetaminophen Infant Drops 100mg/1mL, 15mL | Each | 1 |
| Acetaminophen Oral Susp. 160mg/5mL, 120mL | Each | 1 |
| Acetaminophen Suppositories 120mg | Each | 2 |
| Acetaminophen Suppositories 325mg | Each | 2 |
| Acetaminophen Tablets 325mg | Each | 80 |
| Acetaminophen w/Codeine Tablets 300mg/30mg UD | Each | 20 |
| Acetazolamide Tablets 250mg | Each | 20 |
| Acyclovir Capsules 200mg | Each | 40 |
| Adenosine Inj. 3mg/mL, 2mL vial | Each | 3 |
| Afterbite Bee Sting | Each | 1 |
| Albendazole Tablets 200mg | Each | 6 |
| Albuterol Inhalation Solution 0.083%, 3mL ampoule | Each | 20 |
| Albuterol Metered Dose Inhaler, HFA | Each | 5 |
| Albuterol Sulfate Syrup 2mg/5mL, 480mL | Each | 1 |
| Alcohol Prep Pad | Each | 40 |
| Allopurinol Tablets 100mg | Each | 20 |
| Alteplase 50mg Vial (29 mil units) | Each | 1 |
| Amiodarone HCl Inj., 150mg/3mL vial | Each | 5 |
| Amiodarone HCl Tablets 200mg | Each | 20 |
| Amlodipine Tablets 5mg | Each | 40 |
| Amoxicillin Capsules 250mg | Each | 100 |
| Amoxicillin Oral Susp. 250mg/5mL, 150mL | Each | 1 |
| Amoxicillin/Clavulanic Oral Susp. 200mg/28.5mg/5mL, 100mL | Each | 2 |
| Amoxicillin/Clavulanic Tablets 875mg/125mg | Each | 20 |
| Amphetamine Mixed Salts Capsules XR 5mg | Each | 20 |
| Ampicillin Sodium Inj. 1gm vial | Each | 2 |
| Antacid Liquid Regular Strength 12oz. | Each | 1 |
| Antipyrine/Benzocaine Otic Solution | Each | 1 |
| Artificial Tears Ophthalmic Solution, 15mL | Each | 1 |
| Aspirin Chewable Tablets 81mg | Each | 90 |
| Aspirin Tablets 325mg | Each | 100 |
| Atenolol Tablets 50mg | Each | 20 |

| Non-Acute Care / 50-bed / Pharmacy Recommendations | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Atropine Sulfate Inj. 0.1mg/mL, 10mL syringe | Each | 2 |
| Azithromycin Suspension 200mg/5mL, 30mL | Each | 2 |
| Azithromycin Tablets 250mg, 3 x 6's | Each | 2 |
| Bacitracin Ointment 0.9gm, UD | Each | 30 |
| Baclofen Tablets 10mg | Each | 20 |
| Beclomethasone Dipropionate Inhaler 40mcg, 8.7gm | Each | 5 |
| Benzoin Compound Tincture, 120mL | Each | 1 |
| Benzotropine Mesylate 1mg/mL, 2mL ampoule | Each | 2 |
| Benzotropine Mesylate Tablets 1mg | Each | 20 |
| Bisacodyl Suppositories 10mg | Each | 24 |
| Bisacodyl Tablets 5mg | Each | 20 |
| Bismuth Subsalicylate Tablets 262mg UD | Each | 20 |
| Bottle, Plastic, Amber, Liquid, 120mL | Each | 20 |
| Brimonidine Tarate Ophth. Sol. 0.2%, 5mL | Each | 1 |
| Brinzolamide Ophthalmic Suspension 1%, 10mL | Each | 1 |
| Brush, Cylinder Cleaning, Medium | Each | 1 |
| Bupivacaine HCl Inj. 0.5%, 30mL vial | Each | 5 |
| Bupropion HCl XR Tablets 150mg | Each | 20 |
| Calamine Lotion, Phenolated, 6 oz. | Each | 1 |
| Calcium Carbonate Chewable Tablets 500mg | Each | 60 |
| Calcium Chloride Inj. 10% (100mg/mL), 10mL syringe | Each | 2 |
| Carbamazepine Chew Tablets 100mg | Each | 20 |
| Carbamazepine Tablets 200mg | Each | 40 |
| Carbidopa/Levodopa Tablets 25mg/250mg | Each | 20 |
| Carpule Holder | Each | 1 |
| Carvedilol Tablets 12.5mg | Each | 20 |
| Cefazolin Sodium Inj. 1gm vial | Each | 5 |
| Ceftriaxone Sodium Inj. 1gm vial | Each | 4 |
| Cephalexin Capsules 500mg | Each | 80 |
| Cephalexin Oral Susp. 250mg/5mL, 200mL | Each | 1 |
| Cetirizine HCl Syrup 1mg/1mL, 120mL | Each | 1 |
| Charcoal, Activated with Sorbitol, 240mL | Each | 1 |
| Ciprofloxacin HCl Ophth. Sol. 0.3% (3.5mg/mL), 5mL | Each | 1 |
| Ciprofloxacin Tablets 500mg | Each | 80 |
| Citalopram Tablets 10mg | Each | 20 |
| Clindamycin HCl Capsules 150mg | Each | 40 |
| Clindamycin Phosphate Inj. 150mg/mL, 4mL vial | Each | 5 |
| Clonazepam Tablets 0.5mg UD | Each | 20 |
| Clonidine HCl Tablets 0.1mg | Each | 40 |
| Clopidogrel Bisulfate Tablets 75mg | Each | 40 |

| Non-Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Condom, Lubricated | Each | 5 |
| Conjugated Estrogens Tablets 0.625mg | Each | 20 |
| Counting Tray & Spatula | Each | 2 |
| Cyanocobalamin Injection 1000mcg/mL, 1mL vial | Each | 5 |
| Cyclobenzaprine HCl Tablets 10mg | Each | 40 |
| Cyclopentolate HCl Ophthalmic Solution 1%, 15 mL | Each | 1 |
| Dexamethasone Sodium Phosphate Inj. 4mg/mL, 5mL vial | Each | 5 |
| Dextrose 5% & Sodium Chloride 0.45% Inj., 1000mL IV bag | Each | 5 |
| Dextrose 5% & Sodium Chloride 0.9% Inj., 1000mL IV bag | Each | 5 |
| Dextrose Inj. 5%, 50mL IV bag | Each | 20 |
| Dextrose Inj. 50%, 50mL syringe | Each | 4 |
| Prescription Blanks, 100/pad | Each | 200 |
| Diaper Rash Ointment, 30gm | Each | 1 |
| Diazepam Inj. 5mg/mL, 2mL Carpuject | Each | 2 |
| Diazepam Tablets 5mg UD | Each | 20 |
| Dibucaine Ointment 1%, 30gm | Each | 1 |
| Diclofenac Sodium Ophthalmic Solution 0.1%, 5mL | Each | 1 |
| Digoxin Inj. 0.25mg/mL, 2mL ampoule | Each | 2 |
| Digoxin Tablets 0.125mg | Each | 20 |
| Diltiazem HCl Inj. 5mg/mL, 5mL vial | Each | 2 |
| Diltiazem HCl IR Tablets 60mg | Each | 20 |
| Diltiazem HCl XR Capsules 120mg | Each | 20 |
| Diphenhydramine Caplets 25mg | Each | 60 |
| Diphenhydramine Elixir 12.5mg/5mL, 120mL | Each | 1 |
| Diphenhydramine HCl Inj. 50mg/mL, 1mL vial | Each | 5 |
| Divalproex Sodium DR Tablets 250mg | Each | 20 |
| Dobutamine HCl Inj. 12.5mg/mL, 20mL vial | Each | 2 |
| Dopamine HCl Inj. 40mg/mL, 10mL vial | Each | 5 |
| Doxycycline Hyclate Tablets/Capsules 100mg | Each | 20 |
| Enalapril Inj. 1.25mg/mL, 2mL vial | Each | 2 |
| Enoxaparin Inj. 40mg/0.4mL syringe | Each | 2 |
| Epinephrine Auto Injector 0.3mg | Each | 2 |
| Epinephrine Auto Injector, Jr, 0.15mg | Each | 2 |
| Epinephrine Inj. 1:1,000 (1mg/mL), 30mL vial | Each | 1 |
| Epinephrine Inj. 1:10,000 (0.1mg/mL), 10mL syringe | Each | 4 |
| Erythromycin DR Tablets, Enteric Coated, 250mg | Each | 20 |
| Erythromycin Ophth. Oint. 0.5% (5mg/gm), 3.5gm Tube | Each | 3 |
| Ethambutol HCl Tablets 400mg | Each | 20 |
| Etomidate HCl Inj. 2mg/mL, 20mL vial | Each | 4 |
| Eugenol 1/8 oz | Each | 1 |

| Non-Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Famotidine Tablets 20mg | Each | 40 |
| Fentanyl Citrate Inj. 50mcg/mL, 2mL vial | Each | 1 |
| Ferrous Gluconate Tablets 324mg | Each | 20 |
| Fluconazole Tablets 200mg | Each | 20 |
| Flumazenil Inj. 0.1mL/mL, 10mL vial | Each | 1 |
| Flunisolide Nasal Spray 29mcg/spray, 25mL | Each | 1 |
| Fluocinolone Acetonide Cream 0.025%, 15gm | Each | 1 |
| Fluorescein Sodium Ophthalmic Strips, Sterile | Each | 20 |
| Fluoxetine Capsules 20mg | Each | 40 |
| Fluticasone Propionate HFA MDI 220mcg/Puff | Each | 1 |
| Fluticasone Propionate HFA MDI 44mcg/Puff | Each | 1 |
| Folic Acid Tablets 1mg | Each | 20 |
| Formula, Infant, 60/40 Powder, 400gm | Each | 1 |
| Formula, Infant, Soy and Iron Powder, 366gm | Each | 1 |
| Fosphenytoin Sodium Inj., 50mg/mL, 2mL vial | Each | 5 |
| Furosemide Inj. 10mg/mL, 10mL vial | Each | 5 |
| Furosemide Tablets 40mg | Each | 20 |
| Gabapentin Capsules 100mg | Each | 20 |
| Gabapentin Capsules 300mg | Each | 40 |
| Gentamicin Ophthalmic Solution 3% (3mg/mL), 5mL | Each | 1 |
| Glipizide Tablets 5mg | Each | 40 |
| Glucagon for Inj. 1mg w/1mL water | Each | 1 |
| Glucose Tablets | Each | 10 |
| Glyburide Tablets 5mg | Each | 20 |
| Graduated Cylinder, 125mL | Each | 1 |
| Graduated Cylinder, 30mL | Each | 1 |
| Guaifenesin AC Syrup 100mg-10mg/5mL 120mL | Each | 1 |
| Guaifenesin DM Syrup, 120mL | Each | 2 |
| Guaifenesin Syrup, 120mL | Each | 2 |
| Haloperidol Lactate Inj. 5mg/mL, 1mL vial | Each | 5 |
| Haloperidol Tablets 1mg | Each | 20 |
| Heparin Lock Flush Kit, 100 units/mL, 1mL vial | Each | 5 |
| Heparin Sodium Inj. 1000 units/mL, 10mL vial | Each | 5 |
| Hydrochlorothiazide Tablets 25mg | Each | 40 |
| Hydrocodone Bitartrate/APAP Tablets 5mg/300mg | Each | 60 |
| Hydrocortisone Acetate Suppository, 25mg | Each | 5 |
| Hydrocortisone Cream 1%, 30gm | Each | 2 |
| Hydrocortisone Sod. Succ. Inj. 100mg/2mL vial | Each | 1 |
| Hydromorphone Inj. 1mg/mL Carpuject | Each | 6 |
| Ibuprofen Oral Drops 15mL | Each | 1 |

| Non-Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Ibuprofen Oral Susp. 100mg/5mL, 120mL | Each | 1 |
| Ibuprofen Tablets 400mg | Each | 120 |
| Ibuprofen Tablets 600mg | Each | 80 |
| Inhalation Chamber Spacer for MDI | Each | 2 |
| Inhalation Chamber with Mask, size Medium | Each | 1 |
| Insulin Human and Insulin Isophane Susp. 70/30, 10mL vial | Each | 1 |
| Insulin NPH 100 units/mL, 10mL vial | Each | 2 |
| Insulin Regular 100 units/mL, 10mL vial | Each | 2 |
| Insulin, Glargine 10mL | Each | 2 |
| Ipratropium Bromide Inhalation Aerosol HFA, 12.9gm | Each | 2 |
| Ipratropium Bromide Inhalation Solution 0.2%, 2.5mL ampoule | Each | 10 |
| Isoniazid Tablets 300mg | Each | 20 |
| Isopropyl Alcohol 70%, 16oz. | Each | 1 |
| Isosorbide Dinitrate Tablets 10mg | Each | 20 |
| Ketamine HCl Inj. 50mg/mL, 10mL vial | Each | 1 |
| Ketoralac Inj. 30mg/mL, 2mL vial | Each | 5 |
| Label Printer, Thermal, Desktop (Dymo LabelWriter 450 Turbo), Labels 300/roll | Each | 100 |
| Label, Chew Tablets, 1000/box | Each | 1 |
| Label, Discoloration of Urine and Feces, 1000/box | Each | 1 |
| Label, Drowsiness/No Alcohol, 1000/box | Each | 1 |
| Label, External Use Only, 1000/box | Each | 1 |
| Label, For the Ear, 1000/box | Each | 1 |
| Label, For the Eye, 1000/box | Each | 1 |
| Label, For the Nose, 1000/box | Each | 1 |
| Label, May Cause Drowsiness, 1000/box | Each | 1 |
| Label, No Milk, Dairy, 1000/box | Each | 1 |
| Label, Prescription, DHHS | Each | 1 |
| Label, Rectal Use, 1000/box | Each | 1 |
| Label, Shake Well, 1000/box | Each | 1 |
| Label, Take with Food/Milk, 1000/box | Each | 1 |
| Label, Take With Water Only, 1000/box | Each | 1 |
| Label, Vaginal Use Only, 1000/box | Each | 1 |
| Labels, Prescription, DHHS | Each | 1 |
| Lactated Ringer's Inj. 1000mL IV bag | Each | 5 |
| Lamotrigine Tablets 100mg | Each | 20 |
| Latanoprost Ophthalmic Solution 0.005%, 2.5mL | Each | 1 |
| Levofloxacin Tablets 500mg | Each | 40 |
| Levonorgestrel/Ethinyl Estradiol Tablets 0.15mg/0.03mg | Each | 40 |
| Levothyroxine Sodium Tablets 0.05 mg (50mcg) | Each | 20 |
| Levothyroxine Sodium Tablets 0.1 mg (100mcg) | Each | 20 |

| Non-Acute Care / 50-bed / Pharmacy Recommendations | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Lidocaine HCl 1% w/Epinephrine Inj., 10mL vial | Each | 5 |
| Lidocaine HCl Inj. 1%, 20mL vial | Each | 5 |
| Lidocaine HCl Inj. 1%, 5mL syringe | Each | 2 |
| Lidocaine Topical Solution 4%, 50mL | Each | 1 |
| Lidocaine Viscous 2%, 100mL | Each | 2 |
| Lidocaine/Prilocaine Cream 2.5%/2.5%, 5gm | Each | 2 |
| Lisinopril Tablets 10mg | Each | 60 |
| Lithium Carbonate Tablets 300mg | Each | 40 |
| Loperamide HCl Capsules 2mg | Each | 40 |
| Loperamide HCl Solution 1mg/5mL, 120mL | Each | 1 |
| Loratadine Tablets 10mg | Each | 20 |
| Lorazepam Tablets 1mg UD | Each | 20 |
| Losartan Potassium Tablets 25mg | Each | 36 |
| Magnesium Sulfate Inj. 50% (500mg/mL), 10mL syringe | Each | 2 |
| Mannitol Inj. 25% (12.5gm/50mL), 50mL vial | Each | 5 |
| Mecizine HCl Tablets 25mg | Each | 40 |
| Medroxyprogesterone Acetate Tablets 10mg | Each | 20 |
| Metformin HCl Tablets 500mg | Each | 100 |
| Methylergonovine Inj. 0.2mg/mL ampoule | Each | 4 |
| Methylphenidate Tablets XR 18mg | Each | 20 |
| Methylprednisolone Sodium Succinate Inj. 1000mg (1gm) vial | Each | 1 |
| Methylprednisolone Sodium Succinate Inj. 125mg/2mL vial | Each | 5 |
| Methylprednisolone Tablets 4mg dosepack | Each | 105 |
| Metoclopramide HCl Inj. 5mg/mL, 2mL vial | Each | 5 |
| Metoclopramide HCl Tablets 10mg | Each | 20 |
| Metoprolol Inj. 1mg/mL, 5mL vial | Each | 2 |
| Metoprolol Tartrate Tablets 50mg | Each | 40 |
| Metronidazole Inj. 500mg/100mL IV bag | Each | 5 |
| Metronidazole Tablets 500mg | Each | 40 |
| Miconazole Vaginal Cream 2%, 45gm | Each | 2 |
| Midazolam Inj. 5mg/mL, 2mL vial | Each | 4 |
| Moisturizing Lotion, 6oz. | Each | 2 |
| Montelukast Sodium Tablets 10mg | Each | 20 |
| Morphine Sulfate Inj. 10mg/mL, 1mL vial | Each | 20 |
| Morphine Sulfate Tablets CR 30mg UD | Each | 40 |
| Mortar and Pestle, 8oz, glass | Each | 1 |
| Mupirocin Ointment 2%, 22gm | Each | 1 |
| Naloxone HCl Inj. 0.4mg/mL, 1mL vial | Each | 4 |
| Naproxen Tablets 500mg | Each | 40 |
| Needle, 18G, 1.5inch | Each | 1 |

| Non-Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Neomycin/PolyB/Bacitracin HC Ophth Ointment, 3.5gm | Each | 3 |
| Nicardipene Inj. 40mg/200mL, IV bag | Each | 1 |
| Nifedipine SA Tablets 30mg | Each | 20 |
| Nitrofurantoin Monohydrate Capsules 100mg | Each | 40 |
| Nitroglycerin Inj. 5mg/mL, 10mL vial | Each | 5 |
| Nitroglycerin Ointment 2%, 30gm | Each | 1 |
| Nitroglycerin Sublingual Tablets 0.4mg (25 count) | Each | 2 |
| Nitroglycerin Transdermal System 0.2mg/hr Patch | Each | 6 |
| Nortriptyline HCl Capsules 25mg | Each | 20 |
| Nutritional Supplement, Glucose Control (Boost), 8oz. | Each | 6 |
| Nutritional Supplement, Powder, Vanilla (Ensure), 14oz. | Each | 2 |
| Nystatin Cream 100,000units/gm, 15gm | Each | 2 |
| Nystatin Oral Susp. 100,000units/mL, 60mL | Each | 1 |
| Olanzapine Oral Disintegrating Tablets 5mg | Each | 6 |
| Olanzapine Tablets 5mg | Each | 20 |
| Omeprazole Capsule DR 20mg | Each | 100 |
| Ondansetron Inj. 2mg/mL, 2mL vial | Each | 5 |
| One Touch Ultra Control Solution | Each | 2 |
| One Touch ULTRA Test Strips, 50 strips | Each | 2 |
| Ophthalmic Irrigating Solution 120mL | Each | 2 |
| Oral Electrolyte Solution 33.8oz | Each | 2 |
| Oxybutynin HCl Tablets 5mg | Each | 20 |
| Oxycodone/Acetaminophen Tablets 5mg/325mg UD | Each | 60 |
| Oxymetazoline Nasal Spray 0.05%, 15mL | Each | 5 |
| Oxytocin Inj. 10units/mL, 1mL vial | Each | 5 |
| Pantoprazole Inj. 40mg/mL vial | Each | 2 |
| Penicillin G for Inj., 5 mill units vial | Each | 2 |
| Permethrin Cream 5%, 60gm | Each | 3 |
| Permethrin Topical Lotion 1% 60mL | Each | 3 |
| Petrolatum Jelly, 5gm UD | Each | 144 |
| Phenaphtazine Paper | Each | 1 |
| Phenobarbital Elixir 20mg/5mL, 473mL | Each | 1 |
| Phenobarbital Tablets 32.4mg UD | Each | 20 |
| Phenytoin Sodium Capsules ER 100mg | Each | 40 |
| Phenytoin Sodium Inj. 50mg/mL, 5mL vial | Each | 5 |
| Phenytoin Sodium Oral Susp. 125mg/5mL, 237mL | Each | 1 |
| Phytonadione Tablets 5mg (Vitamin K) | Each | 20 |
| Pioglitazone Tablets 15mg | Each | 20 |
| Piperacillin Sodium/Tazobactam Sodium Inj. 3.375mg vial | Each | 2 |
| Potassium Chloride ER Tablets 10mEq (750mg) | Each | 20 |

| Non-Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Potassium Chloride Inj. 2mEq/mL, 10mL vial | Each | 5 |
| Prednisolone Acetate Ophth. Susp. 0.12%, 5ml | Each | 1 |
| Prednisolone Syrup, 15mg/5mL, 240mL | Each | 1 |
| Prednisone Tablets 20mg | Each | 40 |
| Prednisone Tablets 5mg | Each | 40 |
| Prenatal Vitamins | Each | 20 |
| Prochlorperazine Inj. 5mg/mL, 2mL vial | Each | 4 |
| Prochlorperazine Maleate Tablets 10mg | Each | 20 |
| Prochlorperazine Suppository 25mg | Each | 5 |
| Promethazine HCl Inj. 25mg/mL, 1mL vial | Each | 5 |
| Promethazine Suppositories 25mg | Each | 3 |
| Promethazine Suppositories, Pediatric 12.5mg | Each | 3 |
| Propofol Inj. 10mg/mL, 100mL vial | Each | 2 |
| Propranolol HCl Inj. 1mg/mL vial | Each | 2 |
| Protamine Sulfate 10mg/mL, 5mL vial | Each | 5 |
| Pyrazinamide Tablets 500mg | Each | 20 |
| Pyridoxine HCl Tablets 50mg | Each | 20 |
| Quetiapine Fumerate Tablets 25mg | Each | 20 |
| Racpinephrine Inhalation Solution 0.5mL ampoule | Each | 6 |
| Ranitidine HCl Inj. 25mg/mL, 2mL vial | Each | 2 |
| Refrigerator, Portable (60 Liter) | Each | 1 |
| Rifampin Capsules 300mg | Each | 20 |
| Risperidone Tablets 1mg | Each | 30 |
| Saline Nasal Spray, 45mL | Each | 3 |
| Sennosides Tablets 8.6mg | Each | 20 |
| Sharps Container, w/Needle Remover, 1 Quart | Each | 1 |
| Silver Sulfadiazine Cream 1%, 50gm | Each | 3 |
| Simvastatin Tablets 40mg | Each | 20 |
| Sodium Bicarbonate Inj. 8.4% (50mEq/50mL) 50mL syringe | Each | 2 |
| Sodium Chloride Inhalation Solution 0.9%, 3mL ampoule | Each | 20 |
| Sodium Chloride Inj. 0.9%, 1000mL IV bag | Each | 20 |
| Sodium Chloride Inj. 0.9%, 250mL IV bag | Each | 5 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | Each | 20 |
| Sodium Chloride Inj. 0.9%, 50mL IV bag | Each | 16 |
| Sodium Chloride Inj. 0.9%, Bacteriostatic, 30mL vial | Each | 5 |
| Sodium Chloride Irrigation 0.9%, 1000mL | Each | 7 |
| Sodium Phosphate Rectal Enema, USP | Each | 3 |
| Sodium Polystyrene Sulfonate Suspension 15gm/60mL, 473mL | Each | 1 |
| Spironolactone Tablets 25mg | Each | 40 |
| Succinylcholine Chloride Inj. 20mg/mL, 10mL vial | Each | 1 |

| Non-Acute Care / 50-bed / Pharmacy Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Sulfacetamide Sodium Ophthalmic Solution 10%, 15mL | Each | 2 |
| Sulfamethox/Trimethoprim Oral Susp. 200mg/40mg/5mL, 473mL | Each | 1 |
| Sulfamethoxazole/Trimethoprim DS Tablets 800mg/160mg | Each | 40 |
| Sulfasalazine DR Tablets, Enteric Coated, 500mg | Each | 20 |
| Syringe, 3mL, LL | Each | 1 |
| Syringe, Dosing, 10mL | Each | 10 |
| Syringe, Dosing, 5mL | Each | 10 |
| Syringe/Needle, 1cc, w/28g or 29/g Needle (Safety Tip), Insulin (Latex Free) | Each | 60 |
| Tablet Cut and Crush | Each | 1 |
| Tears Naturale, Single-Use Bullets | Each | 60 |
| Terazosin HCl Capsules 1mg | Each | 20 |
| Terbutaline Sulfate Inj. 1mg/mL, 1mL vial | Each | 5 |
| Tetanus & Diphtheria Toxoids Abs Inj., Adult, 0.5mL syringe | Each | 10 |
| Tetanus & Diphtheria Toxoids Abs Inj., Peds, 1mL vial | Each | 2 |
| Tetanus Immune Globulin Inj.m, 250units/syringe | Each | 1 |
| Tetracaine Ophthalmic Solution 0.5%, 15mL | Each | 1 |
| Tetrahydrozoline HCl Ophthalmic Solution, 0.05%, 15mL | Each | 5 |
| Thermometer, Digital (For Refrigerator Monitoring) | Each | 1 |
| Thiamine HCl Inj. 100mg/mL, 2mL vial | Each | 5 |
| Throat Lozenges | Each | 20 |
| Timolol Maleate Ophthalmic Solution 0.5%, 5mL | Each | 1 |
| Tobramycin Inj. 40mg/mL, 2mL vial | Each | 5 |
| Trazodone HCl Tablets 50mg | Each | 40 |
| Triamcinolone Acetonide Cream 0.1%, 15gm | Each | 2 |
| Triple Antibiotic Ointment, 15gm | Each | 2 |
| Urine Test Strips (Multistix 10 SG), 100 strips | Each | 1 |
| Valproic Acid Capsules 250mg | Each | 20 |
| Vancomycin HCl Inj. 1gm vial | Each | 2 |
| Vecuronium Bromide Inj. 10mg/10mL vial | Each | 2 |
| Venlafaxine HCl ER Tablets/Capsules 37.5mg | Each | 20 |
| Verapamil Tablets 80mg | Each | 60 |
| Vials, Clear View, 20 dram | Each | 40 |
| Vials, Clear View, 8 dram | Each | 80 |
| Vials, Screw Lock Caps, 20 dram | Each | 40 |
| Vials, Screw Lock Caps, 8 dram | Each | 80 |
| Warfarin Sodium Tablets 1mg | Each | 40 |
| Warfarin Sodium Tablets 5mg | Each | 40 |
| Water For Inj., Sterile, 20mL vial | Each | 10 |
| Water For Irrigation, Sterile, 1000mL | Each | 7 |
| Water, Distilled, 1 gallon (for Rx compounding) | Each | 2 |

| Non-Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Zinc Oxide Ointment, 28gm | Each | 3 |
| Zolmitriptan Tablets 5mg | Each | 3 |
| Zolpidem Tartrate Tablets 10mg UD | Each | 20 |

Non-Acute Care / 50-bed / Lab Recommendations

| Non-Acute Care / 50-bed / Lab Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Analyzer, Urinalysis, Clinitek, Status Plus | Each | 1 |
| Analyzer, Clinitek Status Plus Test Table | Each | 1 |
| Analyzer, Clinitek Status Plus Carriage | Each | 1 |
| Analyzer, Clinitek Status Plus AC Power Adapter | Each | 1 |
| Analyzer, Clinitek, Printer Paper, Thermal | Each | 2 |
| Analyzer, Clinitek Status Plus Manual | Each | 1 |
| Battery, Alkaline, Size AA (1.5 Volt) | Each | 7 |
| Analyzer, Clinitek Status Plus AC Power Cord | Each | 1 |
| Analyzer, i-STAT 1 | Each | 1 |
| Analyzer (i-STAT), Printer | Each | 1 |
| Analyzer (iStat 300), Printer, Battery, Rechargeable | Each | 2 |
| Analyzer (i-STAT), Printer, Paper | Each | 1 |
| Analyzer, i-Stat, Printer, AC Power Cord | Each | 1 |
| Analyzer (i-STAT), Electronic Simulator | Each | 1 |
| Battery, Lithium, Size 9 Volt, Non-Rechargeable | Each | 2 |
| Timer, 24 Hr, Battery Operated | Each | 1 |
| Glucometer Kit (One-Touch Ultra): Glucose Meter | Each | 1 |
| One Touch ULTRA Test Strips, 50 strips | Each | 1 |
| One Touch Ultra Control Solution | Each | 1 |
| Glucometer Kit (One-Touch Ultra): Lancets | Each | 10 |
| Glucometer Kit (One-Touch Ultra): Battery, Lithium (3.0 Volt) | Each | 1 |
| Cardiac Marker Test Kit (MI 3 in 1 StatusFirst Myoglobin, CK-MB, Troponin I) | Each | 5 |
| Pregnancy Test (hCG Urine Test) | Each | 5 |
| Urine Test Strips (Multistix 10 SG), 100 strips | Each | 1 |
| Thermometer, Traceable | Each | 1 |
| Forms, Laboratory Results | Each | 100 |
| Log Book, Hematology Manual and Instrument | Each | 1 |
| Analyzer, Hematology, Coulter AcT Diff2 | Each | 1 |
| Analyzer, Hematology, Coulter AcT Diff 2 Manual | Each | 1 |
| Analyzer, Hematology, Coulter Waste Tubing | Each | 1 |
| Analyzer, Hematology, Coulter AcT Tainer Pickup Tubes Kit | Each | 1 |
| Printer, Lexmark, E360D | Each | 1 |

| Non-Acute Care / 50-bed / Lab Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Printer, Lexmark E360H11A Toner | Each | 1 |
| Paper, Copy, 8½" x 11", Ream | Each | 1 |
| Printer, Laser, Okidata B4600, Power Supply | Each | 1 |
| Power Conditioner Box, 3.0 Amp, 120v | Each | 1 |
| Power Conditioner Box, 3.0 Amp, 120V, AC Power Cord | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress, Paper (Roll) | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress, Manual | Each | 1 |
| Pipette Tip, 0.1ml, Disposable | Each | 1 |
| Pipette, Micro, 0.1ml | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress, AC Power Cord | Each | 1 |
| Surge Protector, UPS | Each | 1 |
| Tool, Screwdriver, Pocket, 4 in 1 | Each | 1 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | Each | 200 |
| Wooden Applicators, 6" | Each | 1000 |
| Bag, Bio-Hazard, Specimen, 6" x 9" | Each | 200 |
| Bag, Infectious Waste, Red, 25" X 34" | Each | 25 |
| Binder, 3-Ring, 1", Black | Each | 1 |
| Cleanser, Hand, BZK Antiseptic, Single Use | Each | 100 |
| Clipboard, Plastic | Each | 2 |
| Copy of CLIA License | Each | 1 |
| Container, Waste Drainage, 10L | Each | 1 |
| Coulter diff AcT Tainer Reagent Kit | Each | 1 |
| Sharps Container, w/Needle Remover, 1 Quart | BX | 3 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | Each | 100 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | Each | 100 |
| Gloves, Examination, Nitrile, X-Large (Powder Free & Latex Free) | Each | 100 |
| Goggles, Safety, Chem Splash | Each | 2 |
| Hand Sanitizer (Purell® Instant Hand Sanitizer, 12 oz.) | Each | 1 |
| Rocker, Tabletop Hemo-Dyne, 14 Tube Cap | Each | 1 |
| IV, Starter Set | Each | 100 |
| Lab Coat, Knee Length, Long Sleeve, Medium | Each | 6 |
| Lab Coat, Knee Length, Long Sleeve, Large | Each | 6 |
| Lab Coat, Knee Length, Long Sleeve, X-Large | Each | 6 |
| Needle, Blood Collection, 23G x 3/4"x12" | Each | 100 |
| Needle, Blood Collection, 21G x 1-1/4" | Each | 200 |
| Arterial Blood Gas Sampling Kit | Each | 25 |
| Shears, Trauma | Each | 1 |
| Sponge, Gauze, 4" x 4", Non-sterile | Each | 200 |
| Hemocult® Test Kit | Each | 100 |

| Non-Acute Care / 50-bed / Lab Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Test Kit, Drug Abuse Panel (DOA), 25 Tests | Each | 1 |
| Tube, Capillary, 100 mcl, Lithium Heparin | Each | 100 |
| Tube, Blood Collection, EDTA 4ml, Purple | Each | 100 |
| Tube, Blood Collection, Green Top, Heparin, 4ml | Each | 100 |
| Tube, Blood Collection, Red Top 7ml (Vac-U-Tainer) | Each | 100 |
| Tube, Blood Collection, (Vac-U-Tainer Barrel) | Each | 250 |
| Tube, Blood Collection, Holder (Vac-U-Tainer) | Each | 1 |
| Urine Collection Kit (Easy Catch) | Each | 25 |
| Wash Bottle, Nalgene, 500ml | Each | 1 |
| Microscope, Binocular w/Light Source | Each | 1 |
| Microscope, Binocular, Spare Bulb | Each | 1 |
| Microscope, Glass Slide, 25mm x 75mm | Each | 144 |
| Microscope, Glass Slide, Cover (1 oz. box) | Each | 200 |
| Microscope, Lens Paper (1cm x 15 cm), 50 Sheets/Pack | Each | 50 |

250-Bed Footprint

| Medical Staffing for 250-bed footprint | 24 hour care |
|---|--------------|
| Physician | 2 |
| Advanced Care Providers (Physician Assistants, Nurse Practitioners) | 4 |
| Patient Care Providers (Combination of Nurses, Intermediate Care Technicians, EMTs, Paramedics) | 60 |
| Total | 66 |

Note on Personal Protective Equipment

Based on the current COVID-19 situation and availability of PPE, CDC has specific recommendations PPE use. Please refer to current CDC guidance to ensure that all staff (e.g., security, support staff, logistics, medical providers) caring for patients with COVID-19 have appropriate PPE. PPE is a component of an overall infection prevention and control strategy that includes administrative and environmental controls in addition to hand hygiene, PPE and other measures to ensure safe provision of care and limiting the risk of nosocomial spread of infection. Please refer to CDC current guidance for infection prevention and control strategies.

It is recommended that each site measure the amount of PPE at the beginning and end of each day and monitor the burn rate of PPE on a daily basis. The online [CDC Personal Protective Equipment \(PPE\) Burn Rate Calculator](#) is a spreadsheet-based model that provides information for healthcare facilities to plan and optimize the use of PPE for response to coronavirus disease 2019 (COVID-19). This tool can also be used for planning PPE use outside the context of COVID-19, where PPE shortages may also occur due to supply chain issues related to the COVID-19 response (e.g., manufacturing facilities).

Potential reuse of disposable filtering facepiece respirators (FFRs) as a crisis capacity strategy to conserve available supplies for healthcare environments during a pandemic. Strategies for FFR extended use and reuse (without decontamination of the respirator) are currently available from [CDC's National Institute for Occupational Safety and Health \(NIOSH\)](#). Additional information on strategies to optimize PPE supply and equipment can be found at <https://www.cdc.gov/coronavirus/2019-ncov/hcp/ppe-strategy/index.html>.

Note on Oxygen

Unintended consequences of an insufficient supply chain should be taken in consideration. **Backup generators for ventilators and alternate oxygen reserve (e.g., bottled, tanks) are critical for oxygen needs to ensure that oxygen supply and delivery does not get interrupted.**

Potential challenges in getting oxygen to an ACS, include:

- Logistics of getting the product to a facility;
- 24/7 maintenance of the vaporizers;

- Appropriate heating and cooling systems to prevent damage of gas lines;
- Updating pipes in a potential facility to distribute oxygen more broadly to additional rooms; and
- Planning for the volume needed at each ACS.

Note on Pulse Oximeters

Given the increased need for patients and providers to monitor PulseOx, an ACS should have an abundance of pulse oximeters available for distribution.

Non-Acute Care / 250-bed / Medical-Biomed Recommendations

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| AED, Defibrillator | Each | 1 |
| Aneroid, BP Cuff, Adult | Each | 5 |
| Aneroid, BP Cuff, Adult | Each | 5 |
| Aneroid, BP Cuff, Adult | Each | 6 |
| Aneroid, BP Cuff, Child | Each | 5 |
| Aneroid, BP Cuff, Child | Each | 5 |
| Aneroid, BP Cuff, Child | Each | 6 |
| Aneroid, BP Cuff, Infant | Each | 5 |
| Aneroid, BP Cuff, Infant | Each | 5 |
| Aneroid, BP Cuff, Infant | Each | 6 |
| Aneroid, BP Cuff, Obese | Each | 5 |
| Aneroid, BP Cuff, Obese | Each | 2 |
| Aneroid, BP Cuff, Obese | Each | 6 |
| Anti-Microbial Solution, 4%, 32 oz. | Pkg 12 | 1 |
| Arm Bands, Staff ID (20 PKG of 5 =100) | Pkg 5 | 100 |
| Aspirator, Portable w/ Charger | Each | 4 |
| Backboard (Adult) w/ Straps | Each | 5 |
| Backboard (Child) w/ Straps | Each | 3 |
| Bag, Ambu, Adult, Disposable w/ mask | Pkg 6 | 6 |
| Bag, Ambu, Infant, Disposable w/ mask | Each | 3 |
| Bag, Ambu, Pediatric, Disposable w/ mask | Each | 7 |
| Bag, Biohazard Specimen | Each | 1000 |
| Bag, Body (Adult) | Pkg 10 | 1 |
| Bag, Body (Child) | Each | 10 |
| Bag, Hamper | Each | 36 |
| Bag, Infectious Waste | Pkg 100 | 10 |
| Bag, Patient Belongings | Each | 500 |
| Bag, Patient Belongings (2 EA x 25 x 10) | Each | 500 |
| Bag, Trash, Liner, Clear | Each | 1000 |
| Bag, Urinary Meter, 500mL | Pkg 10 | 3 |
| Bag, Urinary, Drainage | Pkg 20 | 3 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Band, ID (Adult) | Each | 500 |
| Band, ID (Child) | Pkg 250 | 2 |
| Basin, Emesis | Each | 1250 |
| Basin, Emesis (50 x 5) | Each | 250 |
| Basin, Wash, Round | Each | 300 |
| Battery Pack, AED Defibrillator | Each | 1 |
| Battery, Alkaline, Size AA (80 EA) | Each | 80 |
| Battery, Alkaline, Size AAA | Pkg 24 | 1 |
| Battery, Alkaline, Size AAA (168 EA Total) | Case 144 | 1 |
| Battery, Alkaline, Size C (64 EA) | Each | 64 |
| Battery, Alkaline, Size D (184 EA) | Each | 184 |
| Bed, Bariatric Set 600 lbs | Each | 5 |
| Bed, General Use (GUB) | Each | 200 |
| Bed, Hospital, Adjustable | Each | 10 |
| Bed, Westcot (Standard) | Each | 50 |
| Bedpan | Each | 50 |
| Bedpan (50 x 5) | Each | 250 |
| Binder, 3 Ring, 1" | Each | 24 |
| Binder, 3 Ring, 2" | Each | 24 |
| Binder, 3 Ring, 3" | Each | 5 |
| Binder, 3 Ring, 3" | Each | 24 |
| Blanket, Cotton | Each | 150 |
| Blanket, Cotton | Each | 250 |
| Blanket, Emergency | Each | 144 |
| Blanket, Emergency | Each | 250 |
| Blanket, Space, Mylar | Each | 500 |
| Blanket, Wool Blend (90 x 3) | Each | 270 |
| Bleach, Clorox | Each | 0 |
| Book, Record | Each | 10 |
| Bottle, Nursing, Starter, Kit | Each | 25 |
| Bottle, Spray, Quart, w/Trigger | Each | 18 |
| Bowl, 12 oz. | Each | 2000 |
| Box, File Storage w/Lid | Each | 25 |
| Brief, Adult, Bariatric (128 Ea Total) | Case 32 | 4 |
| Brief, Ultra, Adult, Extra Large | Case 80 | 2 |
| Brief, Ultra, Adult, Large | Case 80 | 2 |
| Brief, Ultra, Adult, Medium | Each | 192 |
| Brief, Ultra, Adult, Small | Each | 192 |
| Broom, Push (Two Piece) | Each | 2 |
| Broselow Bag (Ped Resuscitation Sys.) | Each | 2 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Bucket, 3 Gallon, Pour Spout, w/Handle | Each | 12 |
| Bucket, Mop, w/Ringer | Each | 6 |
| Bulb, Light, 120v, RS 60W | Each | 72 |
| Bulb, Light, Perimeter Flood Lighting | Each | 10 |
| Bungee Cord Assortment | Each | 48 |
| Cable Ties, Black | Pkg 100 | 15 |
| Calculator, Metric Conversion | Each | 11 |
| Can, Trash, 32 Gallon | Each | 15 |
| Can, Trash, Lid, 32 Gallon | Each | 15 |
| Can, Trash, Lid, Red, 32 Gallon | Each | 15 |
| Can, Trash, Red, 32 Gallon | Each | 15 |
| Cane, Quad (700 lbs) | Each | 5 |
| Canister, Suction Tubing | Each | 100 |
| Canister, Suction, 800CC | Each | 48 |
| Cannula Cushion PED, 7ft tube, CS/50 | Case 50 | 5 |
| Cannula Tubing (Adult) | Case 50 | 10 |
| Case, Contact Lens | Each | 30 |
| Catheter IV, 18G X 1 1/4", Green Safety Tip | Pkg 200 | 1 |
| Catheter IV, 20G X 1 1/4", Pink Safety Tip | Pkg 200 | 1 |
| Catheter Kit, Foley Tray, 18fr, Closed System | Each | 20 |
| Catheter Kit, Foley, Tray, 16 Fr Closed System | Each | 100 |
| Catheter Plug & Drain Tube Protector | Case 100 | 1 |
| Catheter, Foley Tray, 6FR (Child) | Case 10 | 1 |
| Catheter, IV, 22G x 1" | Each | 100 |
| Catheter, IV, 24G x 3/4" | Bx 50 | 2 |
| Catheter, Self, 18FR (Robnell) | Each | 10 |
| Catheter, Urinary, External Large | Pkg | 2 |
| Catheter, Urinary, External Medium | Pkg | 2 |
| Catheter, Urinary, External Small | Pkg | 2 |
| CaviWipes | Containers | 2 |
| Chair, Metal, Folding | Each | 400 |
| Chart Holder, Patient, Plastic | Each | 48 |
| Chart Holder, Patient, Plastic | Each | 250 |
| Chart, Pain, Childrens | Each | 5 |
| Chest, Ice 48 QT | Each | 6 |
| Cleaner, Floor, Powdered | Each | 2 |
| Clipboard, 9" x 12.5" | Each | 25 |
| Clipboard, 9" x 12.5" | Each | 25 |
| Clips, Binder, Medium | Pkg 12 | 5 |
| Clips, Binder, Medium | Pkg 12 | 24 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Clips, Paper, Jumbo | Pkg 100 | 5 |
| Clips, Paper, Jumbo | Pkg 100 | 11 |
| Comb, Two-Sided | Each | 252 |
| Commode, Bedside | Each | 5 |
| Commode, Bedside (1000 lbs) | Each | 5 |
| Compressor, Pulmo-Aide, Aerosol | Each | 6 |
| Container, Action Packer | Each | 5 |
| Container, Specimen | Pkg 100 | 1 |
| Cot, Toddler | Each | 25 |
| Cover, Shoe, Non Skid | Bx 100 | 20 |
| CPAP Machine | Each | 5 |
| CPAP Machine | Each | 5 |
| Crib, Portable (12 Ea. Per triwall - Total 24) | Each | 12 |
| Cup, Denture w/ Lid | Each | 25 |
| Cup, Denture w/ Lid | Each | 250 |
| Cup, Hot / Cold, 12 oz. | Each | 4000 |
| Cup, Medicine | Pkg 100 | 10 |
| Cup, Toddler | Each | 50 |
| Cutlery Combo Pack | Case 250 | 8 |
| Cylinder, Oxygen (D) | Each | 5 |
| Cylinder, Oxygen (E) | Each | 7 |
| Cylinder, Oxygen (M6) | Each | 3 |
| Cystoscopy Irrigation Set | Pkg 20 | 5 |
| Diapers, Baby, (Large - Size 4) | Each | 120 |
| Diapers, Baby, (Medium - Size 3) | Pkg 192 | 1 |
| Diapers, Baby, (Small - Size 2) | Each | 364 |
| Diapers, Baby, (XXLarge - Size 6) | Each | 75 |
| Disinfectant, Cleaning (Microcide) | Each | 12 |
| Divider, Binder, Alphabet | Each | 5 |
| Divider, Binder, Alphabet | Each | 24 |
| Dolly, Handtruck | Each | 2 |
| Dolly, Trash Can | Each | 30 |
| Door Stop, Rubber | Each | 12 |
| Drape, Disposable (Sterile) | Pkg 50 | 3 |
| Dressing Change Tray (Kit Wound Dressing Sub) | Each | 12 |
| Dressing, DuoDERM | Pkg 5 | 24 |
| Ear Plugs | PAIR | 750 |
| Easel, Flip Board | Each | 8 |
| Electrical Distribution System | Each | 1 |
| Envelope, Manila, 9" x 12" | Pkg 100 | 10 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Feminine Hygiene Kits (KT=16 EA x 5 =80)) | KT | 5 |
| Fire Extinguishers | Each | 8 |
| Fit Test Kit (N95 Mask) | Each | 3 |
| Flashlight | Each | 5 |
| Flashlight | Each | 60 |
| Folder, Manila | Pkg 100 | 5 |
| Gate, Child 6-Panel | Each | 12 |
| Glasses, Safety (Large) | Pkg 20 | 2 |
| Glasses, Safety (Small) | Pkg 20 | 2 |
| Gloves, Exam, Nitrile, Powder Free, Large | Each | 500 |
| Gloves, Exam, Nitrile, Powder Free, Large | Each | 1000 |
| Gloves, Exam, Nitrile, Powder Free, Large | Each | 2000 |
| Gloves, Exam, Nitrile, Powder Free, Medium | Each | 500 |
| Gloves, Exam, Nitrile, Powder Free, Medium | Each | 1000 |
| Gloves, Exam, Nitrile, Powder Free, Medium | Each | 2000 |
| Gloves, Exam, Nitrile, Powder Free, Small | Each | 500 |
| Gloves, Exam, Nitrile, Powder Free, Small | Each | 1000 |
| Gloves, Exam, Nitrile, Powder Free, Small | Each | 2000 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 6.5 (PAIR | Each | 100 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.0 (PAIR | Each | 100 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.5 (PAIR | Each | 100 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.5 (PAIR | Each | 400 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 8.0 (PAIR | Each | 100 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 8.5 (PAIR | Each | 50 |
| Glucometer, Lancets | Pkg 100 | 8 |
| Glucometer, One Touch Ultra II, Test Strips | Each | 800 |
| Glucometer, One Touch, Ultra II | Each | 8 |
| Gown, Patient, Child (Large) | Each | 72 |
| Gown, Patient, Child (Medium) | Each | 72 |
| Gown, Patient, Child (Small) | Each | 72 |
| Gown, Patient, Obesity | Pkg 12 | 5 |
| Gown, Patient, Solid | Each | 300 |
| Gown, Provider, Impervious | Each | 350 |
| Hamper, Stand, Single | Each | 10 |
| Hand Sanitizer, Foam | Each | 480 |
| Head Set, Magnifying Glass and Light | Each | 2 |
| Headlamp, LED | Each | 2 |
| Headlamp, LED | Each | 10 |
| Hi-Lighter Pack (4 colors) | Pkg | 5 |
| Hooks, Shower Curtain | Pkg 12 | 30 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Humidifier | Each | 6 |
| Irrigating Kit, Type 1, w/Syringe | Pkg 20 | 10 |
| IV Administration Kit | Case 50 | 1 |
| IV Set (Child) | Pkg 50 | 1 |
| IV Starter Kit (Adult) | Pkg 100 | 2 |
| Jug, Collapsible, 5 Gal. | Each | 6 |
| Kit, Wound Dressing (Change Dressing Tray) | Each | 12 |
| Labels, 1" x 3" | Pkg 250 | 20 |
| Labels, 1" x 3" | Pkg 250 | 40 |
| Laundry Detergent | Each | 4 |
| Lid, Cup, Hot / Cold, 12 oz. | Pkg 2,000 | 2 |
| Lift, Patient w/ Sling (450 lbs) | Each | 1 |
| Light, Goose Neck | Each | 60 |
| Lighting, Perimeter Flood | Each | 18 |
| Litter Stands, Support, Pair | Each | 1 |
| Litter, De-Con Mesh Type | Each | 4 |
| Lubricant, Surgical | Each | 12 |
| Marker, Expo, 6/set w/ eraser | Each | 5 |
| Marker, Expo, 6/set w/ eraser | Each | 10 |
| Marker, Fine Point (sharpie) | Pkg 12 | 10 |
| Mask, Cone (3M) | Case 120 | 5 |
| Mask, CPAP (Large) | Each | 5 |
| Mask, CPAP (Large) | Each | 5 |
| Mask, CPAP (Medium) | Each | 5 |
| Mask, CPAP (Medium) | Each | 5 |
| Mask, CPAP (Small) | Each | 5 |
| Mask, CPAP (Small) | Each | 5 |
| Mask, Duck (Regular) | Box 35 | 2 |
| Mask, Duck (Small) | Box 35 | 2 |
| Mask, Non-Rebreather (Adult) | Pkg 50 | 2 |
| Mask, Non-Rebreather (Child) | Each | 200 |
| Mask, Surgical | Box 50 | 5 |
| Mask, Surgical | Box 50 | 6 |
| Mask, Surgical | Box 50 | 18 |
| Mask, Surgical | Box 50 | 12 |
| Mask, Surgical | Each | 750 |
| Mat, Child | Each | 24 |
| Meter, Peak Flow | Each | 10 |
| Meter, Peak Flow, Mouthpiece (Adult) | Each | 100 |
| Meter, Peak Flow, Mouthpiece (Peds) | Each | 100 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Mop, Wet, Handle | Each | 6 |
| Mop, Wet, Head | Pkg 6 | 2 |
| Name, Badge Holder | Pkg 50 | 1 |
| Napkins | Pkg 400 | 2 |
| Needle, Hypodermic, 20G x 1 1/2" | Case 1000 | 1 |
| Notepads, White | Pkg 12 | 5 |
| Notepads, White | Pkg 12 | 7 |
| OB Kit | Each | 2 |
| Ostomy, Closed - End Pouch | Pkg 30 | 1 |
| Ostomy, Drainable Pouch | Pkg 10 | 5 |
| Ostomy, Wafer | Pkg 10 | 3 |
| Oximeter, Pulse | Each | 12 |
| Oximeter, Pulse, Carrying Case | Each | 12 |
| Oxygen Concentrator | Each | 6 |
| Oxygen Cylinder Cart | Each | 12 |
| Oxygen Nebulizer, Handheld | Pkg 50 | 1 |
| Oxygen, Cylinder, Wrench | Each | 12 |
| Oxygen, Hose | Each | 6 |
| Oxygen, MiniLator | Each | 6 |
| Oxygen, Regulator, D | Each | 15 |
| Oxygen, Tubing, 100' | Each | 6 |
| Pacifiers, Orthodontic, Silicone (Large) | Pkg 25 | 4 |
| Pack, Cold (Instant) | Pkg 50 | 2 |
| Pack, Warm Solar-First Aid Size | Pkg 24 | 2 |
| Pad, ABD | Pkg 360 | 1 |
| Pad, Chux, Absorbent | Each | 300 |
| Pad, Chux, Absorbent | Each | 500 |
| Pad, Convoluted (Egg crate) | Each | 24 |
| Pad, Easel | Pkg 2 | 8 |
| Pads, Gauze (Sterile) | Case 3000 | 1 |
| Pads, Mattress, Crib | Each | 144 |
| Pallet, Hand Jack | Each | 2 |
| Paper, Copy 8.5 x 11 (1 ream) | Pkg 500 | 5 |
| Paper, Copy 8.5 x 11 (1 ream) | Pkg 500 | 22 |
| Paste, Stomahesive 2oz | Each | 10 |
| Patient lift, 1000 lb. Hydraulic w /washable sling | Each | 1 |
| Pens, Standard, Black / Blue | Box 12 | 5 |
| Pens, Standard, Black / Blue | Box 12 | 29 |
| Pillow (126 EA) | Each | 252 |
| Pillow (BEDPACK 2 EA per bag x 25) | Each | 500 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Pillow Case, Disposable (2 EA per 25 x 5)) | Each | 500 |
| Pillow Case, Disposable (200 EA per x 5) | Each | 1000 |
| Pillow Case, Disposable (5 CS x 100) | Each | 500 |
| Plate, Dinner, Heavyweight (4 PKG per CS x 4) | Pkg 125 | 16 |
| Plugs, Child Protective | Each | 120 |
| Power Cord, Electric, 100' | Each | 26 |
| Power Cord, Electric, 50' | Each | 32 |
| Power, Outlet Box, 6-Outlet Surge Type w/Cord | Each | 60 |
| Prep Pad, Alcohol | Pkg 3000 | 2 |
| Privacy Screen, 3 Fold Panel (15 EA per) | Each | 45 |
| Protective Underwear Pullups, Extra Large | Pkg 56 | 3 |
| Protective Underwear Pullups, Large | Pkg 72 | 2 |
| Protective Underwear Pullups, Medium | Pkg 80 | 2 |
| Protective Underwear Pullups, Small | Pkg 88 | 2 |
| Protectors, Paper Sheet, Non-Glare | Pkg 50 | 10 |
| Protectors, Paper Sheet, Non-Glare | Pkg 50 | 12 |
| Razor, Disposable | Each | 300 |
| Repellent, Insect | Each | 252 |
| Rope Nylon | Each | 5 |
| Safety Pin, Large | Pkg 144 | 5 |
| Safety Pin, Large | Pkg 144 | 2 |
| Safety Pin, Medium | Pkg 144 | 2 |
| Scissor, Lister | Each | 5 |
| Scissor, Lister | Each | 10 |
| Scissor, Lister | Each | 2 |
| Scissors | Each | 10 |
| Set, Gravity Feeding | Pkg 30 | 2 |
| Shampoo, Personal | Each | 250 |
| Sharps Container, Large | Each | 1 |
| Sharps Container, Large | Each | 12 |
| Sharps Container, Small | Each | 5 |
| Sharps Container, Small | Each | 48 |
| Shaving Cream, Non-Aerosol | Case 144 | 1 |
| Sheet, Bed, White, Disposable | Each | 500 |
| Sheet, Bed, White, Disposable | Each | 1000 |
| Sheet, Bed, White, Disposable(2 ea X 25 X 10) | Each | 500 |
| Shield, Face (2 X 96) | Each | 192 |
| Shower Curtain | Each | 30 |
| Shower Seat w/Back | Each | 4 |
| Shower Seat w/Back (700 lbs) | Each | 5 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Sign Language Board | Each | 3 |
| Slide Board, PT Transfer | Each | 2 |
| Sling, Patient Lift, 450 lbs. | Each | 5 |
| Sling, Patient Lift, Washable, 1000 lbs. | Each | 5 |
| Soap, Bar (50 bags x 5) | Each | 250 |
| Soap, Lotion | Pkg 12 | 12 |
| Stand, IV | Each | 50 |
| Staple Remover | Each | 5 |
| Staple Remover | Each | 11 |
| Stapler | Each | 5 |
| Stapler | Each | 11 |
| Staples | Case 5000 | 5 |
| Staples | Case 5000 | 11 |
| Station, Hand Wash (2 EA Per) | Each | 6 |
| Acc.Accessible | Each | 2 |
| Step Stool | Each | 4 |
| Stethoscope | Each | 5 |
| Stethoscope | Each | 10 |
| Stethoscope | Each | 5 |
| Stickers, Kids (Rolls) | Each | 5 |
| Stockinette 4" Roll | Each | 10 |
| Straw, Drinking | Box 500 | 8 |
| Stretcher (guerney) | Each | 1 |
| Stretcher, Bariatric (guerney) | Each | 1 |
| Stretcher, IV Rod | Each | 2 |
| Suction Catheter 14 FR | Case 100 | 1 |
| Sunblock | Case 12 | 21 |
| Suture Kit, Laceration Tray (2 X 16) | Each | 32 |
| Suture, Monosof 4-0 18" black PC-3/PC-11 needle | Box 12 | 1 |
| Suture, Monosof 5-0 18" black p-3/p-13 needle | Box 12 | 1 |
| Syringe, Luer-Lock, 5cc | Each | 600 |
| Syringe, Luer-Lock, Disposable 10cc | Pkg 100 | 3 |
| Syringe, Piston 60cc | Case 50 | 2 |
| Table, Folding (9 EA x 6) | Each | 54 |
| Tag, Triage | Pkg 500 | 1 |
| Tape Dispenser w/ 6 rolls of tape | Each | 5 |
| Tape Dispenser w/ 6 rolls of tape | Each | 11 |
| Tape, Coban, 1" | Each | 90 |
| Tape, Coban, 4" | Each | 54 |
| Tape, Duct | Each | 24 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Tape, Electrical | Each | 12 |
| Tape, Masking | Each | 24 |
| Tape, Surgical, Durapore 1" | Box 12 | 6 |
| Tape, Surgical, Medipore 2" | Box 6 | 12 |
| Tarp | Each | 18 |
| Thermometer, Bat Powered w/Probe (Welch Allyn) | Each | 15 |
| Thermometer, Probe Cover (Welch Allyn) | Each | 500 |
| Thermometer, Probe Cover (Welch Allyn) | Each | 3000 |
| Tissue, Facial | Each | 360 |
| Tissue, Facial (50 x 5) | Each | 250 |
| Toilet Brush & Cup Combo | Each | 12 |
| Toilet Paper | Each | 288 |
| Toilet Paper (50 x 5) | Each | 250 |
| Tongue Depressor | Pkg 500 | 6 |
| Tongue Depressor | Pkg 500 | 2 |
| Tool Kit | Each | 1 |
| Toothbrush, Adult | Case 72 | 2 |
| Toothbrush, Adult (50 x 5) | Each | 250 |
| Toothbrush, Child | Each | 50 |
| Toothpaste | Each | 432 |
| Tourniquets | Each | 250 |
| Tourniquets | Each | 250 |
| Towel, Bath, Cotton | Each | 360 |
| Towel, Bath, Cotton (60 x 5) | Each | 300 |
| Towel, Bath, Cotton (2 EA x 25 x 10) | Each | 500 |
| Towel, Paper Roll | Case 30 | 4 |
| Towel, Paper, Folded (Brick) | Each | 5 |
| Towel, Paper, Folded (Brick) | Each | 120 |
| Towel, Paper, Folded (Brick) (50 x 5) | Each | 250 |
| Towelettes, Antimicrobial | Pkg 1000 | 15 |
| Transfer Bench w/ Back, 700lb | Each | 5 |
| Trauma Pack, Back Pack, Empty | Each | 4 |
| Trauma Pack, Back Pack, Full | Each | 4 |
| Trauma Pack, Bag, Empty | Each | 4 |
| Trauma Pack, Bag, Full | Each | 4 |
| Tray, Tracheostomy Care Kit | Pkg 20 | 1 |
| Tube, Nasal Gastric (14FR) | Case 50 | 1 |
| Tube, Nasal Gastric (16FR) | Pkg 50 | 1 |
| Tube, Yankauer | Pkg 50 | 2 |
| Tubing, CPAP 6 ft | Each | 5 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Urinal, Male, Disposable | Case 50 | 1 |
| Walker, 300 lbs | Each | 4 |
| Walker, 700 lbs | Each | 5 |
| Walkie-Talkie Set | Each | 8 |
| Wash Cloth, Cotton, White | Each | 300 |
| Wash Cloth, Cotton, White (50 x 10) | Each | 500 |
| Wash Cloth, Disposable, Face | Case 500 | 2 |
| Wash Cloth, Disposable, Face (5 CS per) | Case 500 | 25 |
| Water, Sterile | Case 20 | 1 |
| Wedge, Foam | Each | 2 |
| Wheel Kit, Walker, 700 lbs. | Pair | 5 |
| Wheelchair, 22" | Each | 2 |
| Wheelchair, 26" | Each | 5 |
| Wheelchair, 18" | Each | 4 |
| Wheelchair, 24" | Each | 3 |
| Wipes, Baby (Tub) | Each | 50 |

Non-Acute Care / 250-bed / Pharmacy Recommendations

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|----------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Acetaminophen Infant Drops 100mg/1mL, 15mL | Tylenol | Each | 5 |
| Acetaminophen Oral Susp. 160mg/5mL, 120mL | Tylenol | Each | 6 |
| Acetaminophen Suppositories 120mg | Tylenol | Each | 12 |
| Acetaminophen Suppositories 325mg | Tylenol | Each | 12 |
| Acetaminophen Tablets 325mg | Tylenol | Each | 400 |
| Acetaminophen w/Codeine Tablets 300mg/30mg UD | Tylenol/Cod #3 | Each | 100 |
| Acetazolamide Tablets 250mg | Diamox | Each | 100 |
| Acyclovir Capsules 200mg | Zovirax | Each | 200 |
| Adenosine Inj. 3mg/mL, 2mL vial | Adencard | Each | 15 |
| Afterbite Bee Sting | Afterbite | Each | 1 |
| Albendazole Tablets 200mg | Albenza | Each | 28 |
| Albuterol Inhalation Solution 0.083%, 3mL ampoule | Proventil | Each | 100 |
| Albuterol Metered Dose Inhaler, HFA | Proventil | Each | 25 |
| Albuterol Sulfate Syrup 2mg/5mL, 480mL | Ventolin | Each | 1 |
| Alcohol Prep Pad | Alcohol | Each | 200 |
| Allopurinol Tablets 100mg | Zyloprim | Each | 100 |
| Alteplase 50mg Vial (29 mil units) | Ateplase | Each | 2 |
| Amiodarone HCl Inj., 150mg/3mL vial | Cordarone | Each | 25 |
| Amiodarone HCl Tablets 200mg | Cordarone | Each | 90 |
| Amlodipine Tablets 5mg | Novasc | Each | 180 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Amoxicillin Capsules 250mg | Amoxil | Each | 500 |
| Amoxicillin Oral Susp. 250mg/5mL, 150mL | Amoxil | Each | 6 |
| Amoxicillin/Clavulanic Oral Susp. 200mg/28.5mg/5mL, 100mL | Augmentin | Each | 12 |
| Amoxicillin/Clavulanic Tablets 875mg/125mg | Augmentin | Each | 100 |
| Amphetamine Mixed Salts Capsules XR 5mg | Adderall XR | Each | 100 |
| Ampicillin Sodium Inj. 1gm vial | Ampicillin | Each | 10 |
| Antacid Liquid Regular Strength 12oz. | Maalox | Each | 6 |
| Antipyrine/Benzocaine Otic Solution | Auralgan | Each | 6 |
| Artificial Tears Ophthalmic Solution, 15mL | Liquifilm | Each | 6 |
| Aspirin Chewable Tablets 81mg | Aspirin | Each | 432 |
| Aspirin Tablets 325mg | Aspirin | Each | 500 |
| Atenolol Tablets 50mg | Tenormin | Each | 100 |
| Atropine Sulfate Inj. 0.1mg/mL, 10mL syringe | Atropine | Each | 10 |
| Azithromycin Suspension 200mg/5mL, 30mL | Zithromax | Each | 8 |
| Azithromycin Tablets 250mg, 3 x 6's | Z-Pak | Each | 12 |
| Bacitracin Ointment 0.9gm, UD | Bacitracin | Each | 144 |
| Baclofen Tablets 10mg | Lioresal | Each | 100 |
| Beclomethasone Dipropionate Inhaler 40mcg, 8.7gm | Qvar | Each | 5 |
| Benzoin Compound Tincture, 120mL | Benzoin | Each | 1 |
| Benzotropine Mesylate 1mg/mL, 2mL ampoule | Cogentin | Each | 5 |
| Benzotropine Mesylate Tablets 1mg | Cogentin | Each | 100 |
| Bisacodyl Suppositories 10mg | Dulcolax | Each | 24 |
| Bisacodyl Tablets 5mg | Ducolax | Each | 100 |
| Bismuth Subsalicylate Tablets 262mg UD | Pepto Bismol | Each | 90 |
| Bottle, Plastic, Amber, Liquid, 120mL | Bottle | Each | 100 |
| Brimonidine Tarate Ophth. Sol. 0.2%, 5mL | Alphagan P | Each | 5 |
| Brinzolamide Ophthalmic Suspension 1%, 10mL | Azopt | Each | 5 |
| Brush, Cylinder Cleaning, Medium | Cylinder Brush | Each | 1 |
| Bupivacaine HCl Inj. 0.5%, 30mL vial | Marcaine | Each | 25 |
| Bupropion HCl XR Tablets 150mg | Wellbutrin XR | Each | 60 |
| Calamine Lotion, Phenolated, 6 oz. | Calamine | Each | 6 |
| Calcium Carbonate Chewable Tablets 500mg | Tums | Each | 300 |
| Calcium Chloride Inj. 10% (100mg/mL), 10mL syringe | Calcium Chloride | Each | 10 |
| Carbamazepine Chew Tablets 100mg | Tegretol | Each | 100 |
| Carbamazepine Tablets 200mg | Tegretol | Each | 200 |
| Carbidopa/Levodopa Tablets 25mg/250mg | Sinemet | Each | 100 |
| Carpujet Holder | Carpujet Holder | Each | 2 |
| Carvedilol Tablets 12.5mg | Coreg | Each | 100 |
| Cefazolin Sodium Inj. 1gm vial | Ancef | Each | 25 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|----------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Ceftriaxone Sodium Inj. 1gm vial | Rocephin | Each | 20 |
| Cephalexin Capsules 500mg | Keflex | Each | 400 |
| Cephalexin Oral Susp. 250mg/5mL, 200mL | Keflex | Each | 2 |
| Cetirizine HCl Syrup 1mg/1mL, 120mL | Zyrtec | Each | 2 |
| Charcoal, Activated with Sorbitol, 240mL | Charcoal | Each | 3 |
| Ciprofloxacin HCl Ophth. Sol. 0.3% (3.5mg/mL), 5mL | Ciloxan | Each | 5 |
| Ciprofloxacin Tablets 500mg | Cipro | Each | 400 |
| Citalopram Tablets 10mg | Celexa | Each | 100 |
| Clindamycin HCl Capsules 150mg | Cleocin | Each | 200 |
| Clindamycin Phosphate Inj. 150mg/mL, 4mL vial | Cleocin | Each | 25 |
| Clonazepam Tablets 0.5mg UD | Klonopin | Each | 100 |
| Clonidine HCl Tablets 0.1mg | Catapres | Each | 200 |
| Clopidogrel Bisulfate Tablets 75mg | Plavix | Each | 180 |
| Condom, Lubricated | Trojan | Each | 24 |
| Conjugated Estrogens Tablets 0.625mg | Premarin | Each | 100 |
| Counting Tray & Spatula | Counting Tray | Each | 5 |
| Cyanocobalamin Injection 1000mcg/mL, 1mL vial | Vitamin B-12 | Each | 25 |
| Cyclobenzaprine HCl Tablets 10mg | Flexeril | Each | 200 |
| Cyclopentolate HCl Ophthalmic Solution 1%, 15 mL | Cyclogel | Each | 2 |
| Dexamethasone Sodium Phosphate Inj. 4mg/mL, 5mL vial | Decadron | Each | 25 |
| Dextrose 5% & Sodium Chloride 0.45% Inj., 1000mL IV bag | Dextrose/Na Cl | Each | 24 |
| Dextrose 5% & Sodium Chloride 0.9% Inj., 1000mL IV bag | Dextrose/Na Cl | Each | 24 |
| Dextrose Inj. 5%, 50mL IV bag | Dextrose | Each | 80 |
| Dextrose Inj. 50%, 50mL syringe | Dextrose | Each | 20 |
| Prescription Blanks, 100/pad | Rx Pad | Each | 1000 |
| Diaper Rash Ointment, 30gm | Desitin | Each | 6 |
| Diazepam Inj. 5mg/mL, 2mL Carpuject | Valium | Each | 10 |
| Diazepam Tablets 5mg UD | Valium | Each | 100 |
| Dibucaine Ointment 1%, 30gm | Nupercainal | Each | 5 |
| Diclofenac Sodium Ophthalmic Solution 0.1%, 5mL | Voltaren | Each | 2 |
| Digoxin Inj. 0.25mg/mL, 2mL ampoule | Lanoxin | Each | 10 |
| Digoxin Tablets 0.125mg | Lanoxin | Each | 100 |
| Diltiazem HCl Inj. 5mg/mL, 5mL vial | Cardizem | Each | 10 |
| Diltiazem HCl IR Tablets 60mg | Cardizem | Each | 100 |
| Diltiazem HCl XR Capsules 120mg | Cardizem SR | Each | 90 |
| Diphenhydramine Caplets 25mg | Benadryl | Each | 300 |
| Diphenhydramine Elixir 12.5mg/5mL, 120mL | Benadryl | Each | 4 |
| Diphenhydramine HCl Inj. 50mg/mL, 1mL vial | Benadryl | Each | 25 |
| Divalproex Sodium DR Tablets 250mg | Depakote | Each | 100 |
| Dobutamine HCl Inj. 12.5mg/mL, 20mL vial | Dobutamine | Each | 10 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|-------------------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Dopamine HCl Inj. 40mg/mL, 10mL vial | Intropin | Each | 25 |
| Doxycycline Hyclate Tablets/Capsules 100mg | Vibramycin | Each | 100 |
| Enalapril Inj. 1.25mg/mL, 2mL vial | Vasotec | Each | 10 |
| Enoxaparin Inj. 40mg/0.4mL syringe | Lovenox | Each | 10 |
| Epinephrine Auto Injector 0.3mg | Epi-Pen Adult | Each | 4 |
| Epinephrine Auto Injector, Jr, 0.15mg | Epi-Pen Jr | Each | 4 |
| Epinephrine Inj. 1:1,000 (1mg/mL), 30mL vial | Adrenalin | Each | 1 |
| Epinephrine Inj. 1:10,000 (0.1mg/mL), 10mL syringe | Adrenalin | Each | 20 |
| Erythromycin DR Tablets, Enteric Coated, 250mg | Ery-tab | Each | 100 |
| Erythromycin Ophth. Oint.0.5% (5mg/gm), 3.5gm Tube | Ilotycin | Each | 6 |
| Ethambutol HCl Tablets 400mg | Myambutol | Each | 100 |
| Etomidate HCl Inj. 2mg/mL, 20mL vial | Amidate | Each | 20 |
| Eugenol 1/8 oz | Eugenol | Each | 1 |
| Famotidine Tablets 20mg | Pepcid | Each | 200 |
| Fentanyl Citrate Inj. 50mcg/mL, 2mL vial | Sublimaze | Each | 5 |
| Ferrous Gluconate Tablets 324mg | Iron Supplement | Each | 100 |
| Fluconazole Tablets 200mg | Diflucan | Each | 100 |
| Flumazenil Inj. 0.1mL/mL, 10mL vial | Romazicon | Each | 1 |
| Flunisolide Nasal Spray 29mcg/spray, 25mL | Nasarel | Each | 6 |
| Fluocinolone Acetonide Cream 0.025%, 15gm | Synalar | Each | 6 |
| Fluorescein Sodium Ophthalmic Strips, Sterile | Fluorescein | Each | 100 |
| Fluoxetine Capsules 20mg | Prozac | Each | 200 |
| Fluticasone Propionate HFA MDI 220mcg/Puff | Flovent | Each | 6 |
| Fluticasone Propionate HFA MDI 44mcg/Puff | Flovent | Each | 6 |
| Folic Acid Tablets 1mg | Folic Acid | Each | 100 |
| Formula, Infant, 60/40 Powder, 400gm | Similac PM 60/40 | Each | 6 |
| Formula, Infant, Soy and Iron Powder, 366gm | Similac Soy Isomil w/ Iron | Each | 6 |
| Fosphenytoin Sodium Inj., 50mg/mL, 2mL vial | Cerebyx | Each | 25 |
| Furosemide Inj. 10mg/mL, 10mL vial | Lasix | Each | 25 |
| Furosemide Tablets 40mg | Lasix | Each | 100 |
| Gabapentin Capsules 100mg | Neurontin | Each | 100 |
| Gabapentin Capsules 300mg | Neurontin | Each | 200 |
| Gentamicin Ophthalmic Solution 3% (3mg/mL), 5mL | Garamycin | Each | 6 |
| Glipizide Tablets 5mg | Glucotrol | Each | 200 |
| Glucagon for Inj. 1mg w/1mL water | Glucagon | Each | 2 |
| Glucose Tablets | Glucose | Each | 50 |
| Glyburide Tablets 5mg | Micronase | Each | 100 |
| Graduated Cylinder, 125mL | Graduated Cylinder | Each | 1 |
| Graduated Cylinder, 30mL | Graduated Cylinder | Each | 1 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|---------------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Guaifenesin AC Syrup 100mg-10mg/5mL 120mL | Robitussin AC | Each | 4 |
| Guaifenesin DM Syrup, 120mL | Robitussin DM | Each | 12 |
| Guaifenesin Syrup, 120mL | Robitussin Exp. | Each | 12 |
| Haloperidol Lactate Inj. 5mg/mL, 1mL vial | Haldol | Each | 25 |
| Haloperidol Tablets 1mg | Haldol | Each | 100 |
| Heparin Lock Flush Kit, 100 units/mL, 1mL vial | Heparin | Each | 25 |
| Heparin Sodium Inj. 1000 units/mL, 10mL vial | Heparin | Each | 25 |
| Hydrochlorothiazide Tablets 25mg | HydroDiuril | Each | 200 |
| Hydrocodone Bitartrate/APAP Tablets 5mg/300mg | Vicodin (new formulation) | Each | 300 |
| Hydrocortisone Acetate Suppository, 25mg | Anusol-HC | Each | 24 |
| Hydrocortisone Cream 1%, 30gm | Hytone | Each | 12 |
| Hydrocortisone Sod. Succ. Inj. 100mg/2mL vial | Solu-Cortef | Each | 2 |
| Hydromorphone Inj. 1mg/mL Carpuject | Dilaudid | Each | 30 |
| Ibuprofen Oral Drops 15mL | Motrin | Each | 6 |
| Ibuprofen Oral Susp. 100mg/5mL, 120mL | Motrin | Each | 6 |
| Ibuprofen Tablets 400mg | Motrin | Each | 600 |
| Ibuprofen Tablets 600mg | Motrin | Each | 400 |
| Inhalation Chamber Spacer for MDI | Aerochamber | Each | 12 |
| Inhalation Chamber with Mask, size Medium | Aerochamber | Each | 2 |
| Insulin Human and Insulin Isophane Susp. 70/30, 10mL vial | Humulin 70/30 | Each | 5 |
| Insulin NPH 100 units/mL, 10mL vial | Humulin / Novolin | Each | 10 |
| Insulin Regular 100 units/mL, 10mL vial | Humulin / Novolin | Each | 10 |
| Insulin, Glargine 10mL | Lantus | Each | 10 |
| Ipratropium Bromide Inhalation Aerosol HFA, 12.9gm | Atrovent | Each | 12 |
| Ipratropium Bromide Inhalation Solution 0.2%, 2.5mL ampoule | Atrovent | Each | 50 |
| Isoniazid Tablets 300mg | INH | Each | 100 |
| Isopropyl Alcohol 70%, 16oz. | Isopropyl Alcohol | Each | 6 |
| Isosorbide Dinitrate Tablets 10mg | Isordil | Each | 100 |
| Ketamine HCl Inj. 50mg/mL, 10mL vial | Ketalar | Each | 5 |
| Ketoralac Inj. 30mg/mL, 2mL vial | Toradol | Each | 25 |
| Label Printer, Thermal, Desktop (Dymo LabelWriter 450 Turbo), Labels 300/roll | Rx Labels | Each | 500 |
| Label, Chew Tablets, 1000/box | Labels | Each | 1 |
| Label, Discoloration of Urine and Feces, 1000/box | Labels | Each | 1 |
| Label, Drowsiness/No Alcohol, 1000/box | Labels | Each | 1 |
| Label, External Use Only, 1000/box | Labels | Each | 1 |
| Label, For the Ear, 1000/box | Labels | Each | 1 |
| Label, For the Eye, 1000/box | Labels | Each | 1 |
| Label, For the Nose, 1000/box | Labels | Each | 1 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|--|-------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Label, May Cause Drowsiness, 1000/box | Labels | Each | 1 |
| Label, No Milk, Dairy, 1000/box | Labels | Each | 1 |
| Label, Prescription, DHHS | Labels | Each | 1 |
| Label, Rectal Use, 1000/box | Labels | Each | 1 |
| Label, Shake Well, 1000/box | Labels | Each | 1 |
| Label, Take with Food/Milk, 1000/box | Labels | Each | 1 |
| Label, Take With Water Only, 1000/box | Labels | Each | 1 |
| Label, Vaginal Use Only, 1000/box | Labels | Each | 1 |
| Labels, Prescription, DHHS | Labels | Each | 1 |
| Lactated Ringer's Inj. 1000mL IV bag | Lactated Ringer's | Each | 24 |
| Lamotrigine Tablets 100mg | Lamictal | Each | 100 |
| Latanoprost Ophthalmic Solution 0.005%, 2.5mL | Xalatan | Each | 5 |
| Levofloxacin Tablets 500mg | Levaquin | Each | 200 |
| Levonorgestrel/Ethinyl Estradiol Tablets 0.15mg/0.03mg | Levlen | Each | 168 |
| Levothyroxine Sodium Tablets 0.05 mg (50mcg) | Synthroid | Each | 90 |
| Levothyroxine Sodium Tablets 0.1 mg (100mcg) | Synthroid | Each | 90 |
| Lidocaine HCl 1% w/Epinephrine Inj., 10mL vial | Xylocaine | Each | 25 |
| Lidocaine HCl Inj. 1%, 20mL vial | Lidocaine | Each | 25 |
| Lidocaine HCl Inj. 1%, 5mL syringe | Lidocaine | Each | 10 |
| Lidocaine Topical Solution 4%, 50mL | Xylocaine | Each | 1 |
| Lidocaine Viscous 2%, 100mL | Xylocaine | Each | 10 |
| Lidocaine/Prilocaine Cream 2.5%/2.5%, 5gm | EmLa | Each | 10 |
| Lisinopril Tablets 10mg | Prinivil | Each | 300 |
| Lithium Carbonate Tablets 300mg | Lithium | Each | 200 |
| Loperamide HCl Capsules 2mg | Imodium | Each | 200 |
| Loperamide HCl Solution 1mg/5mL, 120mL | Imodium | Each | 5 |
| Loratadine Tablets 10mg | Claritin | Each | 100 |
| Lorazepam Tablets 1mg UD | Ativan | Each | 100 |
| Losartan Potassium Tablets 25mg | Cozaar | Each | 180 |
| Magnesium Sulfate Inj. 50% (500mg/mL), 10mL syringe | Magnesium | Each | 10 |
| Mannitol Inj. 25% (12.5gm/50mL), 50mL vial | Osmitrol | Each | 25 |
| Meclizine HCl Tablets 25mg | Antivert | Each | 200 |
| Medroxyprogesterone Acetate Tablets 10mg | Provera | Each | 100 |
| Metformin HCl Tablets 500mg | Glucophage | Each | 500 |
| Methylergonovine Inj. 0.2mg/mL ampoule | Methergine | Each | 20 |
| Methylphenidate Tablets XR 18mg | Concerta | Each | 100 |
| Methylprednisolone Sodium Succinate Inj. 1000mg (1gm) vial | Solu-Medrol | Each | 2 |
| Methylprednisolone Sodium Succinate Inj. 125mg/2mL vial | Solu-Medrol | Each | 25 |
| Methylprednisolone Tablets 4mg dosepack | Medrol | Each | 210 |
| Metoclopramide HCl Inj. 5mg/mL, 2mL vial | Reglan | Each | 25 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|-------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Metoclopramide HCl Tablets 10mg | Reglan | Each | 100 |
| Metoprolol Inj. 1mg/mL, 5mL vial | Lopressor | Each | 10 |
| Metoprolol Tartrate Tablets 50mg | Lopressor | Each | 200 |
| Metronidazole Inj. 500mg/100mL IV bag | Flagyl | Each | 24 |
| Metronidazole Tablets 500mg | Flagyl | Each | 200 |
| Miconazole Vaginal Cream 2%, 45gm | Monistat | Each | 10 |
| Midazolam Inj. 5mg/mL, 2mL vial | Versed | Each | 20 |
| Moisturizing Lotion, 6oz. | Lubriderm | Each | 6 |
| Montelukast Sodium Tablets 10mg | Singulair | Each | 90 |
| Morphine Sulfate Inj. 10mg/mL, 1mL vial | Morphine | Each | 100 |
| Morphine Sulfate Tablets CR 30mg UD | Morphine | Each | 200 |
| Mortar and Pestle, 8oz, glass | Mortar and Pestle | Each | 2 |
| Mupirocin Ointment 2%, 22gm | Bactroban | Each | 6 |
| Naloxone HCl Inj. 0.4mg/mL, 1mL vial | Narcan | Each | 20 |
| Naproxen Tablets 500mg | Naprosyn | Each | 200 |
| Needle, 18G, 1.5inch | Needle | Each | 5 |
| Neomycin/PolyB/Bacitracin HC Ophth Ointment, 3.5gm | Cortisporin | Each | 12 |
| Nicardipene Inj. 40mg/200mL, IV bag | Cardene | Each | 3 |
| Nifedipine SA Tablets 30mg | Procardia XL | Each | 100 |
| Nitrofurantoin Monohydrate Capsules 100mg | Macrobid | Each | 200 |
| Nitroglycerin Inj. 5mg/mL, 10mL vial | Nitro-Bid | Each | 25 |
| Nitroglycerin Ointment 2%, 30gm | Nitro-Bid | Each | 2 |
| Nitroglycerin Sublingual Tablets 0.4mg (25 count) | Nitro-Stat | Each | 8 |
| Nitroglycerin Transdermal System 0.2mg/hr Patch | Nitrodur | Each | 30 |
| Nortriptyline HCl Capsules 25mg | Pamelor | Each | 100 |
| Nutritional Supplement, Glucose Control (Boost), 8oz. | Boost | Each | 27 |
| Nutritional Supplement, Powder, Vanilla (Ensure), 14oz. | Ensure | Each | 6 |
| Nystatin Cream 100,000units/gm, 15gm | Mycostatin | Each | 6 |
| Nystatin Oral Susp. 100,000units/mL, 60mL | Mycostatin | Each | 4 |
| Olanzapine Oral Disintegrating Tablets 5mg | Zyprexa Zydis | Each | 30 |
| Olanzapine Tablets 5mg | Zyprexa | Each | 100 |
| Omeprazole Capsule DR 20mg | Prilosec | Each | 500 |
| Ondansetron Inj. 2mg/mL, 2mL vial | Zofran | Each | 25 |
| One Touch Ultra Control Solution | One Touch | Each | 6 |
| One Touch ULTRA Test Strips, 50 strips | One Touch | Each | 3 |
| Ophthalmic Irrigating Solution 120mL | Collyrium | Each | 6 |
| Oral Electrolyte Solution 33.8oz | Pedialyte | Each | 6 |
| Oxybutynin HCl Tablets 5mg | Ditropan | Each | 100 |
| Oxycodone/Acetaminophen Tablets 5mg/325mg UD | Percocet | Each | 300 |
| Oxymetazoline Nasal Spray 0.05%, 15mL | Afrin | Each | 24 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Oxytocin Inj. 10units/mL, 1mL vial | Pitocin | Each | 25 |
| Pantoprazole Inj. 40mg/mL vial | Protonix | Each | 10 |
| Penicillin G for Inj., 5 mill units vial | Pfizerpen | Each | 10 |
| Permethrin Cream 5%, 60gm | Elimite | Each | 12 |
| Permethrin Topical Lotion 1% 60mL | Nix | Each | 12 |
| Petrolatum Jelly, 5gm UD | Vaseline | Each | 144 |
| Phenaphtazine Paper | Nitratest | Each | 1 |
| Phenobarbital Elixir 20mg/5mL, 473mL | Phenobarbital | Each | 1 |
| Phenobarbital Tablets 32.4mg UD | Phenobarbital | Each | 100 |
| Phenytoin Sodium Capsules ER 100mg | Dilantin | Each | 200 |
| Phenytoin Sodium Inj. 50mg/mL, 5mL vial | Dilantin | Each | 25 |
| Phenytoin Sodium Oral Susp. 125mg/5mL, 237mL | Dilantin | Each | 3 |
| Phytonadione Tablets 5mg (Vitamin K) | Mephyton | Each | 100 |
| Pioglitazone Tablets 15mg | Actos | Each | 90 |
| Piperacillin Sodium/Tazobactam Sodium Inj. 3.375mg vial | Zosyn | Each | 10 |
| Potassium Chloride ER Tablets 10mEq (750mg) | K-Dur | Each | 100 |
| Potassium Chloride Inj. 2mEq/mL, 10mL vial | Potassium Cl | Each | 25 |
| Prednisolone Acetate Ophth. Susp. 0.12%, 5ml | Pred-Mild | Each | 3 |
| Prednisolone Syrup, 15mg/5mL, 240mL | Prelone | Each | 1 |
| Prednisone Tablets 20mg | Deltasone | Each | 200 |
| Prednisone Tablets 5mg | Deltasone | Each | 200 |
| Prenatal Vitamins | Prenatal Vitamin | Each | 100 |
| Prochlorperazine Inj. 5mg/mL, 2mL vial | Compazine | Each | 20 |
| Prochlorperazine Maleate Tablets 10mg | Compazine | Each | 100 |
| Prochlorperazine Suppository 25mg | Compazine | Each | 24 |
| Promethazine HCl Inj. 25mg/mL, 1mL vial | Phenergan | Each | 25 |
| Promethazine Suppositories 25mg | Phenergan | Each | 12 |
| Promethazine Suppositories, Pediatric 12.5mg | Phenergan | Each | 12 |
| Propofol Inj. 10mg/mL, 100mL vial | Diprovon | Each | 10 |
| Propranolol HCl Inj. 1mg/mL vial | Inderal | Each | 10 |
| Protamine Sulfate 10mg/mL, 5mL vial | Protamine | Each | 25 |
| Pyrazinamide Tablets 500mg | Zinamide | Each | 100 |
| Pyridoxine HCl Tablets 50mg | Vitamin B-6 | Each | 100 |
| Quetiapine Fumerate Tablets 25mg | Seroquel | Each | 100 |
| Racpinephrine Inhalation Solution 0.5mL ampoule | S-2 | Each | 30 |
| Ranitidine HCl Inj. 25mg/mL, 2mL vial | Zantac | Each | 10 |
| Refrigerator, Portable (60 Liter) | | Each | 1 |
| Rifampin Capsules 300mg | Rifadin | Each | 100 |
| Risperidone Tablets 1mg | Risperdal | Each | 120 |
| Saline Nasal Spray, 45mL | Ocean | Each | 12 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|--|----------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Sennosides Tablets 8.6mg | Senokot | Each | 100 |
| Sharps Container, w/Needle Remover, 1 Quart | Container | Each | 2 |
| Silver Sulfadiazine Cream 1%, 50gm | Silvadene | Each | 12 |
| Simvastatin Tablets 40mg | Zocor | Each | 90 |
| Sodium Bicarbonate Inj. 8.4% (50mEq/50mL) 50mL syringe | Sodium Bicarb. | Each | 10 |
| Sodium Chloride Inhalation Solution 0.9%, 3mL ampoule | Sod. Chloride | Each | 100 |
| Sodium Chloride Inj. 0.9%, 1000mL IV bag | Sod. Chloride | Each | 96 |
| Sodium Chloride Inj. 0.9%, 250mL IV bag | Sod. Chloride | Each | 24 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | Sod. Chloride | Each | 96 |
| Sodium Chloride Inj. 0.9%, 50mL IV bag | Sod. Chloride | Each | 80 |
| Sodium Chloride Inj. 0.9%, Bacteriostatic, 30mL vial | Sod. Chloride | Each | 25 |
| Sodium Chloride Irrigation 0.9%, 1000mL | Sod. Chloride | Each | 32 |
| Sodium Phosphate Rectal Enema, USP | Enema | Each | 12 |
| Sodium Polystyrene Sulfonate Suspension 15gm/60mL, 473mL | Kayexalate | Each | 1 |
| Spironolactone Tablets 25mg | Aldactone | Each | 200 |
| Succinylcholine Chloride Inj. 20mg/mL, 10mL vial | Anectine | Each | 5 |
| Sulfacetamide Sodium Ophthalmic Solution 10%, 15mL | Sulamyd | Each | 6 |
| Sulfamethox/Trimethoprim Oral Susp. 200mg/40mg/5mL, 473mL | Bactrim | Each | 1 |
| Sulfamethoxazole/Trimethoprim DS Tablets 800mg/160mg | Bactrim DS | Each | 200 |
| Sulfasalazine DR Tablets, Enteric Coated, 500mg | Azulfidine | Each | 100 |
| Syringe, 3mL, LL | Syringe | Each | 5 |
| Syringe, Dosing, 10mL | Syringe | Each | 50 |
| Syringe, Dosing, 5mL | Syringe | Each | 50 |
| Syringe/Needle, 1cc, w/28g or 29/g Needle (Safety Tip), Insulin (Latex Free) | Syringe | Each | 300 |
| Tablet Cut and Crush | Cut 'N Crush | Each | 5 |
| Tears Naturale, Single-Use Bullets | Tears Naturale | Each | 300 |
| Terazosin HCl Capsules 1mg | Hytrin | Each | 100 |
| Terbutaline Sulfate Inj. 1mg/mL, 1mL vial | Brethine | Each | 25 |
| Tetanus & Diphtheria Toxoids Abs Inj., Adult, 0.5mL syringe | Vaccine | Each | 50 |
| Tetanus & Diphtheria Toxoids Abs Inj., Peds, 1mL vial | Vaccine | Each | 10 |
| Tetanus Immune Globulin Inj.m, 250units/syringe | Hyper-TET | Each | 2 |
| Tetracaine Ophthalmic Solution 0.5%, 15mL | Tetracaine | Each | 2 |
| Tetrahydrozoline HCl Ophthalmic Solution, 0.05%, 15mL | Visine | Each | 24 |
| Thermometer, Digital (For Refrigerator Monitoring) | Thermometer | Each | 1 |
| Thiamine HCl Inj. 100mg/mL, 2mL vial | Vitamin B1 | Each | 25 |
| Throat Lozenges | Cepacol | Each | 80 |
| Timolol Maleate Ophthalmic Solution 0.5%, 5mL | Blocadren | Each | 2 |
| Tobramycin Inj. 40mg/mL, 2mL vial | Nebcin | Each | 25 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|--|-------------------|------------------------|-----------------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Trazodone HCl Tablets 50mg | Desyrel | Each | 200 |
| Triamcinolone Acetonide Cream 0.1%, 15gm | Aristocort | Each | 6 |
| Triple Antibiotic Ointment, 15gm | Neosporin | Each | 6 |
| Urine Test Strips (Multistix 10 SG), 100 strips | Multistix 10 | Each | 1 |
| Valproic Acid Capsules 250mg | Depakene | Each | 100 |
| Vancomycin HCl Inj. 1gm vial | Vancocin | Each | 10 |
| Vecuronium Bromide Inj. 10mg/10mL vial | Norcuron | Each | 10 |
| Venlafaxine HCl ER Tablets/Capsules 37.5mg | Effexor XR | Each | 90 |
| Verapamil Tablets 80mg | Calan | Each | 300 |
| Vials, Clear View, 20 dram | Vial | Each | 180 |
| Vials, Clear View, 8 dram | Vial | Each | 400 |
| Vials, Screw Lock Caps, 20 dram | Cap | Each | 200 |
| Vials, Screw Lock Caps, 8 dram | Cap | Each | 400 |
| Warfarin Sodium Tablets 1mg | Coumadin | Each | 200 |
| Warfarin Sodium Tablets 5mg | Coumadin | Each | 200 |
| Water For Inj., Sterile, 20mL vial | Water | Each | 50 |
| Water For Irrigation, Sterile, 1000mL | Water | Each | 32 |
| Water, Distilled, 1 gallon (for Rx compounding) | Distilled Water | Each | 6 |
| Zinc Oxide Ointment, 28gm | Zinc Oxide | Each | 12 |
| Zolmitriptan Tablets 5mg | Zomig | Each | 15 |
| Zolpidem Tartrate Tablets 10mg UD | Ambien | Each | 100 |

Non-Acute Care / 250-bed / Lab Recommendations

| Non-Acute Care / 250-bed / Lab Recommendations | | |
|---|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Analyzer, Urinalysis, Clinitek, Status Plus | Each | 1 |
| Analyzer, Clinitek Status Plus Test Table | Each | 1 |
| Analyzer, Clinitek Status Plus Carriage | Each | 1 |
| Analyzer, Clinitek Status Plus AC Power Adapter | Each | 1 |
| Analyzer, Clinitek, Printer Paper, Thermal | Each | 2 |
| Analyzer, Clinitek Status Plus Manual | Each | 1 |
| Battery, Alkaline, Size AA (1.5 Volt) | Each | 7 |
| Analyzer, Clinitek Status Plus AC Power Cord | Each | 1 |
| Analyzer, i-STAT 1 | Each | 1 |
| Analyzer (i-STAT), Printer | Each | 1 |
| Analyzer (iStat 300), Printer, Battery, Rechargeable | Each | 2 |
| Analyzer (i-STAT), Printer, Paper | Each | 1 |
| Analyzer, i-Stat, Printer, AC Power Cord | Each | 1 |
| Analyzer (i-STAT), Electronic Simulator | Each | 1 |
| Battery, Lithium, Size 9 Volt, Non-Rechargeable | Each | 2 |

| Non-Acute Care / 250-bed / Lab Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Timer, 24 Hr, Battery Operated | Each | 1 |
| Glucometer Kit (One-Touch Ultra): Glucose Meter | Each | 1 |
| One Touch ULTRA Test Strips, 50 strips | Each | 1 |
| One Touch Ultra Control Solution | Each | 1 |
| Glucometer Kit (One-Touch Ultra): Lancets | Each | 10 |
| Glucometer Kit (One-Touch Ultra): Battery, Lithium (3.0 Volt) | Each | 1 |
| Cardiac Marker Test Kit (MI 3 in 1 StatusFirst Myoglobin, CK-MB, Troponin I) | Each | 5 |
| Pregnancy Test (hCG Urine Test) | Each | 5 |
| Urine Test Strips (Multistix 10 SG), 100 strips | Each | 1 |
| Thermometer, Traceable | Each | 1 |
| Forms, Laboratory Results | Each | 100 |
| Log Book, Hematology Manual and Instrument | Each | 1 |
| Analyzer, Hematology, Coulter AcT Diff2 | Each | 1 |
| Analyzer, Hematology, Coulter AcT Diff 2 Manual | Each | 1 |
| Analyzer, Hematology, Coulter Waste Tubing | Each | 1 |
| Analyzer, Hematology, Coulter AcT Tainer Pickup Tubes Kit | Each | 1 |
| Printer, Lexmark, E360D | Each | 1 |
| Printer, Lexmark E360H11A Toner | Each | 1 |
| Paper, Copy, 8½" x 11", Ream | Each | 1 |
| Printer, Laser, Okidata B4600, Power Supply | Each | 1 |
| Power Conditioner Box, 3.0 Amp, 120v | Each | 1 |
| Power Conditioner Box, 3.0 Amp, 120V, AC Power Cord | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress, Paper (Roll) | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress, Manual | Each | 1 |
| Pipette Tip, 0.1ml, Disposable | Each | 1 |
| Pipette, Micro, 0.1ml | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress, AC Power Cord | Each | 1 |
| Surge Protector, UPS | Each | 1 |
| Tool, Screwdriver, Pocket, 4 in 1 | Each | 1 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | Each | 200 |
| Wooden Applicators, 6" | Each | 1000 |
| Bag, Bio-Hazard, Specimen, 6" x 9" | Each | 200 |
| Bag, Infectious Waste, Red, 25" X 34" | Each | 25 |
| Binder, 3-Ring, 1", Black | Each | 1 |
| Cleanser, Hand, BZK Antiseptic, Single Use | Each | 100 |
| Clipboard, Plastic | Each | 2 |
| Copy of CLIA License | Each | 1 |
| Container, Waste Drainage, 10L | Each | 1 |
| Coulter diff AcT Tainer Reagent Kit | Each | 1 |

| Non-Acute Care / 250-bed / Lab Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Sharps Container, w/Needle Remover, 1 Quart | BX | 3 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | Each | 100 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | Each | 100 |
| Gloves, Examination, Nitrile, X-Large (Powder Free & Latex Free) | Each | 100 |
| Goggles, Safety, Chem Splash | Each | 2 |
| Hand Sanitizer (Purell® Instant Hand Sanitizer, 12 oz.) | Each | 1 |
| Rocker, Tabletop Hemo-Dyne, 14 Tube Cap | Each | 1 |
| IV, Starter Set | Each | 100 |
| Lab Coat, Knee Length, Long Sleeve, Medium | Each | 6 |
| Lab Coat, Knee Length, Long Sleeve, Large | Each | 6 |
| Lab Coat, Knee Length, Long Sleeve, X-Large | Each | 6 |
| Needle, Blood Collection, 23G x 3/4"x12" | Each | 100 |
| Needle, Blood Collection, 21G x 1-1/4" | Each | 200 |
| Arterial Blood Gas Sampling Kit | Each | 25 |
| Shears, Trauma | Each | 1 |
| Sponge, Gauze, 4" x 4", Non-sterile | Each | 200 |
| Hemocult® Test Kit | Each | 100 |
| Test Kit, Drug Abuse Panel (DOA), 25 Tests | Each | 1 |
| Tube, Capillary, 100 mcl, Lithium Heparin | Each | 100 |
| Tube, Blood Collection, EDTA 4ml, Purple | Each | 100 |
| Tube, Blood Collection, Green Top, Heparin, 4ml | Each | 100 |
| Tube, Blood Collection, Red Top 7ml (Vac-U-Tainer) | Each | 100 |
| Tube, Blood Collection, (Vac-U-Tainer Barrel) | Each | 250 |
| Tube, Blood Collection, Holder (Vac-U-Tainer) | Each | 1 |
| Urine Collection Kit (Easy Catch) | Each | 25 |
| Wash Bottle, Nalgene, 500ml | Each | 1 |
| Microscope, Binocular w/Light Source | Each | 1 |
| Microscope, Binocular, Spare Bulb | Each | 1 |
| Microscope, Glass Slide, 25mm x 75mm | Each | 144 |
| Microscope, Glass Slide, Cover (1 oz. box) | Each | 200 |
| Microscope, Lens Paper (1cm x 15 cm), 50 Sheets/Pack | Each | 50 |

Emergency Resuscitation Capability

Mobile Lifesaving Kit

| Mobile Lifesaving Kit | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Marker, Permanent, Black, Regular Tip (Sharpie Type) | each | 4 |
| Notebook, Spiral, 3" x 5" | each | 2 |
| Stethoscope, Single Head, Black (Latex Free) | each | 2 |

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Oxygen, Cylinder, "D", Regulator (0-15L) | each | 2 |
| Oxygen, Cylinder, "D", Wrench | each | 2 |
| Oxygen, Cylinder, "D",Regulator (0-15L),Gasket | each | 6 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 2 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 6 |
| Laryngoscope, Handle (GR Spec Fiber Optic) | each | 2 |
| Battery, Alkaline, Size C (1.5 Volt) | each | 8 |
| ET Tube Holder, Thomas, Adult | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Intubation Indicator Kit, CO ² , Disposable, Adult | each | 2 |
| Laryngoscope, Mac Blade, #3 (GR Spec FO) | each | 2 |
| Laryngoscope, Mac Blade, #4 (GR Spec FO) | each | 2 |
| Shield, Full Faceguard, Clear | each | 2 |
| Stylete, Intubation, Adult | each | 2 |
| Syringe, 10cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Tube, Endotracheal, 6.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 7.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 8.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, Introducer 15Fr x 70cm | each | 2 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 2 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 6 |
| Laryngoscope, Handle (GR Spec Fiber Optic) | each | 2 |
| Battery, Alkaline, Size C (1.5 Volt) | each | 8 |
| ET Tube Holder, Thomas, Adult | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Intubation Indicator Kit, CO ² , Disposable, Adult | each | 2 |
| Laryngoscope, Mac Blade, #3 (GR Spec FO) | each | 2 |
| Laryngoscope, Mac Blade, #4 (GR Spec FO) | each | 2 |
| Shield, Full Faceguard, Clear | each | 2 |
| Stylete, Intubation, Adult | each | 2 |
| Syringe, 10cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Tube, Endotracheal, 6.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 7.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 8.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, Introducer 15Fr x 70cm | each | 2 |
| Forceps, Magill, Adult | each | 2 |
| Laryngoscope, Miller Blade, #2 (GR Spec FO) | each | 2 |
| Laryngoscope, Miller Blade, #3 (GR Spec FO) | each | 2 |
| Airway, King LTS-D, #3, (Yellow) (Latex Free) | each | 2 |
| Airway, King LTS-D, #4, (Red) (Latex Free) | each | 2 |

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Airway, King LTS-D, #5, (Purple) (Latex Free) | each | 2 |
| Airway, Laryngeal Mask (LMA), #2, Disposable (Latex Free) | each | 2 |
| Airway, Laryngeal Mask (LMA), #3, Disposable (Latex Free) | each | 2 |
| Emergency Cricothyrotomy Kit (QuickTrach), Adult (Latex Free) | each | 2 |
| Emergency Cricothyrotomy Kit (QuickTrach), Ped (Latex Free) | each | 2 |
| Syringe, 60cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Airway, Management, Tracheal Hook | each | 2 |
| Scalpel, #10, Disposable | each | 2 |
| Tube, Endotracheal, 5.5, with Cuff (Latex Free) | each | 2 |
| Catheter, (IV), 14G x 3¼", Chest Decompression (Latex Free) | each | 4 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |
| Tube, Drainage, Surgical, Heimlich Valve (Latex Free) | each | 4 |
| Tube, Extension (Cook) (For Use with Heimlich Valve) (Latex Free) | each | 4 |
| Airway, Nasopharyngeal, 12 Fr (Latex Free) | each | 2 |
| Airway, Nasopharyngeal, 14 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 2 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 6 |
| Laryngoscope, Handle, Pediatric (GR Spec Fiber Optic) | each | 2 |
| Battery, Alkaline, Size AA (1.5 Volt) | each | 8 |
| ET Tube Holder, Thomas, Pediatric | each | 2 |
| Forceps, Magill, Pediatric | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Intubation Indicator Kit, CO ₂ , Disposable, Pediatric | each | 2 |
| Laryngoscope, Miller Blade, #0 (GR Spec FO) | each | 2 |
| Laryngoscope, Miller Blade, #1 (GR Spec FO) | each | 2 |
| Laryngoscope, Mac Blade, #2 (GR Spec FO) | each | 2 |
| Shield, Full Faceguard, Clear | each | 2 |
| Suction, Bulb, Neo-natal (For Irrigation & Suction), 1 oz, Sterile (Latex Free) | each | 2 |
| Stylete, Intubation, Pediatric | each | 2 |
| Tube, Endotracheal, 2.5, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 3.0, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 3.5, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 4.0, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 4.5, w/o Cuff (Latex Free) | each | 2 |
| Suction, Handheld, Disposable (Easy Suction) | each | 2 |
| Suction, Handheld, Disposable (Easy Suction), Catheter, Pediatric | each | 2 |
| Mask, Bag Valve, Pocket, Adult (Hockey Puck) | each | 2 |
| PEEP Valve, Adjustable, Disposable | each | 2 |
| Mask, Bag Valve, Pocket, Adult (Hockey Puck) | each | 2 |
| PEEP Valve, Adjustable, Disposable | each | 2 |
| Mask, Bag Valve (Ambu Bag), Pediatric (Latex Free), with Adjustable Peep Valve | each | 2 |
| PEEP Valve, Adjustable, Disposable | each | 2 |

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Mask, Oxygen, Non-Rebreather, Pediatric (Latex Free) | each | 4 |
| Oxygen, Nasal Cannula, with 7' Tubing, Latex Free | each | 4 |
| Mask, Oxygen, Non-Rebreather, Adult (Latex Free) | each | 4 |
| Oxygen, Nebulizer, Inline, Handheld (Latex Free) | each | 4 |
| Pulse Oximeter, Fingertip | each | 2 |
| Battery, Alkaline, Size AAA (1.5 Volt) | each | 4 |
| Oxygen, Cylinder, "D", Aluminum w/Toggle Valve | each | 4 |
| Oxygen Case, CART | each | 2 |
| Tie Down, Ratchet (1" Strap, 'S' Hook) | each | 2 |
| Defibrillator, Zoll Propaq MD, Surepower Single Bay Charger | each | 2 |
| Defibrillator, Zoll Propaq, Battery, Lithium Ion, Surepower II | each | 4 |
| Razor, Disposable | each | 4 |
| Swabs, Betadine | each | 12 |
| Defibrillator, Propaq-MD, Paper, Thermal, 80mm Roll | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Thigh (13) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Lg Adult (12) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Adult (11) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Sm Adult (10) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Child (9) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Sm Child (8) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Infant (7) | each | 2 |
| Defibrillator, Zoll Propaq, Power Cord (For Propaq MD) | each | 2 |
| Defibrillator, Propaq-MD, AC Power Adapter/Charger | each | 2 |
| Defibrillator, Zoll Propaq, Cable, Multi-Function (red) | each | 2 |
| Defibrillator, Zoll Propaq, Electrodes, EKG (may be in pkgs of 3,4 or 6) | each | 16 |
| Defibrillator, Propaq-MD, Filter Line H Set, Adult/Ped | each | 2 |
| Defibrillator, Propaq-MD, Filter Line, Adult/Ped | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Adult (Smart Capno) | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Ped (Smart Capno) | each | 2 |
| Defibrillator, Zoll Propaq, Skin Temperature Probe, Adult, Reusable | each | 2 |
| Defibrillator, Zoll Propaq, Cable, Multi-Function (red) | each | 2 |
| Defibrillator, Zoll Propaq, Electrodes, Multi Function, Adult | each | 4 |
| Defibrillator, Zoll Propaq, Electrodes, Multi Function, Pedi | each | 4 |
| Defibrillator, Zoll Propaq MD | each | 2 |
| Defibrillator, Propaq, Cable Sleeve, Blue | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Dual Lumen Tubing Assembly | each | 2 |
| Defibrillator, Zoll Propaq, Cable, 12 Lead ECG (6 Wire & 4 Wire Combo) | each | 2 |
| Defibrillator, Zoll Propaq, Sensor, SPO2, SpCO and SpMet Sensor, Reusable | each | 2 |
| Defibrillator, Zoll Propaq, Sensor, SPO2, Cable Extension, Reusable | each | 2 |
| Defibrillator, Zoll Propaq, Electrodes, EKG (may be in pkgs of 3,4 or 6) | each | 32 |
| Defibrillator, Zoll Propaq, Electrodes, Multi Function, Adult | each | 2 |
| Defibrillator, Propaq-MD, Filter Line H Set, Adult/Ped | each | 2 |

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Defibrillator, Propaq-MD, Filter Line, Adult/Ped | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Adult (Smart Capno) | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Ped (Smart Capno) | each | 2 |
| Defibrillator, Propaq-MD, Paper, Thermal, 80mm Roll | each | 2 |
| << SUPPLEMENTAL REQUIREMENTS >> << Advanced Cardiovascular Life Support Drug Bag (ACLS)(QTY-1) Must Be Added Prior To Deployment >> | each | |
| Seal, Tug Tight, 12", Consecutively Numbered, Green | each | 24 |
| << SUPPLEMENTAL REQUIREMENTS >> << Advanced Cardiovascular Life Support Drug Bag (ACLS)(QTY-1) Must Be Added Prior To Deployment >> | each | |
| Bandage, Kerlix, Sterile, 4.5" x 4.1 Yd | each | 8 |
| QuikClot ACS Plus | each | 4 |
| Tourniquet, CAT, Military Type | each | 8 |
| Shield, Full Faceguard, Clear | each | 10 |
| Syringe, Toomey, with Luer-Lok Adapter, Disposable (60 or 70 cc) (Latex Free) | each | 2 |
| Patient Treatment Forms | each | 100 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |
| Catheter, (IV), 14G x 3¼", Chest Decompression (Latex Free) | each | 4 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 4 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |
| Catheter, (IV), 14G x 3¼", Chest Decompression (Latex Free) | each | 4 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 4 |
| Airway, Nasopharyngeal, 12 Fr (Latex Free) | each | 2 |
| Airway, Nasopharyngeal, 14 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 4 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |
| Gauze, Vaseline, Sterile, 3" x 36" | each | 4 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 4 |
| Tape, Broselow | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Mask, Surgical, Cupped | each | 8 |
| Shears, Trauma | each | 2 |
| Bandage, Flexible, Small (Band-Aid Type) (Latex Free) | each | 40 |
| Bandage, Flexible, X-Large (Band-Aid Type) (Latex Free) | each | 20 |
| Bandage, Moleskin, Small | each | 12 |
| Pad, Gauze, Non Adherent, Sterile, 3" x 4" (Telfa) | each | 8 |
| Pad, ABD/COMBINE, Sterile | each | 4 |
| Sponge, Gauze, 4" x 4", Sterile (may contain 1 or 2 per pack) | pack | 20 |
| Bag, Infectious Waste, Red, 25" x 34" | each | 6 |
| Blanket, Mylar | each | 4 |

| Mobile Lifesaving Kit | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Marker, Permanent, Black, Regular Tip (Sharpie Type) | each | 4 |
| Notebook, Spiral, 3" x 5" | each | 2 |
| Pen, Ball Point, Black, Medium Point (NO GEL) | each | 2 |
| Sharps Shuttle, Small Conical | each | 2 |
| Tag, Triage | each | 40 |
| Bandage, Elastic, 2" (Latex Free) | each | 8 |
| Bandage, Elastic, 4" (Latex Free) | each | 4 |
| Bandage, Triangular | each | 4 |
| Splint, SAM | each | 4 |
| Dressing, Multi Trauma, 12" X 30" | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Needle, Spinal, 18G x 6", Non-Safety Tip | each | 2 |
| Sharps Shuttle, Small Conical | each | 2 |
| Needle, 18G x 1½", Safety Tip | each | 10 |
| Needle, 25G x 5/8", Safety Tip | each | 10 |
| Syringe, 10cc, Luer-Lok, Disposable (Latex Free) | each | 10 |
| Syringe, 35cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Syringe/Needle, 1cc, w/25g x 5/8" Needle (Safety Tip), TB (Latex Free) | each | 10 |
| Syringe/Needle, 3cc, w/21g x 1½" Needle (Safety Tip) (Latex Free) | each | 10 |
| Syringe/Needle, 5cc or 6cc, w/20g x 1½" Needle (Latex Free) | each | 4 |
| Arm Board, Padded, Short | each | 4 |
| Dial-a-Flow Extension Set (Latex Free) | each | 2 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | each | 2 |
| Sodium Chloride Inj. 0.9%, 100mL IV bag | each | 8 |
| Needle, Intraosseous (IO), EZ-IO, Adult (Inc needle, fluid transfer line & armband) | each | 2 |
| Needle, Intraosseous (IO), EZ-IO, Pediatric (Inc needle, fluid transfer line & armband) | each | 2 |
| Needle, Intraosseous (IO), EZ-IO, Power Driver | each | 2 |
| Needle, Intraosseous (IO), EZ-IO, Extra Long (Inc needle, fluid transfer line & armband) | each | 2 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | each | 20 |
| Bandage, Tegaderm, IV Op Site Dressing | each | 4 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 22G x 1", Blue, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 24G x 3/4", Yellow, Safety Tip (Latex Free) | each | 4 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | each | 4 |
| Sponge, Gauze, 4" x 4", Sterile (may contain 1 or 2 per pack) | pack | 4 |
| Tape, Surgical, Durapore, 1" | each | 2 |
| Tourniquet, 1" x 18", Disposable (Latex Free) | each | 2 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | each | 20 |
| Bandage, Tegaderm, IV Op Site Dressing | each | 4 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | each | 4 |

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 22G x 1", Blue, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 24G x 3/4", Yellow, Safety Tip (Latex Free) | each | 4 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | each | 4 |
| Sponge, Gauze, 4" x 4", Sterile (may contain 1 or 2 per pack) | pack | 4 |
| Tape, Surgical, Durapore, 1" | each | 2 |
| Tourniquet, 1" x 18", Disposable (Latex Free) | each | 2 |
| Flashlight, Penlight | each | 2 |
| Thermometer, Digital , Battery Powered | each | 2 |
| Thermometer, Digital, Sheaths, Disposable | each | 200 |
| Tongue Blades, 6", Sterile | each | 8 |
| Tweezers | each | 2 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | each | 20 |
| Glucometer Kit (One-Touch Ultra): Battery, Lithium (3.0 Volt) | each | 4 |
| Glucometer Kit (One-Touch Ultra): Glucose Meter | each | 2 |
| Glucometer Kit (One-Touch Ultra): Lancets | each | 20 |
| One Touch Ultra Control Solution | bottle | 2 |
| One Touch ULTRA Test Strips, 50 strips | bottle | 2 |
| Sphygmomanometer, Aneroid Set, w/Case, Adult (Latex Free) | each | 2 |
| Sphygmomanometer, Aneroid Set, w/Case, Child (Latex Free) | each | 2 |
| Stethoscope, Single Head, Black (Latex Free) | each | 2 |
| Pack, Cold, Crush Activated, Urea Based, 4" x 6" | each | 4 |
| Suture, Stapler Remover | each | 2 |
| Suture, Surgical Stapler, 15 pack, Regular | each | 2 |
| Suture, Skin Adhesive, Individual Packets | each | 6 |
| Tape, Surgical, Durapore, 1" | each | 2 |
| Tape, Surgical, Durapore, 3" | each | 2 |
| Cervical Collar, Adjustable, Plastic | each | 4 |

Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy

| Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy | | | |
|--|------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Adenosine Inj. 3mg/mL, 2mL vial | Adencard | EA | 6 |
| Albuterol Inhalation Solution 0.083%, 3mL ampoule | Proventil | EA | 10 |
| Alcohol Prep Pad | Alcohol | EA | 10 |
| Amiodarone HCl Inj., 150mg/3mL vial | Cordarone | EA | 6 |
| Aspirin Chewable Tablets 81mg | Aspirin | EA | 72 |
| Atropine Sulfate Inj. 0.1mg/mL, 10mL syringe | Atropine | EA | 6 |
| Calcium Chloride Inj. 10% (100mg/mL), 10mL syringe | Calcium Chloride | EA | 4 |
| Dextrose Inj. 50%, 50mL syringe | Dextrose | EA | 2 |
| DHHS Prescription Blanks, 20/pad (#'s xx-xx) | Rx Pad | EA | 2 |
| Digoxin Inj. 0.25mg/mL, 2mL ampoule | Lanoxin | EA | 4 |
| Diphenhydramine HCl Inj. 50mg/mL, 1mL vial | Benadryl | EA | 2 |
| Epinephrine Auto Injector 0.3mg | Epi-Pen Adult | EA | 2 |
| Epinephrine Auto Injector, Jr, 0.15mg | Epi-Pen Jr | EA | 2 |
| Epinephrine Inj. 1:10,000 (0.1mg/mL), 10mL syringe | Adrenalin | EA | 10 |

| Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy | | | |
|---|-------------------|------------------------|-----------------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Etomidate HCl Inj. 2mg/mL, 20mL vial | Amidate | EA | 4 |
| Furosemide Inj. 10mg/mL, 10mL vial | Lasix | EA | 2 |
| Lidocaine HCl Inj. 2%, (20mg/mL), 5mL syringe | Lidocaine | EA | 4 |
| Magnesium Sulfate Inj. 50% (500mg/mL), 10mL syringe | Magnesium | EA | 2 |
| Metoprolol Inj. 1mg/mL, 5mL vial | Lopressor | EA | 6 |
| Naloxone HCl Inj. 0.4mg/mL, 1mL vial | Narcan | EA | 10 |
| Needle, 18G, 1.5inch | Needle | EA | 10 |
| Needle, Filter 19G, 1.5inch | Needle | EA | 4 |
| Nitroglycerin Sublingual Tablets 0.4mg, 25's | Nitro-Stat | EA | 2 |
| Norepinephrine Inj. 1mg/mL, 4mL vial | Levophed | EA | 4 |
| Ondansetron Inj. 2mg/mL, 2mL vial | Zofran | EA | 4 |
| Phenylephrine Inj. 10mg/mL, 1mL vial | Phenylephrine | EA | 4 |
| Phenytoin Sodium Inj. 50mg/mL, 5mL vial | Dilantin | EA | 8 |
| Sodium Bicarbonate Inj. 8.4% (50mEq/50mL) syringe | Sodium Bicarb. | EA | 4 |
| Syringe, 5cc, Luer Slip Tip, Disposable (Latex Free) | | EA | 4 |
| Syringe, 10mL | Syringe | EA | 4 |
| Syringe, 30cc, Luer-Lok, Disposable (Latex Free) | | EA | 4 |
| Vecuronium Bromide Inj. 10mg/10mL vial | Norcuron | EA | 4 |
| Verapamil Inj. 2.5mg/mL, 2mL vial | Calan | EA | 2 |
| Water For Inj., Sterile, 20mL vial | Sterile Water | EA | 2 |
| Fentanyl Citrate Inj. 50mcg/mL, 2mL vial | Sublimaze | EA | 10 |
| Ketamine HCl Inj. 50mg/mL, 10mL vial | Ketalar | EA | 2 |
| Midazolam Inj. 1mg/mL, 2mL vial | Versed | EA | 10 |
| Morphine Sulfate Inj. 10mg/mL, 1mL vial | Morphine | EA | 10 |

SUPPLEMENT 2: ADDITIONAL GUIDANCE FOR HOSPITAL CARE ACS MODEL

Hospital Care: Mid-level care for moderately symptomatic COVID-19 patients. These patients require oxygen (more than 2L/min), nursing care, and assistance with activities of daily living (ADLs). This level of care corresponds to Level 3 (medical-surgical care) patients in medical care terminology.

This model provides the capacity of 300 beds, including a 250-bed medical-surgical ward with a 50 bed acute care ward. **The planning factor for potential patient decompensation from a medical-surgical level to an intensive care unit (ICU) is 25%.** The following recommendations should be modified depending on local needs and capacity. The recommended model assumes full bed occupancy and should be scaled according to patient needs.

Given the risk for patients with COVID-19 to abruptly decompensate, it is recommended that all Alternate Care Site (ACS) Models include an Emergency Resuscitation Capability, such as the U.S. Department of Health and Human Services (HHS) Mobile Lifesaving Kit (MLK). This capability is included in this Supplement in the table called "Mobile Lifesaving Kit" as part of the standard equipment for the Hospital Care ACS Model.

The below table is a recommended staffing model for a 300-bed footprint for the Hospital Care ACS Model.

| Medical Staffing for 300-bed footprint | 24 hours |
|--|----------|
| Physician | 14 |
| Advance Care Practitioners | 24 |
| Nurse Anesthetists | 4 |
| Care Provider (Registered Nurse [RN], Certified Nursing Assistant [CNA], Licensed Practical Nurse [LPN], Emergency Medical Technician-Paramedic [EMT-P]) | 74 |
| Pharmacist | 4 |
| Radiology Technologist | 4 |
| Respiratory Therapist | 20 |
| Total | 144 |

Note on Personal Protective Equipment (PPE)

Based on the current COVID-19 situation and availability of PPE, the Centers for Disease Control and Prevention (CDC) has specific recommendations PPE use. Please refer to current CDC guidance to ensure that all staff (e.g., security, support staff, logistics, medical providers) caring for patients with COVID-19 have appropriate PPE. PPE is a component of an overall infection prevention and control strategy that includes administrative and environmental controls in addition to hand hygiene, PPE and other measures to ensure safe provision of care and

limiting the risk of nosocomial spread of infection. Please refer to CDC current guidance for infection prevention and control strategies.

It is recommended that each site measure the amount of PPE at the beginning and end of each day and monitor the burn rate of PPE on a daily basis. The online [CDC Personal Protective Equipment Burn Rate Calculator](#) is a spreadsheet-based model that provides information for healthcare facilities to plan and optimize the use of PPE for response to coronavirus disease 2019 (COVID-19). This tool can also be used for planning PPE use outside the context of COVID-19, where PPE shortages may also occur due to supply chain issues related to the COVID-19 response (e.g., manufacturing facilities).

Potential reuse of disposable filtering facepiece respirators (FFRs) as a crisis capacity strategy to conserve available supplies for healthcare environments during a pandemic. Strategies for FFR extended use and reuse (without decontamination of the respirator) are currently available from [CDC's National Institute for Occupational Safety and Health \(NIOSH\)](#). Additional information on strategies to optimize PPE supply and equipment can be found at <https://www.cdc.gov/coronavirus/2019-ncov/hcp/ppe-strategy/index.html>.

Note on Oxygen

Unintended consequences of an insufficient supply chain should be taken in consideration. **Backup generators for ventilators and alternate oxygen reserve (e.g., bottled, tanks) are critical for oxygen needs to ensure that oxygen supply and delivery does not get interrupted.**

Potential challenges in getting oxygen to an ACS, include:

- Logistics of getting the product to a facility;
- 24/7 maintenance of the vaporizers;
- Appropriate heating and cooling systems to prevent damage of gas lines;
- Updating pipes in a potential facility to distribute oxygen more broadly to additional rooms; and
- Planning for the volume needed at each ACS.

Note on Pulse Oximeters

Given the increased need for patients and providers to monitor PulseOx, an ACS should have an abundance of pulse oximeters available for distribution.

Non-Acute Care / 250-bed / Medical-Biomed Recommendations

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| AED, Defibrillator | Each | 1 |
| Aneroid, BP Cuff, Adult | Each | 5 |
| Aneroid, BP Cuff, Adult | Each | 5 |
| Aneroid, BP Cuff, Adult | Each | 6 |
| Aneroid, BP Cuff, Child | Each | 5 |
| Aneroid, BP Cuff, Child | Each | 5 |
| Aneroid, BP Cuff, Child | Each | 6 |
| Aneroid, BP Cuff, Infant | Each | 5 |
| Aneroid, BP Cuff, Infant | Each | 5 |
| Aneroid, BP Cuff, Infant | Each | 6 |
| Aneroid, BP Cuff, Obese | Each | 5 |
| Aneroid, BP Cuff, Obese | Each | 2 |
| Aneroid, BP Cuff, Obese | Each | 6 |
| Anti-Microbial Solution, 4%, 32 oz. | Pkg 12 | 1 |
| Arm Bands, Staff ID (20 PKG of 5 =100) | Pkg 5 | 100 |
| Aspirator, Portable w/ Charger | Each | 4 |
| Backboard (Adult) w/ Straps | Each | 5 |
| Backboard (Child) w/ Straps | Each | 3 |
| Bag, Ambu, Adult, Disposable w/ mask | Pkg 6 | 6 |
| Bag, Ambu, Infant, Disposable w/ mask | Each | 3 |
| Bag, Ambu, Pediatric, Disposable w/ mask | Each | 7 |
| Bag, Biohazard Specimen | Each | 1000 |
| Bag, Body (Adult) | Pkg 10 | 1 |
| Bag, Body (Child) | Each | 10 |
| Bag, Hamper | Each | 36 |
| Bag, Infectious Waste | Pkg 100 | 10 |
| Bag, Patient Belongings | Each | 500 |
| Bag, Patient Belongings (2 EA x 25 x 10) | Each | 500 |
| Bag, Trash, Liner, Clear | Each | 1000 |
| Bag, Urinary Meter, 500mL | Pkg 10 | 3 |
| Bag, Urinary, Drainage | Pkg 20 | 3 |
| Band, ID (Adult) | Each | 500 |
| Band, ID (Child) | Pkg 250 | 2 |
| Basin, Emesis | Each | 1250 |
| Basin, Emesis (50 x 5) | Each | 250 |
| Basin, Wash, Round | Each | 300 |
| Battery Pack, AED Defibrillator | Each | 1 |
| Battery, Alkaline, Size AA (80 EA) | Each | 80 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Battery, Alkaline, Size AAA | Pkg 24 | 1 |
| Battery, Alkaline, Size AAA (168 EA Total) | Case 144 | 1 |
| Battery, Alkaline, Size C (64 EA) | Each | 64 |
| Battery, Alkaline, Size D (184 EA) | Each | 184 |
| Bed, Bariatric Set 600 lbs | Each | 5 |
| Bed, General Use (GUB) | Each | 200 |
| Bed, Hospital, Adjustable | Each | 10 |
| Bed, Westcot (Standard) | Each | 50 |
| Bedpan | Each | 50 |
| Bedpan (50 x 5) | Each | 250 |
| Binder, 3 Ring, 1" | Each | 24 |
| Binder, 3 Ring, 2" | Each | 24 |
| Binder, 3 Ring, 3" | Each | 5 |
| Binder, 3 Ring, 3" | Each | 24 |
| Blanket, Cotton | Each | 150 |
| Blanket, Cotton | Each | 250 |
| Blanket, Emergency | Each | 144 |
| Blanket, Emergency | Each | 250 |
| Blanket, Space, Mylar | Each | 500 |
| Blanket, Wool Blend (90 x 3) | Each | 270 |
| Bleach, Clorox | Each | 0 |
| Book, Record | Each | 10 |
| Bottle, Nursing, Starter, Kit | Each | 25 |
| Bottle, Spray, Quart, w/Trigger | Each | 18 |
| Bowl, 12 oz. | Each | 2000 |
| Box, File Storage w/Lid | Each | 25 |
| Brief, Adult, Bariatric (128 Ea Total) | Case 32 | 4 |
| Brief, Ultra, Adult, Extra Large | Case 80 | 2 |
| Brief, Ultra, Adult, Large | Case 80 | 2 |
| Brief, Ultra, Adult, Medium | Each | 192 |
| Brief, Ultra, Adult, Small | Each | 192 |
| Broom, Push (Two Piece) | Each | 2 |
| Broselow Bag (Ped Resuscitation Sys.) | Each | 2 |
| Bucket, 3 Gallon, Pour Spout, w/Handle | Each | 12 |
| Bucket, Mop, w/Ringer | Each | 6 |
| Bulb, Light, 120v, RS 60W | Each | 72 |
| Bulb, Light, Perimeter Flood Lighting | Each | 10 |
| Bungee Cord Assortment | Each | 48 |
| Cable Ties, Black | Pkg 100 | 15 |
| Calculator, Metric Conversion | Each | 11 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Can, Trash, 32 Gallon | Each | 15 |
| Can, Trash, Lid, 32 Gallon | Each | 15 |
| Can, Trash, Lid, Red, 32 Gallon | Each | 15 |
| Can, Trash, Red, 32 Gallon | Each | 15 |
| Cane, Quad (700 lbs) | Each | 5 |
| Canister, Suction Tubing | Each | 100 |
| Canister, Suction, 800CC | Each | 48 |
| Cannula Cushion PED, 7ft tube, CS/50 | Case 50 | 5 |
| Cannula Tubing (Adult) | Case 50 | 10 |
| Case, Contact Lens | Each | 30 |
| Catheter IV, 18G X 1 1/4", Green Safety Tip | Pkg 200 | 1 |
| Catheter IV, 20G X 1 1/4", Pink Safety Tip | Pkg 200 | 1 |
| Catheter Kit, Foley Tray, 18fr, Closed System | Each | 20 |
| Catheter Kit, Foley, Tray, 16 Fr Closed System | Each | 100 |
| Catheter Plug & Drain Tube Protector | Case 100 | 1 |
| Catheter, Foley Tray, 6FR (Child) | Case 10 | 1 |
| Catheter, IV, 22G x 1" | Each | 100 |
| Catheter, IV, 24G x 3/4" | Bx 50 | 2 |
| Catheter, Self, 18FR (Robnell) | Each | 10 |
| Catheter, Urinary, External Large | Pkg | 2 |
| Catheter, Urinary, External Medium | Pkg | 2 |
| Catheter, Urinary, External Small | Pkg | 2 |
| CaviWipes | Containers | 2 |
| Chair, Metal, Folding | Each | 400 |
| Chart Holder, Patient, Plastic | Each | 48 |
| Chart Holder, Patient, Plastic | Each | 250 |
| Chart, Pain, Childrens | Each | 5 |
| Chest, Ice 48 QT | Each | 6 |
| Cleaner, Floor, Powdered | Each | 2 |
| Clipboard, 9" x 12.5" | Each | 25 |
| Clipboard, 9" x 12.5" | Each | 25 |
| Clips, Binder, Medium | Pkg 12 | 5 |
| Clips, Binder, Medium | Pkg 12 | 24 |
| Clips, Paper, Jumbo | Pkg 100 | 5 |
| Clips, Paper, Jumbo | Pkg 100 | 11 |
| Comb, Two-Sided | Each | 252 |
| Commode, Bedside | Each | 5 |
| Commode, Bedside (1000 lbs) | Each | 5 |
| Compressor, Pulmo-Aide, Aerosol | Each | 6 |
| Container, Action Packer | Each | 5 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Container, Specimen | Pkg 100 | 1 |
| Cot, Toddler | Each | 25 |
| Cover, Shoe, Non Skid | Bx 100 | 20 |
| CPAP Machine | Each | 5 |
| CPAP Machine | Each | 5 |
| Crib, Portable (12 Ea. Per triwall - Total 24) | Each | 12 |
| Cup, Denture w/ Lid | Each | 25 |
| Cup, Denture w/ Lid | Each | 250 |
| Cup, Hot / Cold, 12 oz. | Each | 4000 |
| Cup, Medicine | Pkg 100 | 10 |
| Cup, Toddler | Each | 50 |
| Cutlery Combo Pack | Case 250 | 8 |
| Cylinder, Oxygen (D) | Each | 5 |
| Cylinder, Oxygen (E) | Each | 7 |
| Cylinder, Oxygen (M6) | Each | 3 |
| Cystoscopy Irrigation Set | Pkg 20 | 5 |
| Diapers, Baby, (Large - Size 4) | Each | 120 |
| Diapers, Baby, (Medium - Size 3) | Pkg 192 | 1 |
| Diapers, Baby, (Small - Size 2) | Each | 364 |
| Diapers, Baby, (XXLarge - Size 6) | Each | 75 |
| Disinfectant, Cleaning (Microcide) | Each | 12 |
| Divider, Binder, Alphabet | Each | 5 |
| Divider, Binder, Alphabet | Each | 24 |
| Dolly, Handtruck | Each | 2 |
| Dolly, Trash Can | Each | 30 |
| Door Stop, Rubber | Each | 12 |
| Drape, Disposable (Sterile) | Pkg 50 | 3 |
| Dressing Change Tray (Kit Wound Dressing Sub) | Each | 12 |
| Dressing, DuoDERM | Pkg 5 | 24 |
| Ear Plugs | PAIR | 750 |
| Easel, Flip Board | Each | 8 |
| Electrical Distribution System | Each | 1 |
| Envelope, Manila, 9" x 12" | Pkg 100 | 10 |
| Feminine Hygiene Kits (KT=16 EA x 5 =80) | KT | 5 |
| Fire Extinguishers | Each | 8 |
| Fit Test Kit (N95 Mask) | Each | 3 |
| Flashlight | Each | 5 |
| Flashlight | Each | 60 |
| Folder, Manila | Pkg 100 | 5 |
| Gate, Child 6-Panel | Each | 12 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Glasses, Safety (Large) | Pkg 20 | 2 |
| Glasses, Safety (Small) | Pkg 20 | 2 |
| Gloves, Exam, Nitrile, Powder Free, Large | Each | 500 |
| Gloves, Exam, Nitrile, Powder Free, Large | Each | 1000 |
| Gloves, Exam, Nitrile, Powder Free, Large | Each | 2000 |
| Gloves, Exam, Nitrile, Powder Free, Medium | Each | 500 |
| Gloves, Exam, Nitrile, Powder Free, Medium | Each | 1000 |
| Gloves, Exam, Nitrile, Powder Free, Medium | Each | 2000 |
| Gloves, Exam, Nitrile, Powder Free, Small | Each | 500 |
| Gloves, Exam, Nitrile, Powder Free, Small | Each | 1000 |
| Gloves, Exam, Nitrile, Powder Free, Small | Each | 2000 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 6.5 (PAIR) | Each | 100 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.0 (PAIR) | Each | 100 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.5 (PAIR) | Each | 100 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.5 (PAIR) | Each | 400 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 8.0 (PAIR) | Each | 100 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 8.5 (PAIR) | Each | 50 |
| Glucometer, Lancets | Pkg 100 | 8 |
| Glucometer, One Touch Ultra II, Test Strips | Each | 800 |
| Glucometer, One Touch, Ultra II | Each | 8 |
| Gown, Patient, Child (Large) | Each | 72 |
| Gown, Patient, Child (Medium) | Each | 72 |
| Gown, Patient, Child (Small) | Each | 72 |
| Gown, Patient, Obesity | Pkg 12 | 5 |
| Gown, Patient, Solid | Each | 300 |
| Gown, Provider, Impervious | Each | 350 |
| Hamper, Stand, Single | Each | 10 |
| Hand Sanitizer, Foam | Each | 480 |
| Head Set, Magnifying Glass and Light | Each | 2 |
| Headlamp, LED | Each | 2 |
| Headlamp, LED | Each | 10 |
| Hi-Lighter Pack (4 colors) | Pkg | 5 |
| Hooks, Shower Curtain | Pkg 12 | 30 |
| Humidifier | Each | 6 |
| Irrigating Kit, Type 1, w/Syringe | Pkg 20 | 10 |
| IV Administration Kit | Case 50 | 1 |
| IV Set (Child) | Pkg 50 | 1 |
| IV Starter Kit (Adult) | Pkg 100 | 2 |
| Jug, Collapsible, 5 Gal. | Each | 6 |
| Kit, Wound Dressing (Change Dressing Tray) | Each | 12 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Labels, 1" x 3" | Pkg 250 | 20 |
| Labels, 1" x 3" | Pkg 250 | 40 |
| Laundry Detergent | Each | 4 |
| Lid, Cup, Hot / Cold, 12 oz. | Pkg 2,000 | 2 |
| Lift, Patient w/ Sling (450 lbs) | Each | 1 |
| Light, Goose Neck | Each | 60 |
| Lighting, Perimeter Flood | Each | 18 |
| Litter Stands, Support, Pair | Each | 1 |
| Litter, De-Con Mesh Type | Each | 4 |
| Lubricant, Surgical | Each | 12 |
| Marker, Expo, 6/set w/ eraser | Each | 5 |
| Marker, Expo, 6/set w/ eraser | Each | 10 |
| Marker, Fine Point (sharpie) | Pkg 12 | 10 |
| Mask, Cone (3M) | Case 120 | 5 |
| Mask, CPAP (Large) | Each | 5 |
| Mask, CPAP (Large) | Each | 5 |
| Mask, CPAP (Medium) | Each | 5 |
| Mask, CPAP (Medium) | Each | 5 |
| Mask, CPAP (Small) | Each | 5 |
| Mask, CPAP (Small) | Each | 5 |
| Mask, Duck (Regular) | Box 35 | 2 |
| Mask, Duck (Small) | Box 35 | 2 |
| Mask, Non-Rebreather (Adult) | Pkg 50 | 2 |
| Mask, Non-Rebreather (Child) | Each | 200 |
| Mask, Surgical | Box 50 | 5 |
| Mask, Surgical | Box 50 | 6 |
| Mask, Surgical | Box 50 | 18 |
| Mask, Surgical | Box 50 | 12 |
| Mask, Surgical | Each | 750 |
| Mat, Child | Each | 24 |
| Meter, Peak Flow | Each | 10 |
| Meter, Peak Flow, Mouthpiece (Adult) | Each | 100 |
| Meter, Peak Flow, Mouthpiece (Peds) | Each | 100 |
| Mop, Wet, Handle | Each | 6 |
| Mop, Wet, Head | Pkg 6 | 2 |
| Name, Badge Holder | Pkg 50 | 1 |
| Napkins | Pkg 400 | 2 |
| Needle, Hypodermic, 20G x 1 1/2" | Case 1000 | 1 |
| Notepads, White | Pkg 12 | 5 |
| Notepads, White | Pkg 12 | 7 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| OB Kit | Each | 2 |
| Ostomy, Closed - End Pouch | Pkg 30 | 1 |
| Ostomy, Drainable Pouch | Pkg 10 | 5 |
| Ostomy, Wafer | Pkg 10 | 3 |
| Oximeter, Pulse | Each | 12 |
| Oximeter, Pulse, Carrying Case | Each | 12 |
| Oxygen Concentrator | Each | 6 |
| Oxygen Cylinder Cart | Each | 12 |
| Oxygen Nebulizer, Handheld | Pkg 50 | 1 |
| Oxygen, Cylinder, Wrench | Each | 12 |
| Oxygen, Hose | Each | 6 |
| Oxygen, MiniLator | Each | 6 |
| Oxygen, Regulator, D | Each | 15 |
| Oxygen, Tubing, 100' | Each | 6 |
| Pacifiers, Orthodontic, Silicone (Large) | Pkg 25 | 4 |
| Pack, Cold (Instant) | Pkg 50 | 2 |
| Pack, Warm Solar-First Aid Size | Pkg 24 | 2 |
| Pad, ABD | Pkg 360 | 1 |
| Pad, Chux, Absorbent | Each | 300 |
| Pad, Chux, Absorbent | Each | 500 |
| Pad, Convuluted (Egg crate) | Each | 24 |
| Pad, Easel | Pkg 2 | 8 |
| Pads, Gauze (Sterile) | Case 3000 | 1 |
| Pads, Mattress, Crib | Each | 144 |
| Pallet, Hand Jack | Each | 2 |
| Paper, Copy 8.5 x 11 (1 ream) | Pkg 500 | 5 |
| Paper, Copy 8.5 x 11 (1 ream) | Pkg 500 | 22 |
| Paste, Stomahesive 2oz | Each | 10 |
| Patient lift, 1000 lb. Hydraulic w /washable sling | Each | 1 |
| Pens, Standard, Black / Blue | Box 12 | 5 |
| Pens, Standard, Black / Blue | Box 12 | 29 |
| Pillow (126 EA) | Each | 252 |
| Pillow (BEDPACK 2 EA per bag x 25) | Each | 500 |
| Pillow Case, Disposable (2 EA per 25 x 5) | Each | 500 |
| Pillow Case, Disposable (200 EA per x 5) | Each | 1000 |
| Pillow Case, Disposable (5 CS x 100) | Each | 500 |
| Plate, Dinner, Heavyweight (4 PKG per CS x 4) | Pkg 125 | 16 |
| Plugs, Child Protective | Each | 120 |
| Power Cord, Electric, 100' | Each | 26 |
| Power Cord, Electric, 50' | Each | 32 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Power, Outlet Box, 6-Outlet Surge Type w/Cord | Each | 60 |
| Prep Pad, Alcohol | Pkg 3000 | 2 |
| Privacy Screen, 3 Fold Panel (15 EA per) | Each | 45 |
| Protective Underwear Pullups, Extra Large | Pkg 56 | 3 |
| Protective Underwear Pullups, Large | Pkg 72 | 2 |
| Protective Underwear Pullups, Medium | Pkg 80 | 2 |
| Protective Underwear Pullups, Small | Pkg 88 | 2 |
| Protectors, Paper Sheet, Non-Glare | Pkg 50 | 10 |
| Protectors, Paper Sheet, Non-Glare | Pkg 50 | 12 |
| Razor, Disposable | Each | 300 |
| Repellent, Insect | Each | 252 |
| Rope Nylon | Each | 5 |
| Safety Pin, Large | Pkg 144 | 5 |
| Safety Pin, Large | Pkg 144 | 2 |
| Safety Pin, Medium | Pkg 144 | 2 |
| Scissor, Lister | Each | 5 |
| Scissor, Lister | Each | 10 |
| Scissor, Lister | Each | 2 |
| Scissors | Each | 10 |
| Set, Gravity Feeding | Pkg 30 | 2 |
| Shampoo, Personal | Each | 250 |
| Sharps Container, Large | Each | 1 |
| Sharps Container, Large | Each | 12 |
| Sharps Container, Small | Each | 5 |
| Sharps Container, Small | Each | 48 |
| Shaving Cream, Non-Aerosol | Case 144 | 1 |
| Sheet, Bed, White, Disposable | Each | 500 |
| Sheet, Bed, White, Disposable | Each | 1000 |
| Sheet, Bed, White, Disposable(2 ea X 25 X 10) | Each | 500 |
| Shield, Face (2 X 96) | Each | 192 |
| Shower Curtain | Each | 30 |
| Shower Seat w/Back | Each | 4 |
| Shower Seat w/Back (700 lbs) | Each | 5 |
| Sign Language Board | Each | 3 |
| Slide Board, PT Transfer | Each | 2 |
| Sling, Patient Lift, 450 lbs. | Each | 5 |
| Sling, Patient Lift, Washable, 1000 lbs. | Each | 5 |
| Soap, Bar (50 bags x 5) | Each | 250 |
| Soap, Lotion | Pkg 12 | 12 |
| Stand, IV | Each | 50 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Staple Remover | Each | 5 |
| Staple Remover | Each | 11 |
| Stapler | Each | 5 |
| Stapler | Each | 11 |
| Staples | Case 5000 | 5 |
| Staples | Case 5000 | 11 |
| Station, Hand Wash (2 EA Per) | Each | 6 |
| Acc.Accessible | Each | 2 |
| Step Stool | Each | 4 |
| Stethoscope | Each | 5 |
| Stethoscope | Each | 10 |
| Stethoscope | Each | 5 |
| Stickers, Kids (Rolls) | Each | 5 |
| Stockinette 4" Roll | Each | 10 |
| Straw, Drinking | Box 500 | 8 |
| Stretcher (guerney) | Each | 1 |
| Stretcher, Bariatric (guerney) | Each | 1 |
| Stretcher, IV Rod | Each | 2 |
| Suction Catheter 14 FR | Case 100 | 1 |
| Sunblock | Case 12 | 21 |
| Suture Kit, Laceration Tray (2 X 16) | Each | 32 |
| Suture, Monosof 4-0 18" black PC-3/PC-11 needle | Box 12 | 1 |
| Suture, Monosof 5-0 18" black p-3/p-13 needle | Box 12 | 1 |
| Syringe, Luer-Lock, 5cc | Each | 600 |
| Syringe, Luer-Lock, Disposable 10cc | Pkg 100 | 3 |
| Syringe, Piston 60cc | Case 50 | 2 |
| Table, Folding (9 EA x 6) | Each | 54 |
| Tag, Triage | Pkg 500 | 1 |
| Tape Dispenser w/ 6 rolls of tape | Each | 5 |
| Tape Dispenser w/ 6 rolls of tape | Each | 11 |
| Tape, Coban, 1" | Each | 90 |
| Tape, Coban, 4" | Each | 54 |
| Tape, Duct | Each | 24 |
| Tape, Electrical | Each | 12 |
| Tape, Masking | Each | 24 |
| Tape, Surgical, Durapore 1" | Box 12 | 6 |
| Tape, Surgical, Medipore 2" | Box 6 | 12 |
| Tarp | Each | 18 |
| Thermometer, Bat Powered w/Probe (Welch Allyn) | Each | 15 |
| Thermometer, Probe Cover (Welch Allyn) | Each | 500 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Thermometer, Probe Cover (Welch Allyn) | Each | 3000 |
| Tissue, Facial | Each | 360 |
| Tissue, Facial (50 x 5) | Each | 250 |
| Toilet Brush & Cup Combo | Each | 12 |
| Toilet Paper | Each | 288 |
| Toilet Paper (50 x 5) | Each | 250 |
| Tongue Depressor | Pkg 500 | 6 |
| Tongue Depressor | Pkg 500 | 2 |
| Tool Kit | Each | 1 |
| Toothbrush, Adult | Case 72 | 2 |
| Toothbrush, Adult (50 x 5) | Each | 250 |
| Toothbrush, Child | Each | 50 |
| Toothpaste | Each | 432 |
| Tourniquets | Each | 250 |
| Tourniquets | Each | 250 |
| Towel, Bath, Cotton | Each | 360 |
| Towel, Bath, Cotton (60 x 5) | Each | 300 |
| Towel, Bath, Cotton (2 EA x 25 x 10) | Each | 500 |
| Towel, Paper Roll | Case 30 | 4 |
| Towel, Paper, Folded (Brick) | Each | 5 |
| Towel, Paper, Folded (Brick) | Each | 120 |
| Towel, Paper, Folded (Brick) (50 x 5) | Each | 250 |
| Towelettes, Antimicrobial | Pkg 1000 | 15 |
| Transfer Bench w/ Back, 700lb | Each | 5 |
| Trauma Pack, Back Pack, Empty | Each | 4 |
| Trauma Pack, Back Pack, Full | Each | 4 |
| Trauma Pack, Bag, Empty | Each | 4 |
| Trauma Pack, Bag, Full | Each | 4 |
| Tray, Tracheostomy Care Kit | Pkg 20 | 1 |
| Tube, Nasal Gastric (14FR) | Case 50 | 1 |
| Tube, Nasal Gastric (16FR) | Pkg 50 | 1 |
| Tube, Yankauer | Pkg 50 | 2 |
| Tubing, CPAP 6 ft | Each | 5 |
| Urinal, Male, Disposable | Case 50 | 1 |
| Walker, 300 lbs | Each | 4 |
| Walker, 700 lbs | Each | 5 |
| Walkie-Talkie Set | Each | 8 |
| Wash Cloth, Cotton, White | Each | 300 |
| Wash Cloth, Cotton, White (50 x 10) | Each | 500 |
| Wash Cloth, Disposable, Face | Case 500 | 2 |

| Non-Acute Care / 250-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Wash Cloth, Disposable, Face (5 CS per) | Case 500 | 25 |
| Water, Sterile | Case 20 | 1 |
| Wedge, Foam | Each | 2 |
| Wheel Kit, Walker, 700 lbs. | Pair | 5 |
| Wheelchair, 22" | Each | 2 |
| Wheelchair, 26" | Each | 5 |
| Wheelchair, 18" | Each | 4 |
| Wheelchair, 24" | Each | 3 |
| Wipes, Baby (Tub) | Each | 50 |

Non-Acute Care / 250-bed / Pharmacy Recommendations

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|----------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Acetaminophen Infant Drops 100mg/1mL, 15mL | Tylenol | Each | 5 |
| Acetaminophen Oral Susp. 160mg/5mL, 120mL | Tylenol | Each | 6 |
| Acetaminophen Suppositories 120mg | Tylenol | Each | 12 |
| Acetaminophen Suppositories 325mg | Tylenol | Each | 12 |
| Acetaminophen Tablets 325mg | Tylenol | Each | 400 |
| Acetaminophen w/Codeine Tablets 300mg/30mg UD | Tylenol/Cod #3 | Each | 100 |
| Acetazolamide Tablets 250mg | Diamox | Each | 100 |
| Acyclovir Capsules 200mg | Zovirax | Each | 200 |
| Adenosine Inj. 3mg/mL, 2mL vial | Adencard | Each | 15 |
| Afterbite Bee Sting | Afterbite | Each | 1 |
| Albendazole Tablets 200mg | Albenza | Each | 28 |
| Albuterol Inhalation Solution 0.083%, 3mL ampoule | Proventil | Each | 100 |
| Albuterol Metered Dose Inhaler, HFA | Proventil | Each | 25 |
| Albuterol Sulfate Syrup 2mg/5mL, 480mL | Ventolin | Each | 1 |
| Alcohol Prep Pad | Alcohol | Each | 200 |
| Allopurinol Tablets 100mg | Zyloprim | Each | 100 |
| Alteplase 50mg Vial (29 mil units) | Ateplase | Each | 2 |
| Amiodarone HCl Inj., 150mg/3mL vial | Cordarone | Each | 25 |
| Amiodarone HCl Tablets 200mg | Cordarone | Each | 90 |
| Amlodipine Tablets 5mg | Novasc | Each | 180 |
| Amoxicillin Capsules 250mg | Amoxil | Each | 500 |
| Amoxicillin Oral Susp. 250mg/5mL, 150mL | Amoxil | Each | 6 |
| Amoxicillin/Clavulanic Oral Susp. 200mg/28.5mg/5mL, 100mL | Augmentin | Each | 12 |
| Amoxicillin/Clavulanic Tablets 875mg/125mg | Augmentin | Each | 100 |
| Amphetamine Mixed Salts Capsules XR 5mg | Adderall XR | Each | 100 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Ampicillin Sodium Inj. 1gm vial | Ampicillin | Each | 10 |
| Antacid Liquid Regular Strength 12oz. | Maalox | Each | 6 |
| Antipyrine/Benzocaine Otic Solution | Auralgan | Each | 6 |
| Artificial Tears Ophthalmic Solution, 15mL | Liquifilm | Each | 6 |
| Aspirin Chewable Tablets 81mg | Aspirin | Each | 432 |
| Aspirin Tablets 325mg | Aspirin | Each | 500 |
| Atenolol Tablets 50mg | Tenormin | Each | 100 |
| Atropine Sulfate Inj. 0.1mg/mL, 10mL syringe | Atropine | Each | 10 |
| Azithromycin Suspension 200mg/5mL, 30mL | Zithromax | Each | 8 |
| Azithromycin Tablets 250mg, 3 x 6's | Z-Pak | Each | 12 |
| Bacitracin Ointment 0.9gm, UD | Bacitracin | Each | 144 |
| Baclofen Tablets 10mg | Lioresal | Each | 100 |
| Beclomethasone Dipropionate Inhaler 40mcg, 8.7gm | Qvar | Each | 5 |
| Benzoin Compound Tincture, 120mL | Benzoin | Each | 1 |
| Benzotropine Mesylate 1mg/mL, 2mL ampoule | Cogentin | Each | 5 |
| Benzotropine Mesylate Tablets 1mg | Cogentin | Each | 100 |
| Bisacodyl Suppositories 10mg | Dulcolax | Each | 24 |
| Bisacodyl Tablets 5mg | Ducolax | Each | 100 |
| Bismuth Subsalicylate Tablets 262mg UD | Pepto Bismol | Each | 90 |
| Bottle, Plastic, Amber, Liquid, 120mL | Bottle | Each | 100 |
| Brimonidine Tarate Ophth. Sol. 0.2%, 5mL | Alphagan P | Each | 5 |
| Brinzolamide Ophthalmic Suspension 1%, 10mL | Azopt | Each | 5 |
| Brush, Cylinder Cleaning, Medium | Cylinder Brush | Each | 1 |
| Bupivacaine HCl Inj. 0.5%, 30mL vial | Marcaine | Each | 25 |
| Bupropion HCl XR Tablets 150mg | Wellbutrin XR | Each | 60 |
| Calamine Lotion, Phenolated, 6 oz. | Calamine | Each | 6 |
| Calcium Carbonate Chewable Tablets 500mg | Tums | Each | 300 |
| Calcium Chloride Inj. 10% (100mg/mL), 10mL syringe | Calcium Chloride | Each | 10 |
| Carbamazepine Chew Tablets 100mg | Tegretol | Each | 100 |
| Carbamazepine Tablets 200mg | Tegretol | Each | 200 |
| Carbidopa/Levodopa Tablets 25mg/250mg | Sinemet | Each | 100 |
| Carpuject Holder | Carpuject Holder | Each | 2 |
| Carvedilol Tablets 12.5mg | Coreg | Each | 100 |
| Cefazolin Sodium Inj. 1gm vial | Ancef | Each | 25 |
| Ceftriaxone Sodium Inj. 1gm vial | Rocephin | Each | 20 |
| Cephalexin Capsules 500mg | Keflex | Each | 400 |
| Cephalexin Oral Susp. 250mg/5mL, 200mL | Keflex | Each | 2 |
| Cetirizine HCl Syrup 1mg/1mL, 120mL | Zyrtec | Each | 2 |
| Charcoal, Activated with Sorbitol, 240mL | Charcoal | Each | 3 |
| Ciprofloxacin HCl Ophth. Sol. 0.3% (3.5mg/mL), 5mL | Ciloxan | Each | 5 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|----------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Ciprofloxacin Tablets 500mg | Cipro | Each | 400 |
| Citalopram Tablets 10mg | Celexa | Each | 100 |
| Clindamycin HCl Capsules 150mg | Cleocin | Each | 200 |
| Clindamycin Phosphate Inj. 150mg/mL, 4mL vial | Cleocin | Each | 25 |
| Clonazepam Tablets 0.5mg UD | Klonopin | Each | 100 |
| Clonidine HCl Tablets 0.1mg | Catapres | Each | 200 |
| Clopidogrel Bisulfate Tablets 75mg | Plavix | Each | 180 |
| Condom, Lubricated | Trojan | Each | 24 |
| Conjugated Estrogens Tablets 0.625mg | Premarin | Each | 100 |
| Counting Tray & Spatula | Counting Tray | Each | 5 |
| Cyanocobalamin Injection 1000mcg/mL, 1mL vial | Vitamin B-12 | Each | 25 |
| Cyclobenzaprine HCl Tablets 10mg | Flexeril | Each | 200 |
| Cyclopentolate HCl Ophthalmic Solution 1%, 15 mL | Cyclogel | Each | 2 |
| Dexamethasone Sodium Phosphate Inj. 4mg/mL, 5mL vial | Decadron | Each | 25 |
| Dextrose 5% & Sodium Chloride 0.45% Inj., 1000mL IV bag | Dextrose/Na Cl | Each | 24 |
| Dextrose 5% & Sodium Chloride 0.9% Inj., 1000mL IV bag | Dextrose/Na Cl | Each | 24 |
| Dextrose Inj. 5%, 50mL IV bag | Dextrose | Each | 80 |
| Dextrose Inj. 50%, 50mL syringe | Dextrose | Each | 20 |
| Prescription Blanks, 100/pad | Rx Pad | Each | 1000 |
| Diaper Rash Ointment, 30gm | Desitin | Each | 6 |
| Diazepam Inj. 5mg/mL, 2mL Carpuject | Valium | Each | 10 |
| Diazepam Tablets 5mg UD | Valium | Each | 100 |
| Dibucaine Ointment 1%, 30gm | Nupercainal | Each | 5 |
| Diclofenac Sodium Ophthalmic Solution 0.1%, 5mL | Voltaren | Each | 2 |
| Digoxin Inj. 0.25mg/mL, 2mL ampoule | Lanoxin | Each | 10 |
| Digoxin Tablets 0.125mg | Lanoxin | Each | 100 |
| Diltiazem HCl Inj. 5mg/mL, 5mL vial | Cardizem | Each | 10 |
| Diltiazem HCl IR Tablets 60mg | Cardizem | Each | 100 |
| Diltiazem HCl XR Capsules 120mg | Cardizem SR | Each | 90 |
| Diphenhydramine Caplets 25mg | Benadryl | Each | 300 |
| Diphenhydramine Elixir 12.5mg/5mL, 120mL | Benadryl | Each | 4 |
| Diphenhydramine HCl Inj. 50mg/mL, 1mL vial | Benadryl | Each | 25 |
| Divalproex Sodium DR Tablets 250mg | Depakote | Each | 100 |
| Dobutamine HCl Inj. 12.5mg/mL, 20mL vial | Dobutamine | Each | 10 |
| Dopamine HCl Inj. 40mg/mL, 10mL vial | Intropin | Each | 25 |
| Doxycycline Hyclate Tablets/Capsules 100mg | Vibramycin | Each | 100 |
| Enalapril Inj. 1.25mg/mL, 2mL vial | Vasotec | Each | 10 |
| Enoxaparin Inj. 40mg/0.4mL syringe | Lovenox | Each | 10 |
| Epinephrine Auto Injector 0.3mg | Epi-Pen Adult | Each | 4 |
| Epinephrine Auto Injector, Jr, 0.15mg | Epi-Pen Jr | Each | 4 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|----------------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Epinephrine Inj. 1:1,000 (1mg/mL), 30mL vial | Adrenalin | Each | 1 |
| Epinephrine Inj. 1:10,000 (0.1mg/mL), 10mL syringe | Adrenalin | Each | 20 |
| Erythromycin DR Tablets, Enteric Coated, 250mg | Ery-tab | Each | 100 |
| Erythromycin Ophth. Oint.0.5% (5mg/gm), 3.5gm Tube | Ilotycin | Each | 6 |
| Ethambutol HCl Tablets 400mg | Myambutol | Each | 100 |
| Etomidate HCl Inj. 2mg/mL, 20mL vial | Amidate | Each | 20 |
| Eugenol 1/8 oz | Eugenol | Each | 1 |
| Famotidine Tablets 20mg | Pepcid | Each | 200 |
| Fentanyl Citrate Inj. 50mcg/mL, 2mL vial | Sublimaze | Each | 5 |
| Ferrous Gluconate Tablets 324mg | Iron Supplement | Each | 100 |
| Fluconazole Tablets 200mg | Diflucan | Each | 100 |
| Flumazenil Inj. 0.1mL/mL, 10mL vial | Romazicon | Each | 1 |
| Flunisolide Nasal Spray 29mcg/spray, 25mL | Nasarel | Each | 6 |
| Fluocinolone Acetonide Cream 0.025%, 15gm | Synalar | Each | 6 |
| Fluorescein Sodium Ophthalmic Strips, Sterile | Fluorescein | Each | 100 |
| Fluoxetine Capsules 20mg | Prozac | Each | 200 |
| Fluticasone Propionate HFA MDI 220mcg/Puff | Flovent | Each | 6 |
| Fluticasone Propionate HFA MDI 44mcg/Puff | Flovent | Each | 6 |
| Folic Acid Tablets 1mg | Folic Acid | Each | 100 |
| Formula, Infant, 60/40 Powder, 400gm | Similac PM 60/40 | Each | 6 |
| Formula, Infant, Soy and Iron Powder, 366gm | Similac Soy Isomil w/ Iron | Each | 6 |
| Fosphenytoin Sodium Inj., 50mg/mL, 2mL vial | Cerebyx | Each | 25 |
| Furosemide Inj. 10mg/mL, 10mL vial | Lasix | Each | 25 |
| Furosemide Tablets 40mg | Lasix | Each | 100 |
| Gabapentin Capsules 100mg | Neurontin | Each | 100 |
| Gabapentin Capsules 300mg | Neurontin | Each | 200 |
| Gentamicin Ophthalmic Solution 3% (3mg/mL), 5mL | Garamycin | Each | 6 |
| Glipizide Tablets 5mg | Glucotrol | Each | 200 |
| Glucagon for Inj. 1mg w/1mL water | Glucagon | Each | 2 |
| Glucose Tablets | Glucose | Each | 50 |
| Glyburide Tablets 5mg | Micronase | Each | 100 |
| Graduated Cylinder, 125mL | Graduated Cylinder | Each | 1 |
| Graduated Cylinder, 30mL | Graduated Cylinder | Each | 1 |
| Guaifenesin AC Syrup 100mg-10mg/5mL 120mL | Robitussin AC | Each | 4 |
| Guaifenesin DM Syrup, 120mL | Robitussin DM | Each | 12 |
| Guaifenesin Syrup, 120mL | Robitussin Exp. | Each | 12 |
| Haloperidol Lactate Inj. 5mg/mL, 1mL vial | Haldol | Each | 25 |
| Haloperidol Tablets 1mg | Haldol | Each | 100 |
| Heparin Lock Flush Kit, 100 units/mL, 1mL vial | Heparin | Each | 25 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|---------------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Heparin Sodium Inj. 1000 units/mL, 10mL vial | Heparin | Each | 25 |
| Hydrochlorothiazide Tablets 25mg | HydroDiuril | Each | 200 |
| Hydrocodone Bitartrate/APAP Tablets 5mg/300mg | Vicodin (new formulation) | Each | 300 |
| Hydrocortisone Acetate Suppository, 25mg | Anusol-HC | Each | 24 |
| Hydrocortisone Cream 1%, 30gm | Hytone | Each | 12 |
| Hydrocortisone Sod. Succ. Inj. 100mg/2mL vial | Solu-Cortef | Each | 2 |
| Hydromorphone Inj. 1mg/mL Carpuject | Dilaudid | Each | 30 |
| Ibuprofen Oral Drops 15mL | Motrin | Each | 6 |
| Ibuprofen Oral Susp. 100mg/5mL, 120mL | Motrin | Each | 6 |
| Ibuprofen Tablets 400mg | Motrin | Each | 600 |
| Ibuprofen Tablets 600mg | Motrin | Each | 400 |
| Inhalation Chamber Spacer for MDI | Aerochamber | Each | 12 |
| Inhalation Chamber with Mask, size Medium | Aerochamber | Each | 2 |
| Insulin Human and Insulin Isophane Susp. 70/30, 10mL vial | Humulin 70/30 | Each | 5 |
| Insulin NPH 100 units/mL, 10mL vial | Humulin / Novolin | Each | 10 |
| Insulin Regular 100 units/mL, 10mL vial | Humulin / Novolin | Each | 10 |
| Insulin, Glargine 10mL | Lantus | Each | 10 |
| Ipratropium Bromide Inhalation Aerosol HFA, 12.9gm | Atrovent | Each | 12 |
| Ipratropium Bromide Inhalation Solution 0.2%, 2.5mL ampoule | Atrovent | Each | 50 |
| Isoniazid Tablets 300mg | INH | Each | 100 |
| Isopropyl Alcohol 70%, 16oz. | Isopropyl Alcohol | Each | 6 |
| Isosorbide Dinitrate Tablets 10mg | Isordil | Each | 100 |
| Ketamine HCl Inj. 50mg/mL, 10mL vial | Ketalar | Each | 5 |
| Ketoralac Inj. 30mg/mL, 2mL vial | Toradol | Each | 25 |
| Label Printer, Thermal, Desktop (Dymo LabelWriter 450 Turbo), Labels 300/roll | Rx Labels | Each | 500 |
| Label, Chew Tablets, 1000/box | Labels | Each | 1 |
| Label, Discoloration of Urine and Feces, 1000/box | Labels | Each | 1 |
| Label, Drowsiness/No Alcohol, 1000/box | Labels | Each | 1 |
| Label, External Use Only, 1000/box | Labels | Each | 1 |
| Label, For the Ear, 1000/box | Labels | Each | 1 |
| Label, For the Eye, 1000/box | Labels | Each | 1 |
| Label, For the Nose, 1000/box | Labels | Each | 1 |
| Label, May Cause Drowsiness, 1000/box | Labels | Each | 1 |
| Label, No Milk, Dairy, 1000/box | Labels | Each | 1 |
| Label, Prescription, DHHS | Labels | Each | 1 |
| Label, Rectal Use, 1000/box | Labels | Each | 1 |
| Label, Shake Well, 1000/box | Labels | Each | 1 |
| Label, Take with Food/Milk, 1000/box | Labels | Each | 1 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|--|-------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Label, Take With Water Only, 1000/box | Labels | Each | 1 |
| Label, Vaginal Use Only, 1000/box | Labels | Each | 1 |
| Labels, Prescription, DHHS | Labels | Each | 1 |
| Lactated Ringer's Inj. 1000mL IV bag | Lactated Ringer's | Each | 24 |
| Lamotrigine Tablets 100mg | Lamictal | Each | 100 |
| Latanoprost Ophthalmic Solution 0.005%, 2.5mL | Xalatan | Each | 5 |
| Levofloxacin Tablets 500mg | Levaquin | Each | 200 |
| Levonorgestrel/Ethinyl Estradiol Tablets 0.15mg/0.03mg | Levlen | Each | 168 |
| Levothyroxine Sodium Tablets 0.05 mg (50mcg) | Synthroid | Each | 90 |
| Levothyroxine Sodium Tablets 0.1 mg (100mcg) | Synthroid | Each | 90 |
| Lidocaine HCl 1% w/Epinephrine Inj., 10mL vial | Xylocaine | Each | 25 |
| Lidocaine HCl Inj. 1%, 20mL vial | Lidocaine | Each | 25 |
| Lidocaine HCl Inj. 1%, 5mL syringe | Lidocaine | Each | 10 |
| Lidocaine Topical Solution 4%, 50mL | Xylocaine | Each | 1 |
| Lidocaine Viscous 2%, 100mL | Xylocaine | Each | 10 |
| Lidocaine/Prilocaine Cream 2.5%/2.5%, 5gm | EmLa | Each | 10 |
| Lisinopril Tablets 10mg | Prinivil | Each | 300 |
| Lithium Carbonate Tablets 300mg | Lithium | Each | 200 |
| Loperamide HCl Capsules 2mg | Imodium | Each | 200 |
| Loperamide HCl Solution 1mg/5mL, 120mL | Imodium | Each | 5 |
| Loratadine Tablets 10mg | Claritin | Each | 100 |
| Lorazepam Tablets 1mg UD | Ativan | Each | 100 |
| Losartan Potassium Tablets 25mg | Cozaar | Each | 180 |
| Magnesium Sulfate Inj. 50% (500mg/mL), 10mL syringe | Magnesium | Each | 10 |
| Mannitol Inj. 25% (12.5gm/50mL), 50mL vial | Osmitol | Each | 25 |
| Meclizine HCl Tablets 25mg | Antivert | Each | 200 |
| Medroxyprogesterone Acetate Tablets 10mg | Provera | Each | 100 |
| Metformin HCl Tablets 500mg | Glucophage | Each | 500 |
| Methylegonovine Inj. 0.2mg/mL ampoule | Methergine | Each | 20 |
| Methylphenidate Tablets XR 18mg | Concerta | Each | 100 |
| Methylprednisolone Sodium Succinate Inj. 1000mg (1gm) vial | Solu-Medrol | Each | 2 |
| Methylprednisolone Sodium Succinate Inj. 125mg/2mL vial | Solu-Medrol | Each | 25 |
| Methylprednisolone Tablets 4mg dosepack | Medrol | Each | 210 |
| Metoclopramide HCl Inj. 5mg/mL, 2mL vial | Reglan | Each | 25 |
| Metoclopramide HCl Tablets 10mg | Reglan | Each | 100 |
| Metoprolol Inj. 1mg/mL, 5mL vial | Lopressor | Each | 10 |
| Metoprolol Tartrate Tablets 50mg | Lopressor | Each | 200 |
| Metronidazole Inj. 500mg/100mL IV bag | Flagyl | Each | 24 |
| Metronidazole Tablets 500mg | Flagyl | Each | 200 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|-------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Miconazole Vaginal Cream 2%, 45gm | Monistat | Each | 10 |
| Midazolam Inj. 5mg/mL, 2mL vial | Versed | Each | 20 |
| Moisturizing Lotion, 6oz. | Lubriderm | Each | 6 |
| Montelukast Sodium Tablets 10mg | Singulair | Each | 90 |
| Morphine Sulfate Inj. 10mg/mL, 1mL vial | Morphine | Each | 100 |
| Morphine Sulfate Tablets CR 30mg UD | Morphine | Each | 200 |
| Mortar and Pestle, 8oz, glass | Mortar and Pestle | Each | 2 |
| Mupirocin Ointment 2%, 22gm | Bactroban | Each | 6 |
| Naloxone HCl Inj. 0.4mg/mL, 1mL vial | Narcan | Each | 20 |
| Naproxen Tablets 500mg | Naprosyn | Each | 200 |
| Needle, 18G, 1.5inch | Needle | Each | 5 |
| Neomycin/PolyB/Bacitracin HC Ophth Ointment, 3.5gm | Cortisporin | Each | 12 |
| Nicardipene Inj. 40mg/200mL, IV bag | Cardene | Each | 3 |
| Nifedipine SA Tablets 30mg | Procardia XL | Each | 100 |
| Nitrofurantoin Monohydrate Capsules 100mg | Macrobid | Each | 200 |
| Nitroglycerin Inj. 5mg/mL, 10mL vial | Nitro-Bid | Each | 25 |
| Nitroglycerin Ointment 2%, 30gm | Nitro-Bid | Each | 2 |
| Nitroglycerin Sublingual Tablets 0.4mg (25 count) | Nitro-Stat | Each | 8 |
| Nitroglycerin Transdermal System 0.2mg/hr Patch | Nitrodur | Each | 30 |
| Nortriptyline HCl Capsules 25mg | Pamelor | Each | 100 |
| Nutritional Supplement, Glucose Control (Boost), 8oz. | Boost | Each | 27 |
| Nutritional Supplement, Powder, Vanilla (Ensure), 14oz. | Ensure | Each | 6 |
| Nystatin Cream 100,000units/gm, 15gm | Mycostatin | Each | 6 |
| Nystatin Oral Susp. 100,000units/mL, 60mL | Mycostatin | Each | 4 |
| Olanzapine Oral Disintegrating Tablets 5mg | Zyprexa Zydis | Each | 30 |
| Olanzapine Tablets 5mg | Zyprexa | Each | 100 |
| Omeprazole Capsule DR 20mg | Prilosec | Each | 500 |
| Ondansetron Inj. 2mg/mL, 2mL vial | Zofran | Each | 25 |
| One Touch Ultra Control Solution | One Touch | Each | 6 |
| One Touch ULTRA Test Strips, 50 strips | One Touch | Each | 3 |
| Ophthalmic Irrigating Solution 120mL | Collyrium | Each | 6 |
| Oral Electrolyte Solution 33.8oz | Pedialyte | Each | 6 |
| Oxybutynin HCl Tablets 5mg | Ditropan | Each | 100 |
| Oxycodone/Acetaminophen Tablets 5mg/325mg UD | Percocet | Each | 300 |
| Oxymetazoline Nasal Spray 0.05%, 15mL | Afrin | Each | 24 |
| Oxytocin Inj. 10units/mL, 1mL vial | Pitocin | Each | 25 |
| Pantoprazole Inj. 40mg/mL vial | Protonix | Each | 10 |
| Penicillin G for Inj., 5 mill units vial | Pfizerpen | Each | 10 |
| Permethrin Cream 5%, 60gm | Elimite | Each | 12 |
| Permethrin Topical Lotion 1% 60mL | Nix | Each | 12 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|---|------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Petrolatum Jelly, 5gm UD | Vaseline | Each | 144 |
| Phenaphtazine Paper | Nitratet | Each | 1 |
| Phenobarbital Elixir 20mg/5mL, 473mL | Phenobarbital | Each | 1 |
| Phenobarbital Tablets 32.4mg UD | Phenobarbital | Each | 100 |
| Phenytoin Sodium Capsules ER 100mg | Dilantin | Each | 200 |
| Phenytoin Sodium Inj. 50mg/mL, 5mL vial | Dilantin | Each | 25 |
| Phenytoin Sodium Oral Susp. 125mg/5mL, 237mL | Dilantin | Each | 3 |
| Phytonadione Tablets 5mg (Vitamin K) | Mephyton | Each | 100 |
| Pioglitazone Tablets 15mg | Actos | Each | 90 |
| Piperacillin Sodium/Tazobactam Sodium Inj. 3.375mg vial | Zosyn | Each | 10 |
| Potassium Chloride ER Tablets 10mEq (750mg) | K-Dur | Each | 100 |
| Potassium Chloride Inj. 2mEq/mL, 10mL vial | Potassium Cl | Each | 25 |
| Prednisolone Acetate Ophth. Susp. 0.12%, 5ml | Pred-Mild | Each | 3 |
| Prednisolone Syrup, 15mg/5mL, 240mL | Prelone | Each | 1 |
| Prednisone Tablets 20mg | Deltasone | Each | 200 |
| Prednisone Tablets 5mg | Deltasone | Each | 200 |
| Prenatal Vitamins | Prenatal Vitamin | Each | 100 |
| Prochlorperazine Inj. 5mg/mL, 2mL vial | Compazine | Each | 20 |
| Prochlorperazine Maleate Tablets 10mg | Compazine | Each | 100 |
| Prochlorperazine Suppository 25mg | Compazine | Each | 24 |
| Promethazine HCl Inj. 25mg/mL, 1mL vial | Phenergan | Each | 25 |
| Promethazine Suppositories 25mg | Phenergan | Each | 12 |
| Promethazine Suppositories, Pediatric 12.5mg | Phenergan | Each | 12 |
| Propofol Inj. 10mg/mL, 100mL vial | Diprovin | Each | 10 |
| Propranolol HCl Inj. 1mg/mL vial | Inderal | Each | 10 |
| Protamine Sulfate 10mg/mL, 5mL vial | Protamine | Each | 25 |
| Pyrazinamide Tablets 500mg | Zinamide | Each | 100 |
| Pyridoxine HCl Tablets 50mg | Vitamin B-6 | Each | 100 |
| Quetiapine Fumerate Tablets 25mg | Seroquel | Each | 100 |
| Racpinephrine Inhalation Solution 0.5mL ampoule | S-2 | Each | 30 |
| Ranitidine HCl Inj. 25mg/mL, 2mL vial | Zantac | Each | 10 |
| Refrigerator, Portable (60 Liter) | | Each | 1 |
| Rifampin Capsules 300mg | Rifadin | Each | 100 |
| Risperidone Tablets 1mg | Risperdal | Each | 120 |
| Saline Nasal Spray, 45mL | Ocean | Each | 12 |
| Sennosides Tablets 8.6mg | Senokot | Each | 100 |
| Sharps Container, w/Needle Remover, 1 Quart | Container | Each | 2 |
| Silver Sulfadiazine Cream 1%, 50gm | Silvadene | Each | 12 |
| Simvastatin Tablets 40mg | Zocor | Each | 90 |
| Sodium Bicarbonate Inj. 8.4% (50mEq/50mL) 50mL syringe | Sodium Bicarb. | Each | 10 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|--|-------------------|------------------------|-----------------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Sodium Chloride Inhalation Solution 0.9%, 3mL ampoule | Sod. Chloride | Each | 100 |
| Sodium Chloride Inj. 0.9%, 1000mL IV bag | Sod. Chloride | Each | 96 |
| Sodium Chloride Inj. 0.9%, 250mL IV bag | Sod. Chloride | Each | 24 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | Sod. Chloride | Each | 96 |
| Sodium Chloride Inj. 0.9%, 50mL IV bag | Sod. Chloride | Each | 80 |
| Sodium Chloride Inj. 0.9%, Bacteriostatic, 30mL vial | Sod. Chloride | Each | 25 |
| Sodium Chloride Irrigation 0.9%, 1000mL | Sod. Chloride | Each | 32 |
| Sodium Phosphate Rectal Enema, USP | Enema | Each | 12 |
| Sodium Polystyrene Sulfonate Suspension 15gm/60mL, 473mL | Kayexalate | Each | 1 |
| Spironolactone Tablets 25mg | Aldactone | Each | 200 |
| Succinylcholine Chloride Inj. 20mg/mL, 10mL vial | Anectine | Each | 5 |
| Sulfacetamide Sodium Ophthalmic Solution 10%, 15mL | Sulamyd | Each | 6 |
| Sulfamethox/Trimethoprim Oral Susp. 200mg/40mg/5mL, 473mL | Bactrim | Each | 1 |
| Sulfamethoxazole/Trimethoprim DS Tablets 800mg/160mg | Bactrim DS | Each | 200 |
| Sulfasalazine DR Tablets, Enteric Coated, 500mg | Azulfidine | Each | 100 |
| Syringe, 3mL, LL | Syringe | Each | 5 |
| Syringe, Dosing, 10mL | Syringe | Each | 50 |
| Syringe, Dosing, 5mL | Syringe | Each | 50 |
| Syringe/Needle, 1cc, w/28g or 29/g Needle (Safety Tip), Insulin (Latex Free) | Syringe | Each | 300 |
| Tablet Cut and Crush | Cut 'N Crush | Each | 5 |
| Tears Naturale, Single-Use Bullets | Tears Naturale | Each | 300 |
| Terazosin HCl Capsules 1mg | Hytrin | Each | 100 |
| Terbutaline Sulfate Inj. 1mg/mL, 1mL vial | Brethine | Each | 25 |
| Tetanus & Diphtheria Toxoids Abs Inj., Adult, 0.5mL syringe | Vaccine | Each | 50 |
| Tetanus & Diphtheria Toxoids Abs Inj., Peds, 1mL vial | Vaccine | Each | 10 |
| Tetanus Immune Globulin Inj.m, 250units/syringe | Hyper-TET | Each | 2 |
| Tetracaine Ophthalmic Solution 0.5%, 15mL | Tetracaine | Each | 2 |
| Tetrahydrozoline HCl Ophthalmic Solution, 0.05%, 15mL | Visine | Each | 24 |
| Thermometer, Digital (For Refrigerator Monitoring) | Thermometer | Each | 1 |
| Thiamine HCl Inj. 100mg/mL, 2mL vial | Vitamin B1 | Each | 25 |
| Throat Lozenges | Cepacol | Each | 80 |
| Timolol Maleate Ophthalmic Solution 0.5%, 5mL | Blocadren | Each | 2 |
| Tobramycin Inj. 40mg/mL, 2mL vial | Nebcin | Each | 25 |
| Trazodone HCl Tablets 50mg | Desyrel | Each | 200 |
| Triamcinolone Acetonide Cream 0.1%, 15gm | Aristocort | Each | 6 |
| Triple Antibiotic Ointment, 15gm | Neosporin | Each | 6 |
| Urine Test Strips (Multistix 10 SG), 100 strips | Multistix 10 | Each | 1 |
| Valproic Acid Capsules 250mg | Depakene | Each | 100 |

| Non-Acute Care / 250-bed / Pharmacy Recommendations | | | |
|--|-------------------|------------------------|-----------------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Vancomycin HCl Inj. 1gm vial | Vancocin | Each | 10 |
| Vecuronium Bromide Inj. 10mg/10mL vial | Norcuron | Each | 10 |
| Venlafaxine HCl ER Tablets/Capsules 37.5mg | Effexor XR | Each | 90 |
| Verapamil Tablets 80mg | Calan | Each | 300 |
| Vials, Clear View, 20 dram | Vial | Each | 180 |
| Vials, Clear View, 8 dram | Vial | Each | 400 |
| Vials, Screw Lock Caps, 20 dram | Cap | Each | 200 |
| Vials, Screw Lock Caps, 8 dram | Cap | Each | 400 |
| Warfarin Sodium Tablets 1mg | Coumadin | Each | 200 |
| Warfarin Sodium Tablets 5mg | Coumadin | Each | 200 |
| Water For Inj., Sterile, 20mL vial | Water | Each | 50 |
| Water For Irrigation, Sterile, 1000mL | Water | Each | 32 |
| Water, Distilled, 1 gallon (for Rx compounding) | Distilled Water | Each | 6 |
| Zinc Oxide Ointment, 28gm | Zinc Oxide | Each | 12 |
| Zolmitriptan Tablets 5mg | Zomig | Each | 15 |
| Zolpidem Tartrate Tablets 10mg UD | Ambien | Each | 100 |

Non-Acute Care / 250-bed / Lab Recommendations

| Non-Acute Care / 250-bed / Lab Recommendations | | |
|---|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Analyzer, Urinalysis, Clinitek, Status Plus | Each | 1 |
| Analyzer, Clinitek Status Plus Test Table | Each | 1 |
| Analyzer, Clinitek Status Plus Carriage | Each | 1 |
| Analyzer, Clinitek Status Plus AC Power Adapter | Each | 1 |
| Analyzer, Clinitek, Printer Paper, Thermal | Each | 2 |
| Analyzer, Clinitek Status Plus Manual | Each | 1 |
| Battery, Alkaline, Size AA (1.5 Volt) | Each | 7 |
| Analyzer, Clinitek Status Plus AC Power Cord | Each | 1 |
| Analyzer, i-STAT 1 | Each | 1 |
| Analyzer (i-STAT), Printer | Each | 1 |
| Analyzer (iStat 300), Printer, Battery, Rechargeable | Each | 2 |
| Analyzer (i-STAT), Printer, Paper | Each | 1 |
| Analyzer, i-Stat, Printer, AC Power Cord | Each | 1 |
| Analyzer (i-STAT), Electronic Simulator | Each | 1 |
| Battery, Lithium, Size 9 Volt, Non-Rechargeable | Each | 2 |
| Timer, 24 Hr, Battery Operated | Each | 1 |
| Glucometer Kit (One-Touch Ultra): Glucose Meter | Each | 1 |

| Non-Acute Care / 250-bed / Lab Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| One Touch ULTRA Test Strips, 50 strips | Each | 1 |
| One Touch Ultra Control Solution | Each | 1 |
| Glucometer Kit (One-Touch Ultra): Lancets | Each | 10 |
| Glucometer Kit (One-Touch Ultra): Battery, Lithium (3.0 Volt) | Each | 1 |
| Cardiac Marker Test Kit (MI 3 in 1 StatusFirst Myoglobin, CK-MB, Troponin I) | Each | 5 |
| Pregnancy Test (hCG Urine Test) | Each | 5 |
| Urine Test Strips (Multistix 10 SG), 100 strips | Each | 1 |
| Thermometer, Traceable | Each | 1 |
| Forms, Laboratory Results | Each | 100 |
| Log Book, Hematology Manual and Instrument | Each | 1 |
| Analyzer, Hematology, Coulter AcT Diff2 | Each | 1 |
| Analyzer, Hematology, Coulter AcT Diff 2 Manual | Each | 1 |
| Analyzer, Hematology, Coulter Waste Tubing | Each | 1 |
| Analyzer, Hematology, Coulter AcT Tainer Pickup Tubes Kit | Each | 1 |
| Printer, Lexmark, E360D | Each | 1 |
| Printer, Lexmark E360H11A Toner | Each | 1 |
| Paper, Copy, 8½" x 11", Ream | Each | 1 |
| Printer, Laser, Okidata B4600, Power Supply | Each | 1 |
| Power Conditioner Box, 3.0 Amp, 120v | Each | 1 |
| Power Conditioner Box, 3.0 Amp, 120V, AC Power Cord | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress, Paper (Roll) | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress, Manual | Each | 1 |
| Pipette Tip, 0.1ml, Disposable | Each | 1 |
| Pipette, Micro, 0.1ml | Each | 1 |
| Analyzer, Blood Chemistry, Piccolo Xpress, AC Power Cord | Each | 1 |
| Surge Protector, UPS | Each | 1 |
| Tool, Screwdriver, Pocket, 4 in 1 | Each | 1 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | Each | 200 |
| Wooden Applicators, 6" | Each | 1000 |
| Bag, Bio-Hazard, Specimen, 6" x 9" | Each | 200 |
| Bag, Infectious Waste, Red, 25" X 34" | Each | 25 |
| Binder, 3-Ring, 1", Black | Each | 1 |
| Cleanser, Hand, BZK Antiseptic, Single Use | Each | 100 |
| Clipboard, Plastic | Each | 2 |
| Copy of CLIA License | Each | 1 |
| Container, Waste Drainage, 10L | Each | 1 |
| Coulter diff AcT Tainer Reagent Kit | Each | 1 |
| Sharps Container, w/Needle Remover, 1 Quart | BX | 3 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | Each | 100 |

| Non-Acute Care / 250-bed / Lab Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | Each | 100 |
| Gloves, Examination, Nitrile, X-Large (Powder Free & Latex Free) | Each | 100 |
| Goggles, Safety, Chem Splash | Each | 2 |
| Hand Sanitizer (Purell® Instant Hand Sanitizer, 12 oz.) | Each | 1 |
| Rocker, Tabletop Hemo-Dyne, 14 Tube Cap | Each | 1 |
| IV, Starter Set | Each | 100 |
| Lab Coat, Knee Length, Long Sleeve, Medium | Each | 6 |
| Lab Coat, Knee Length, Long Sleeve, Large | Each | 6 |
| Lab Coat, Knee Length, Long Sleeve, X-Large | Each | 6 |
| Needle, Blood Collection, 23G x 3/4"x12" | Each | 100 |
| Needle, Blood Collection, 21G x 1-1/4" | Each | 200 |
| Arterial Blood Gas Sampling Kit | Each | 25 |
| Shears, Trauma | Each | 1 |
| Sponge, Gauze, 4" x 4", Non-sterile | Each | 200 |
| Hemocult® Test Kit | Each | 100 |
| Test Kit, Drug Abuse Panel (DOA), 25 Tests | Each | 1 |
| Tube, Capillary, 100 mcl, Lithium Heparin | Each | 100 |
| Tube, Blood Collection, EDTA 4ml, Purple | Each | 100 |
| Tube, Blood Collection, Green Top, Heparin, 4ml | Each | 100 |
| Tube, Blood Collection, Red Top 7ml (Vac-U-Tainer) | Each | 100 |
| Tube, Blood Collection, (Vac-U-Tainer Barrel) | Each | 250 |
| Tube, Blood Collection, Holder (Vac-U-Tainer) | Each | 1 |
| Urine Collection Kit (Easy Catch) | Each | 25 |
| Wash Bottle, Nalgene, 500ml | Each | 1 |
| Microscope, Binocular w/Light Source | Each | 1 |
| Microscope, Binocular, Spare Bulb | Each | 1 |
| Microscope, Glass Slide, 25mm x 75mm | Each | 144 |
| Microscope, Glass Slide, Cover (1 oz. box) | Each | 200 |
| Microscope, Lens Paper (1cm x 15 cm), 50 Sheets/Pack | Each | 50 |

Acute Care / 50-bed / Medical-Biomed Recommendations

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| 2X3 INCH OPSITE | each | 350 |
| 5-IN-1 CONNECTOR | each | 100 |
| ABD PADS LARGE 8IN X7.5IN STERILE 15 TO 20/TRAY 12 TO 16 TRAYS PER PKG (180-320) 240S | each | 1500 |
| ABDOMINAL BINDER | each | 50 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| ABORhCard WITH ACCESSORIES (FOR BLOOD TYPING) | per month | 50 |
| ABTHERA OPEN ABDOMINAL DRESSING WOUND THERAPY 5S | units | 10 |
| ACE WRAP 4.5 YD X 4 IN WASHABLE PRESSURE | each | 150 |
| ACE WRAP NONSTER 4.5 YD X 3 PKG 12S | each | 150 |
| ACE WRAP, 6 | each | 150 |
| ADAPTER CATHETER TO LUER SYRINGE C.R. BARD FITS 4-6FR CATH 24S | each | 750 |
| ADAPTER CONNECTING VENTILATOR MULTI 15MM ID 22MM OD PLASTIC 50S | each | 50 |
| ADAPTER DIRECT DRAW FOR MULTI SAMPLE LUER ADAP W/HOLDER STER 50S | each | 750 |
| ADAPTER SYRINGE TO TUBING DBL MALE LUER LOCK ADAP PLASTIC 100S | each | 200 |
| ADAPTER TRACHEOSTOMY CANNULA ADAP TO GAS CIRCUIT 15MM ID CONN50S | each | 100 |
| ADHESIVE TAPE SURGICAL MICROFOAM 198 IN X 3 IN WHITE CLOSED CELL VINYL 4S | each | 400 |
| ADMINISTRATION SET INFUSION PUMP 50S | each | 1500 |
| ADMINISTRATION SET USE WITH INFUSION PUMP 50S | each | 1500 |
| AED PRO ECG CABLE AAMI | each | 5 |
| AED, Defibrillator | | 5 |
| AIRWAY NASOPHARYNGEAL 6MM ID 8MM OD SMOOTH RD EDGES PLAS DISP10S | each | 20 |
| AIRWAY NASOPHARYNGEAL 9MM ID 12MM OD KINK RES SMOOTH RD EDGES10S | each | 20 |
| AIRWAY NASOPHARYNGEAL PORTEX 8MM ID 10.5MM OD KINK RES DISP 10S | each | 40 |
| AIRWAY NASOPHARYNGEAL PORTEX DSGN PLAS 7MM ID 9.5MM OD STER 10S | each | 20 |
| AIRWAY NASOPHARYNGEAL ROBERTAZZI DESIGN 34FR OBLIQUE TIP 12S | each | 40 |
| AIRWAY NASOPHARYNGEAL SZ 32 RUBBER O/A ADJUSTABLE FLANGE 5S | each | 40 |
| AIRWAY ORAL BERMAN DESIGN ADULT EXTRA LARGE 100MM LG PLASTIC 10S | each | 40 |
| AIRWAY PHARYNGEAL BERMAN DESIGN CHILD SIZE 80MM LENGTH 10S | each | 40 |
| AIRWAY PHARYNGEAL BERMAN DSGN LARGE ADULT 100MM LG PLAS DISP 12S | each | 40 |
| AIRWAY PHARYNGEAL BERMAN DSGN MEDIUM 40MM LG OPEN SIDE DISP 12S | each | 40 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|--------------------|----------|
| Description | Unit of Measure | Quantity |
| AIRWAY PHARYNGEAL BERMAN DSGN MEDIUM 90MM LG OPEN SIDE DISP 12S | each | 40 |
| AIRWAY PHARYNGEAL GUEDEL 60MM LG CHILD SIZE PLASTIC DISP 10S | each | 20 |
| AIRWAY PHARYNGEAL GUEDEL DSGN SZ 4 MED/LGE ADL 90MM LG PLAS 30S | each | 20 |
| AIRWAY, KING LTS-D, #3 (Yellow) (Latex Free) | each | 20 |
| AIRWAY, KING LTS-D, #5, (Purple) (Latex Free) | each | 20 |
| AIRWAY, KINGLTS-D, #4, (Red) (Latex Free) | each | 20 |
| AIRWAY, LARYNGEAL MASK (LMA), #2, Disposable (Latex Free) | each | 40 |
| AIRWAY, LARYNGEAL MASK (LMA), #3, Disposable (Latex Free) | each | 40 |
| AIRWAY, LARYNGEAL MASK (LMA), #4, Disposable (Latex Free) | each | 40 |
| AIRWAY, MANAGEMENT, TRACHEAL HOOK | each | 20 |
| AIRWAY, NASOPHARNGEAL, 14 Fr (Latex Free) | each | 20 |
| AIRWAY, NASOPHARNGEAL, 24 Fr (Latex Free) | each | 20 |
| ALARIS BLOOD TUBING | each | 75 |
| ALCOHOL PADS SMALL 200EA | each | 1500 |
| AMBU BAG, NEONATE | each | 15 |
| AMBU BAG, PEDICATRIC | each | 15 |
| Aneroid, BP Cuff, Adult | each | 18 |
| Aneroid, BP Cuff, Adult | each | 18 |
| Aneroid, BP Cuff, Adult | each | 18 |
| Aneroid, BP Cuff, Child | each | 18 |
| Aneroid, BP Cuff, Child | each | 18 |
| Aneroid, BP Cuff, Child | each | 18 |
| Aneroid, BP Cuff, Infant | each | 18 |
| Aneroid, BP Cuff, Infant | each | 18 |
| Aneroid, BP Cuff, Infant | each | 18 |
| Aneroid, BP Cuff, Obese | each | 18 |
| Aneroid, BP Cuff, Obese | each | 18 |
| Aneroid, BP Cuff, Obese | each | 18 |
| ANESTHESIA CIRCUIT HUMIDIFIER | each | 200 |
| ANESTHESIA NERVE STIMULATOR | each | 4 |
| Anti-Microbial Solution, 4%, 32 oz. | each | 5 |
| APPLICATOR GLYCERIN-LEMON OIL IMPREGNATED 4 IN LG DISPOSABLE | each | 400 |
| Arm Bands, Staff ID (20 PKG of 5 =100) | each | 1 |
| Arm Board, Padded, Short | each | 150 |
| ARTERIAL BLOOD GAS SAMPLING KIT | boxes | 2 |
| ARTERIAL LINE SET | boxes | 2 |
| Aspirator, Portable w/ Charger | similar to suction | 50 |
| Backboard (Adult) w/ Straps | each | 3 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| Backboard (Child) w/ Straps | each | 1 |
| BAG BIOHAZARD DISP 45 X 38 PLAS RED HEAT SEAL TOP 100S | bags | 750 |
| BAG BIOHAZARD, SPECIMEN, 6" X 9" | packages | 4 |
| BAG BLOOD RECOVERY AUTOTRANSFUSION PE SAHARA FITS ALL MDLS 6S | sets | 4 |
| BAG COLLECTION AND TUBING VENTRICULAR KIT | sets | 100 |
| BAG LAUNDRY 46X25 COTTON DUCK NATURAL COLOR SELF-CLOSING VALVE | bags | 500 |
| BAG OSTOMY 16 X 6 PLAS 3J CTR OPENING KARAYA SEAL MICROPOROUS 30S | each | 100 |
| BAG OSTOMY 23X7 PLAS OPEN TOP TO ADMIT STOMA CONE OPEN BOT 20S | each | 100 |
| BAG PLASTIC 39 X 33 IN DARK BROWN GREEN 33 GAL 50 LB 125S | each | 15000 |
| BAG PLASTIC 50S | each | 30000 |
| BAG PLASTIC A4 FLAT 12IN X 12IN HEAT SEAL CLEAR | each | 45000 |
| BAG PLASTIC A4 FLAT 8 X 8 | each | 45000 |
| BAG POUCH OSTOMY 3IN. SIZE 10S | each | 100 |
| BAG STORAGE ACCESSORY HOLDS CPR MASK AND ACCESSORIES 4X6IN 72S | each | 50 |
| BAG URINE COLL DISP 2 LITER CAPACITY 20S | each | 200 |
| Bag, Ambu, Adult, Disposable w/ mask | each | 10 |
| Bag, Ambu, Infant, Disposable w/ mask | each | 3 |
| Bag, Ambu, Pediatric, Disposable w/ mask | each | 5 |
| Bag, Biohazard Specimen | each | 50 |
| Bag, Body (Adult) | each | 25 |
| Bag, Body (Child) | each | 5 |
| Bag, Hamper | each | 25 |
| Bag, Infectious Waste | each | 250 |
| Bag, Patient Belongings (2 EA x 25 x 10) | 10-packs | 5 |
| Bag, Trash, Liner, Clear | each | 100 |
| Bag, Urinary Meter, 500mL | each | 15 |
| Bag, Urinary, Drainage | each | 15 |
| Band, ID (Adult) | each | 50 |
| Band, ID (Child) | each | 15 |
| BANDAGE SCISSORS | pairs | 20 |
| BANDAGE SCISSORS PLASTIC HANDLES | pairs | 15 |
| Bandage, Elastic, 2" (Latex Free) | each | 150 |
| Bandage, Triangular | each | 150 |
| BANDAGE, GAUZE | each | 45000 |
| BAND-AIDS 3 IN X 1 IN STERILE | each | 3000 |
| BASIN WASH 7QT PLASTIC | each | 600 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|---------------------------------------|----------|
| Description | Unit of Measure | Quantity |
| Basin, Emesis (50 x 5) | each | 50 |
| Basin, Wash, Round | each | 60 |
| Battery Pack, AED Defibrillator | each | 5 |
| BATTERY POWER W/VENTILATOR, 6530-01-464-0267, AND SUCTION APPARATUS, SURGICAL, 6515-01-435-0050 | vents (may need increase by scenario) | 5 |
| Battery, Alkaline, Size AA (80 EA) | packs | 20 |
| BATTERY, ALKALINE, SIZE AAA (1.5 VOLT) | each | 125 |
| Battery, Alkaline, Size C (64 EA) | packs | 15 |
| Battery, Alkaline, Size D (184 EA) | packs | 8 |
| BATTERY, LITHIUM, SIZE 3.0 VOLT (BUTTON BATTERY FOR GLUCOMETER) | each | 125 |
| BATTERY, LITHIUM, SIZE 9 VOLT (FOR I-STAT) | each | 180 |
| BEAKER WATER CLEAR PLASTIC 32 OZ 150S | each | 15 |
| Bed, Bariatric Set 600 lbs | each | 2 |
| Bed, General Use (GUB) | each | 40 |
| Bed, Hospital, Adjustable | each | 2 |
| Bed, Westcot (Standard) | each | 10 |
| Bedpan (50 x 5) | each | 20 |
| BEDPAN FRACTURE-TYPE PLAS AUTOCLAVABLE 12S | each | 50 |
| BEDPAN PONTOON STACKABLE AUTOCLAVABLE 20S | each | 50 |
| BELMONT TUBING | each | 150 |
| BETADINE PAINT 4 OZ BOTTLE | each | 150 |
| BETADINE SCRUB 4 OUNCE BOTTLE | each | 300 |
| BETADINE SWAB | each | 2250 |
| Binder, 3 Ring, 1" | each | 5 |
| Binder, 3 Ring, 2" | each | 5 |
| Binder, 3 Ring, 3" | each | 5 |
| Binder, 3 Ring, 3" | each | 5 |
| BINDER,NOTE PAD | each | 200 |
| BLADE LARYNGOSCOPE MAC 2 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |
| BLADE LARYNGOSCOPE MAC 4 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |
| BLADE LARYNGOSCOPE MILLER 0 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |
| BLADE LARYNGOSCOPE MILLER 1 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |
| BLADE LARYNGOSCOPE MILLER 2 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |
| BLADE LARYNGOSCOPE MILLER 3 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|--------------------------------------|----------|
| Description | Unit of Measure | Quantity |
| BLANKET BED COTTON THERMAL WEAVE WHITE 66X90 INCHES | each | 600 |
| BLANKET BED WOOL OLIVE GREEN 90X66 INCHES | each | 600 |
| BLANKET HYPOTHERMIA ULTRA-PORTABLE A/PROVISIONS RECHARGEABLE BATTERY POWERED | each | 5 |
| Blanket, Cotton | each | 30 |
| Blanket, Cotton | each | 50 |
| Blanket, Emergency | each | 30 |
| Blanket, Emergency | each | 50 |
| Blanket, Space, Mylar | each | 100 |
| Blanket, Wool Blend (90 x 3) | each | 50 |
| Bleach, Clorox | each | 5 |
| BLOOD COLLECTING UNIT PLASTIC 23 GA NEEDLE VACUTAINER 200S | each | 1000 |
| BLOOD RECIPIENT SET INDIRECT TRANSFUSION 48S [M] | sets | 4 |
| BLOOD TRANSFER DEVICE STERILE SAFETY ONE PC PRE-ASSEM W/LUER LOCK 200S | sets | 4 |
| BLOOD-FLUID WARMER SYSTEM | units | 30 |
| BODY BAG, FULL FASTENER; PLASTIC; 36 IN BY 94 IN; NON-CHEM/BIO; EA | each | 50 |
| BOOK POCKET SIZE REF GUIDE F/ADULT CRITICAL CARE 2010 | each | 25 |
| Book, Record | each | 5 |
| Bottle, Nursing, Starter, Kit | each | 5 |
| Bottle, Spray, Quart, w/Trigger | each | 10 |
| Bowl, 12 oz. | each | 150 |
| Box, File Storage w/Lid | each | 5 |
| Brief, Adult, Bariatric (128 Ea Total) | each | 5 |
| Brief, Ultra, Adult, Extra Large | each | 5 |
| Brief, Ultra, Adult, Large | each | 5 |
| Brief, Ultra, Adult, Medium | each | 5 |
| Brief, Ultra, Adult, Small | each | 5 |
| Broom, Push (Two Piece) | each | 3 |
| BROSELOW BAG PEDIATRIC | each (also refillable from Pharmacy) | 25 |
| Broselow Bag (Ped Resuscitation Sys.) | each | 3 |
| BROSELOW TAPE | each | 50 |
| BRUSH SANITARY BLACK CRIMPED NYLON BRISTLE J1 CURVED BRUSH HEAD | each | 200 |
| BRUSH SANITARY STRAIGHT BRUSH HEAD SPIRAL WOUND WOOD HANDLE 17 | each | 200 |
| BRUSH SCRUB WITH CHLORHEXIDINE 300S | each | 200 |
| Bucket, 3 Gallon, Pour Spout, w/Handle | each | 5 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| Bucket, Mop, w/Ringer | each | 3 |
| Bulb, Light, 120v, RS 60W | each | 100 |
| Bulb, Light, Perimeter Flood Lighting | each | 5 |
| Bungee Cord Assortment | each | 5 |
| Cable Ties, Black | 50 packs | 5 |
| Calculator, Metric Conversion | each | 20 |
| Can, Trash, 32 Gallon | each | 25 |
| Can, Trash, Lid, 32 Gallon | each | 25 |
| Can, Trash, Lid, Red, 32 Gallon | each | 25 |
| Can, Trash, Red, 32 Gallon | each | 25 |
| Cane, Quad (700 lbs) | each | 3 |
| CANISTER ASSY SUCTION SURG PLASTIC 2000CC CAP LID HYDROP FILTER 48S | each | 200 |
| CANISTER KCI INFOVAC 1000ML WITH GEL 5S | each | 60 |
| CANISTER KCI INFOVAC WITH GEL 500ML 5S | each | 60 |
| CANISTER NEGATIVE PRESSURE WOUND THERAPY WITH GEL 5S | each | 60 |
| Canister, Suction Tubing | each | 20 |
| Canister, Suction, 800CC | each | 10 |
| CANNUAL NASAL OXYGEN PLASTIC 252 DISPOSABLE NON-FLARED TIP | each | 200 |
| Cannula Cushion PED, 7ft tube, CS/50 | each | 50 |
| Cannula Tubing (Adult) | each | 100 |
| CARDIAC MARKER TEST KIT (LIFESIGN MI 3-IN-1 MYOGLOBIN, CK-MB, TROPONIN I) | boxes | 30 |
| CART CRASH EMERGENCY RED COLD ROLLED STEEL DBL WALL CONSTRUCTION | each | 50 |
| Case, Contact Lens | each | 1 |
| CATHETER CONNECTOR SUCTION TRACH 6FR PLASTIC STER DISP 50S | each | 60 |
| CATHETER CONNECTOR SUCTION TRACH 8FR PLASTIC STER DISP 50S | each | 60 |
| CATHETER BALLOON PACING ELECTRODE RADIOPAQUE 5FR 110CM STER DISP | each | 40 |
| CATHETER INTRAVENOUS 14G X 3.25 INCH, CHEST DECOMPRESSION | each | 50 |
| CATHETER INTRAVENOUS SAFETY 14 GA 1-1/4 200S | each | 400 |
| CATHETER INTRAVENOUS SAFETY 18 GA 1-1/4 200S | each | 400 |
| CATHETER INTRAVENOUS SAFETY 20 GA 1-1/4 200S | each | 400 |
| CATHETER INTRAVENOUS SAFETY 22 GA 1-1/4 200S | each | 400 |
| CATHETER INTRAVENOUS, SAFETY; 24 GA; 0.55 IN LONG; 200S | each | 400 |
| CATHETER IV INTROCAN SAFETY 16 GA 1.25 IN LG 200S | each | 400 |
| Catheter IV, 18G X 1 1/4", Green Safety Tip | each | 40 |
| Catheter IV, 20G X 1 1/4", Pink Safety Tip | each | 40 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Catheter Kit, Foley Tray, 18fr, Closed System | each | 40 |
| Catheter Kit, Foley, Tray, 16 Fr Closed System | each | 40 |
| Catheter Plug & Drain Tube Protector | each | 40 |
| CATHETER SET INTRACOMPARTMENTAL PRESS MNTR 18GAX8 CATH STER 12S | each | 48 |
| CATHETER TRACH CARE 72-HOUR BALLARD 21.3IN SWIVEL ELBOW 14 FR/4.6MM 20S | each | 100 |
| CATHETER TRIPLE LUMEN VENOUS VANTEX TRAY 5S | each | 20 |
| CATHETER URETHRAL FOLEY 16FR RD TIP 5CC BALLOON ADL RBBR DISP12S | each | 50 |
| CATHETER URETHRAL FOLEY 18FR ROUND TIP SILICONE | each | 50 |
| Catheter, Foley Tray, 6FR (Child) | each | 20 |
| CATHETER, FOLEY, 10FR, UR (LATEX FREE) | each | 40 |
| CATHETER, FOLEY, 12FR, UR (LATEX FREE) | each | 40 |
| CATHETER, FOLEY, 3.5FR, UR (LATEX FREE) | each | 20 |
| CATHETER, FOLEY, 5FR, UR (LATEX FREE) | each | 20 |
| CATHETER, FOLEY, 6FR, UR (LATEX FREE) | each | 20 |
| CATHETER, FOLEY, 8FR, UR (LATEX FREE) | each | 20 |
| Catheter, IV, 22G x 1" | each | 20 |
| Catheter, IV, 24G x 3/4" | each | 20 |
| Catheter, Self, 18FR (Robnell) | each | 2 |
| Catheter, Urinary, External Large | each | 1 |
| Catheter, Urinary, External Medium | each | 1 |
| Catheter, Urinary, External Small | each | 1 |
| CATHETERIZATION KIT CARDIO 20GAX1.75 RADPQ POLYTETRAFLUOROETHYLENE CATH STER 50S | each | 10 |
| CaviWipes | each | 25 |
| Cervical Collar, Adjustable, Plastic | each | 25 |
| Chair, Metal, Folding | each | 25 |
| Chart Holder, Patient, Plastic | each | 50 |
| Chart, Pain, Childrens | each | 1 |
| CHEST SEAL BOLIN OCCLUSIVE 6IN. DIA 10S | each | 10 |
| CHEST TUBE INSERTION TRAY WITH KELLY HEMOSTATS | each | 50 |
| CHEST TUBE, 24 FR STRAIGHT | each | 20 |
| CHEST TUBE, 36 FR STRAIGHT | each | 20 |
| Chest, Ice 48 QT | each | 3 |
| CHRISTMAS TREE, XMAS TREE, GREEN, OXYGEN ADAPTOR | each | 100 |
| CIRCUIT VENT WYE ADULT / PEDI SINGLE LIMB 15S | each | 20 |
| CLAMP DRAINAGE POUCH OSTOMY ONE-PIECE PLAS REUSABLE HINGED 20S | each | 40 |
| Cleaner, Floor, Powdered | each | 5 |
| CLINITEK CONTROL, URINE DIPPER WITH LEVEL 1 AND 2 | sets | 2 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| Clipboard, 9" x 12.5" | each | 50 |
| Clips, Binder, Medium | each | 50 |
| Clips, Paper, Jumbo | each | 50 |
| CLOTH CLEANING WHITE 15 X12 900S | each | 500 |
| COBAN 4 X 5 YDS STER | each | 100 |
| Comb, Two-Sided | each | 50 |
| COMMODE FIELD FOLDING | each | 20 |
| Commode, Bedside | each | 25 |
| Commode, Bedside (1000 lbs) | each | 1 |
| COMPRESS SALINE WET SOAKS 8 X 4 W/NACL | each | 200 |
| Compressor, Pulmo-Aide, Aerosol | each | 2 |
| CONNECTOR SALINE LOCK/HEPARIN LOCK HUBS 100S | each | 200 |
| Container, Action Packer | each | 1 |
| Container, Specimen | each | 20 |
| CONTROL SET, HIV 1 AND 2, CHEMBIO (NONREACTIVE, REACTIVE HIV-1 AND REACTIVE HIV-2) | sets | 2 |
| CONTROL SET, PBM QUALITATIVE CARDIAC MARKER (CK-MB, MYOGLOBIN, TROPONIN I), LEVEL 1 AND 2 | sets | 2 |
| CORDIS IV CATHETER 8.5 FR 2 5 CC SYRINGES | each | 50 |
| Cot, Toddler | each | 5 |
| COTTON TIPPED APPLICATOR PLASTIC OR WOOD ROD 6 IN | each | 600 |
| COULTER 4C PLUS TRI-PAK CONTROLS WITH (LOW, NORMAL, AND HIGH) | sets | 2 |
| COULTER CALIBRATOR KIT S-CAL | sets | 2 |
| COULTER DIFF ACT TAINER REAGENT KIT | sets | 2 |
| COULTER WASTE CONTAINER, 10 L | sets | 2 |
| COVER ELECTRIC BLANKET 60 X 30 DISP SMS SPUNBOND 25S | each | 100 |
| Cover, Shoe, Non Skid | each | 50 |
| COVER,BOTTOM OPTION | each | 1000 |
| CPAP Machine | each | 2 |
| CRADLE HOSPITAL BED CLOTHING FIELD TYPE | each | 20 |
| CRADLE HOSPITAL BED CLOTHING FIELD TYPE | each | 20 |
| Crib, Portable (12 Ea. Per triwall - Total 24) | each | 3 |
| CRICOTHYROTOMY SET FIELD PACK | each | 20 |
| CSF DRAINAGE BAGS | each | 20 |
| CSF DRAINAGE SYSTEM | each | 20 |
| CUFF SET SPHYGMOMANOMETER W/ANEROID CASE LATEX FREE SZ ADULT THEIGH | each | 10 |
| CUFF SET SPHYGMOMANOMETER W/ANEROID CASE LATEX FREE SZ ADULT XL | each | 50 |
| CUP MEDICINE PLAS 1 OZ 1.3X1.5FLAT TRANSPARENT NESTING TYPE5000 | each | 2000 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| CUP MEDICINE PLASTIC 1 OZ | each | 2000 |
| CUP PAPER | each | 4000 |
| Cup, Denture w/ Lid | each | 5 |
| Cup, Hot / Cold, 12 oz. | each | 75 |
| Cup, Medicine | each | 250 |
| Cup, Toddler | each | 10 |
| CUP, URINE COLLECTION, STERILE | boxes | 20 |
| CUP,DISPOSABLE | each | 4000 |
| CURETTE, EAR, 4MM, DISPOSABLE | each | 100 |
| Cutlery Combo Pack | each | 1 |
| Cylinder, Oxygen (D) | each | 4 |
| Cylinder, Oxygen (E) | each | 5 |
| Cylinder, Oxygen (M6) | each | 3 |
| Cystoscopy Irrigation Set | each | 20 |
| DD 2064 DEATH, CERTIFI | certificates | 20 |
| DEFIBRILLATOR, PROPAQ-MD, FILTER LINE H SET, Adult/Ped | each | 50 |
| DEFIBRILLATOR, PROPAQ-MD, FILTER LINE, Adult/Ped | each | 50 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Adult (11) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Child (9) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Infant (7) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Lg Adult (12) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Sm Adult (10) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Sm Child (8) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Dual Lumen Tubing Assembly | each | 25 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIPB Cuff, Thigh (13) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, Sensor, SPO2, Cable Extension, Reusable | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, Sensor, SPO2, Reusable | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, Skin Temperature Probe, Adult, Reusable | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, Stat-Padz, Adult Electrodes | each | 100 |
| Defibrillator, Zoll Propaq, Cable, 12 Lead ECG (6 Wire & 4 Wire Combo) | each | 5 |
| Defibrillator, Zoll Propaq, Cable, Multi-Function (red) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ, ELECTRODES, EKG (4 per pack) | packs | 480 |
| Defibrillator, Zoll Propaq, Electrodes, Multi Function, Pedi | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ, SMART CAPNO (ADULT) | packs | 50 |
| DEFIBRILLATOR, ZOLL PROPAQ, SMART CAPNO (PEDS) | packs | 50 |
| DEFIBRILLATOR/MONITOR-RECORDER SYSTEM | packs | 24 |
| DELUXE CORPSMAN KIT EAR-NOSE-THROAT | kits | 13 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| DEPRESSOR TONGUE 6X0.75X0.0675 PARALLEL EDGES ROUNDED ENDS 100S | each (2 boxes) | 2000 |
| DERMABOND TOPICAL SKIN ADHESIVE HIGH VISCOSITY DOME TIP .5 ML | each | 200 |
| DERM-APPLY 100S | each | 2000 |
| DIAL-A-FLOW EXTENSIN SET (Latex Free) | each | 250 |
| DIAPER INFANTS PLASTIC POLYETHYLENE INFANT 20 TO 35 LBS 19 IN. LONG 13 IN. WIDE 160S | each | 1000 |
| DIAPER INFANTS PLASTIC POLYETHYLENE INFANT UP TO 6 LBS 11 IN. LONG 9 IN. WIDE WHITE DISPOSABLE 180S. | each | 1000 |
| DIAPER, SIZE 2, 12-18 LBS 136S | each | 1000 |
| Diapers, Baby, (Large - Size 4) | packs | 25 |
| Diapers, Baby, (Medium - Size 3) | packs | 40 |
| Diapers, Baby, (Small - Size 2) | packs | 75 |
| Diapers, Baby, (XXLarge - Size 6) | packs | 15 |
| Disinfectant, Cleaning (Microcide) (gallon) | each | 3 |
| DISINFECTANT-DETERG GP O-PHENYLPHENOLP-TERTIARY AMYPHENOLAR1GL4 | gallons | 40 |
| Divider, Binder, Alphabet | each | 5 |
| Divider, Binder, Alphabet | each | 5 |
| Dolly, Handtruck | each | 1 |
| Dolly, Trash Can | each | 1 |
| Door Stop, Rubber | each | 3 |
| DOPPLER PROBE VERSATONE | each | 30 |
| DRAINAGE KIT LUMBAR C/046CM SILICON LUMBAR CATHETER LI.D. 76MM | each | 20 |
| DRAPE SURGICAL NONWOVEN DISPOSABLE AND STERILE 18 X 26 IN 300S | each | 1000 |
| Drape, Disposable (Sterile) | each | 30 |
| DRESSING BURN 24 X 36 STERILE ABSORBENT COTTON GAUZE 15S | each | 200 |
| Dressing Change Tray (Kit Wound Dressing Sub) | each | 30 |
| DRESSING KIT HAND GRANUFOAM VACUUM ASSISTED CLOSURE 5S | each | 60 |
| DRESSING OPSITE POSTOPERATIVE TRANSPARENT WATERPROOF 17 3/4 X 21 5/8 40S | each | 200 |
| DRESSING SIGNAL DUODERM 5.5IN. X 5.5IN. 5S | each | 200 |
| DRESSING WOUND CONTACT 10 BY 12 INCH ANTIMICROBIAL 5S | each | 200 |
| Dressing, DuoDERM | each | 25 |
| DRESSING, STERILE, 2 X 2, 100S | each | 2000 |
| DRUG OF ABUSE PANEL | boxes | 2 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| DRUG OF ABUSE PANEL, DOA CONTROL LEVEL 1 | boxes | 2 |
| DRUG OF ABUSE PANEL, DOA CONTROL LEVEL 2 | boxes | 2 |
| DUAL CANNULA DEVICE TWINPAK 1000/CASE | each | 200 |
| DURAPORE TAPE SILK WOVEN 3 IN X 10 YDS | each | 500 |
| Ear Plugs | each | 50 |
| Easel, Flip Board | each | 1 |
| Electrical Distribution System | each | 10 |
| ELECTRODE ELECTROCARDIOGRAPH ADULT PATIENT MONITORING 1000S | each | 480 |
| ELECTRODE ELECTROCARDIOGRAPH SILVER CHL DISP ADULT PREGELL 1000S | each | 480 |
| EMERGENCY BLANKET | each | 200 |
| EMOLLIENT LOTION | each | 400 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 2.5FR., prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 3.0FR, prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 3.5FR, prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 4.0FR, prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 4.5FR, prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 5.0FR, prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 5.5FR, prefereable is cuffed | each | 40 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 6.0FR, prefereable is cuffed | each | 40 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 8.0FR, prefereable is cuffed | each | 40 |
| Envelope, Manila, 9" x 12" | each | 10 |
| EPISTAXIS DEVICE, RAPID RHINO, 5.5cm | each | 50 |
| EPISTAXIS DEVICE, RAPID RHINO, 7.5cm | each | 50 |
| EUCERIN CREAM | each | 300 |
| EXERCISER, LUNG, INHALATION THERPY; INCENTIVE SPIROMETRY LUNG PLAS 3 CHAM 600CC-1200CC PER SEC 12S | each | 100 |
| EXTINGUISHER,FIRE | each | 40 |
| EYE PADS | each | 200 |
| FACIAL TISSUE WHITE, 2-PLY, BOX DISPENSER, 100 SHEETS | boxes | 100 |
| Feminine Hygiene Kits (KT=16 EA x 5 =80)) | each | 10 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| FILTER UNIT SYRINGE HYPODERMIC STER DISP PLASTIC 0.22 MICRON 50S | each | 200 |
| Fire Extinguishers | each | 3 |
| Fit Test Kit (N95 Mask) | each | 1 |
| Flashlight | each | 25 |
| FLUFFS KERLIX 5/ENV 10 ENV/TRAY 12 TRAYS/BOX 600S | each | 200 |
| FLUID SOLIDIFIER F/CANISTER 1500CC 64S | each | 200 |
| FOAM DONUT | each | 20 |
| Folder, Manila | each | 50 |
| FOR BAIR HUGGER, E/I 6530015677143 | each | 100 |
| FORCEPS HEMO 5.50/A LG CRILE DESIGN SLIGHTLY CURVED JAW STR HDL | each | 20 |
| FORCEPS HEMO HALSTED 5LG 0.875JAW STRAIGHT JAW CRS BOX LOCK | each | 20 |
| FORCEPS HEMO PEAN DESIGN SLIGHTLY CURVED JAW 90/A LG CRS | each | 20 |
| FORCEPS, MAGILL, ADULT | each | 25 |
| FORCEPS, MAGILL, PEDICATRIC | each | 25 |
| FORM PRINTED CLINICAL RECORD-BLOOD TRANSFUSION STD FRM 518 100S | each | 400 |
| FORM PRINTED CLINICAL RECORD-DOCTORS ORDERS STD FORM 508 | each | 400 |
| FORM PRINTED LABORATORY REPORT DISPLAY 8IN W X 10.5IN L 100S | each | 4000 |
| FRAME CLOTH BASKET CORROSION RESISTING STEEL TUBING 31IN DEEP | each | 10 |
| FREEDOM VAC (WOUND VAC) | units | 6 |
| Gate, Child 6-Panel | each | 1 |
| GAUZE IODOFORM IMPREGNATED .25 X 5 YD 12S | each | 100 |
| GAUZE IODOFORM IMPREGNATED 2 IN X 5 YDS | each | 100 |
| GAUZE, STERILE, 4" x 4", 12-PLY, 25'S | each | 1000 |
| Glasses, Safety (Large) | each | 10 |
| Glasses, Safety (Small) | each | 10 |
| GLOVE EXAM NON STERILE SYNTHETIC POWDER FREE BEADED CUFF VINYL XLG SMOOTH POLYMER COATED BX 100S | each | 1000 |
| GLOVE PATIENT EXAM 9.5 IN LONG N-DEX DSGN NITRILE RUBBER SZ SMALL 100S | each | 2000 |
| GLOVE PATIENT EXAM 9.5IN LG N-DEX DSGN NITRILE RBBR SZ MED 100S | each | 4000 |
| GLOVE PATIENT EXAMINING TREATMENT SZ 10 LG PURPLE 4.3 MIL 100S | each | 4000 |
| Gloves, Exam, Nitrile, Powder Free, Large | each | 100 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Gloves, Exam, Nitrile, Powder Free, Large | each | 200 |
| Gloves, Exam, Nitrile, Powder Free, Large | each | 400 |
| Gloves, Exam, Nitrile, Powder Free, Medium | each | 100 |
| Gloves, Exam, Nitrile, Powder Free, Medium | each | 200 |
| Gloves, Exam, Nitrile, Powder Free, Medium | each | 400 |
| Gloves, Exam, Nitrile, Powder Free, Small | each | 100 |
| Gloves, Exam, Nitrile, Powder Free, Small | each | 200 |
| Gloves, Exam, Nitrile, Powder Free, Small | each | 400 |
| GLOVES, SURGEONS, INNER LAYER, LATEX POWDER FREE, SIZE 6.5, STERILE, 200 PAIR | each | 2000 |
| GLOVES, SURGEONS, INNER LAYER, LATEX POWDER FREE, SIZE 7, STERILE, 200 PAIR | each | 2000 |
| GLOVES, SURGEONS, INNER LAYER, LATEX POWDER FREE, SIZE 7.5, STERILE, 200 PAIR | each | 4000 |
| GLOVES, SURGEONS, INNER LAYER, LATEX POWDER FREE, SIZE 8, STERILE, 200 PAIR | each | 400 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 6.5 (PAIR) | each | 20 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.0 (PAIR) | each | 20 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.5 (PAIR) | each | 20 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.5 (PAIR) | each | 20 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 8.0 (PAIR) | each | 60 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 8.5 (PAIR) | each | 10 |
| GLOVES,MEN'S | each | 20 |
| Glucometer, Lancets (safety) | each | 200 |
| Glucometer, One Touch Ultra II, Test Strips | each | 200 |
| Glucometer, One Touch, Ultra II | each | 3 |
| GOWN HOSPITAL PATIENT BLUE PATTERN W/WHITE BACKGROUND BACK TIE LARGE | each | 200 |
| GOWN ISOLATION DISPOSABLE YELLOW LARGE ELASTIC CUFF 100S | each | 60 |
| Gown, Patient, Child (Large) | each | 15 |
| Gown, Patient, Child (Medium) | each | 15 |
| Gown, Patient, Child (Small) | each | 15 |
| Gown, Patient, Obesity | each | 10 |
| Gown, Patient, Solid | each | 50 |
| Gown, Provider, Impervious | each | 150 |
| GRADUATE PITCHER | each | 60 |
| GS900 PROCEDURE LIGHT WITH MOBILE STAND | each | 2 |
| HAMMER REFLEX TESTING TAYLOR LARGE 7-8 LG 0.75 THK TRIANGULAR | each | 15 |
| Hamper, Stand, Single | each | 20 |
| HAND SANITIZER (8 oz) | each | 600 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| Hand Sanitizer, Foam | each | 50 |
| HANDLE LARYNGOSCOPE | each | 20 |
| HANGING MULTICOMPARTMENT BAG | each | 15 |
| hCG URINE TEST (PREGNANCY) | boxes | 2 |
| Head Set, Magnifying Glass and Light | each | 1 |
| HEAD WARMING HAT | each | 100 |
| HEADLAMP MEDICAL-SURGICAL BLACK | each | 20 |
| Headlamp, LED | each | 15 |
| HEIMLICH VALVE | each | 60 |
| HEMOCCULT TEST KIT | boxes | 2 |
| HEMOVAC DRAIN WITH TROCAR | each | 1 |
| HIBICLENS 8 oz | bottles | 200 |
| Hi-Lighter Pack (4 colors) | each | 5 |
| HIV RAPID TEST KIT (CHEMBIO) | box per month | 1 |
| HOLDER CATHETER LEGBAND W/TAPELESS CATH LOCKING DVC 10S | each | 100 |
| HOLDER,BLOOD COLLECTING TUBE | each | 500 |
| Hooks, Shower Curtain | each | 10 |
| Humidifier | each | 3 |
| HUMIDIFIER INHALATION THERAPY APPARATUS 300MM RESERVOIR CAP 50S | each | 40 |
| HUMIDIFIER INHALATION THERAPY APPARATUS PLAS DISP IP 50S | each | 100 |
| HYDROGEN PEROXIDE TOPICAL SOLUTION USP 1 PINT (473ML) | each | 48 |
| IMPACT ULTRA-LITE MODEL 326/326M ASPIRATOR | each | 20 |
| INFRARED THERMOMETER | each | 10 |
| INTERAOSSEOUS NEEDLE, ADULT | each | 40 |
| INTERAOSSEOUS NEEDLE, EXTRA LONG | each | 40 |
| INTERAOSSEOUS NEEDLE, PEDIATRIC | each | 40 |
| INTERAOSSEOUS POWER DRIVER | each | 10 |
| INTRAVENOUS INJECTION SET 5 COMPONENTS 48S | each | 750 |
| INTROCAN SAFETY IV CATHETER 20 GA 1.25 IN LG PLASTIC 200S | each | 400 |
| INTTUBATION INDICATOR KIT, CO2, DISPOSABLE, ADULT | each | 25 |
| INTTUBATION INDICATOR KIT, CO2, DISPOSABLE, PEDIATRIC | each | 25 |
| IODOFORM IMPREGNATED GAUZE .50 X 5 YD STERILE | each | 100 |
| Irrigating Kit, Type 1, w/Syringe | each | 25 |
| IRRIGATION KIT CATHETER-NASOGASTRIC TUBE 20S | each | 200 |
| IRRIGATION SET UROLOGICAL INDUSTRIAL 12S | each | 100 |
| ISOLYSER POWDER | each | 200 |
| I-STAT AND CLINITEK PRINTER PAPER (THERMAL) | each | 2 |
| I-STAT BNP CARTRIDGE | each | 2 |
| I-STAT CHEM8+ CARTRIDGE | boxes | 60 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| I-STAT CONTROL, BNP LEVEL 1 | sets | 2 |
| I-STAT CONTROL, BNP LEVEL 3 | sets | 2 |
| I-STAT CONTROL, PT LEVEL 1 | sets | 2 |
| I-STAT CONTROL, PT LEVEL 2 | sets | 2 |
| I-STAT CONTROL, TRICONTROL LEVEL 1 | sets | 2 |
| I-STAT CONTROL, TRICONTROL LEVEL 3 | sets | 2 |
| I-STAT G3+ CARTRIDGE | boxes | 2 |
| I-STAT PT/INR CARTRIDGE | boxes | 460 |
| IV ADMIN SET, 15 DROP (PREFEREABLE NEEDLESS) | boxes | 600 |
| IV ADMIN SET, 60 DROP (PREFEREABLE NEEDLESS) | boxes | 600 |
| IV Administration Kit | each | 200 |
| IV J LOOP ALARIS EXTENSION SET W/SMARTSITE NEEDLE FREE VALVE 6IN. 100S | boxes | 1200 |
| IV OCCLUSIVE DRESSING STERILE DISP | each | 600 |
| IV POLE FOR STRETCHER | each | 30 |
| IV POLE W/WHEELS | each | 13 |
| IV Set (Child) | each | 50 |
| IV Starter Kit (Adult) | each | 100 |
| IV STARTER SET | boxes | 50 |
| IV, ADMIN SET, BURETTE, CHAMBER, 20" | each | 50 |
| Jug, Collapsible, 5 Gal. | each | 1 |
| KERLIX 4.5 | boxes | 300 |
| Kit, Wound Dressing (Change Dressing Tray) | each | 25 |
| KNIFE GENERAL SURGICAL ACME DSGN PT W/NO.10 BLADE STER DISP 20S | each | 150 |
| LAB COAT, LARGE | each | 13 |
| LAB COAT, MEDIUM | each | 13 |
| LAB COAT, XL | each | 13 |
| Labels, 1" x 3" | each | 100 |
| Labels, 1" x 3" | each | 100 |
| LAMP, INCANDESCENT | each | 50 |
| LARYNGOSCOPE GREEN SYS ENT POCKET LIGHT ORIGINAL BLACK WATERPROOF | each | 13 |
| LARYNGOSCOPE SET FIBER OPTIC BATTERY OPERATED WITH CASE (1) PER CASE | each | 13 |
| Laryngoscope, MAC BLADE, #3 (GR Spec FO) | each | 200 |
| Laryngoscope, MILLER BLADE, #4 (GR Spec FO) | each | 20 |
| Laundry Detergent | each | 3 |
| Lid, Cup, Hot / Cold, 12 oz. | each | 250 |
| Lift, Patient w/ Sling (450 lbs) | each | 1 |
| LIFT-DRAW SHEET WHITE DISPOSABLE 80 IN. X 40 IN. WHITE 50S | per week each | 750 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|--|----------|
| Description | Unit of Measure | Quantity |
| LIGHT BULB FOR PETZL HEADLIGHT | each | 75 |
| LIGHT BULB LARYNGOSCOPE 2.5V GAS FILLED HIGH INTENSITY | each | 75 |
| LIGHT BULB LARYNGOSCOPE F/USE W/6515-01-450-9790 | each | 75 |
| LIGHT GENERAL EXAM GREEN SERIES 300 | each | 10 |
| LIGHT SOURCE MULTI-PURPOSE MEDICAL EXAM PTBL | each | 10 |
| Light, Goose Neck | each | 25 |
| Lighting, Perimeter Flood | each | 5 |
| Litter Stands, Support, Pair | each | 5 |
| Litter, De-Con Mesh Type | each | 5 |
| LUBRICANT SURGICAL 5 GRAM-PACK (STERILE) 144S | pack (sterile) 144s | 25 |
| Lubricant, Surgical | each | 5 |
| MAGILL FORCEPS | each | 20 |
| MANIOMETERS FOR MEASURING CSF AND CVP PRESSURES | EACH needle REMOVER, remover quart | 5 |
| MARKER LABORATORY F/WET OR DRY SURFACE PERMANENT MARKINGS 10S | each | 10 |
| MARKER TUBE TYPE FELT TIP | each | 75 |
| Marker, Expo, 6/set w/ eraser | each | 1 |
| Marker, Fine Point (sharpie) | each | 3 |
| MASK REBREATHING BAG ORONASAL W/ADAPTER CHIN STYLE FLEX DISP50 | each | 100 |
| MASK 02; NON-REBREATHING W/O SAFETY VENT; 7 FT OXYGEN SUPPLY TUBING; 50S | each | 200 |
| MASK FACE CARDIOPULMONARY RESUSCITATION LARGE DISP FILTERED 10S | each | 100 |
| MASK ORONASAL ADULT SIZE 5 CONTOUR FITTING 0.875 ADAPTER | each | 100 |
| MASK ORONASAL CHILD SIZE 2.875 ADAPTER FOR RESUSCITATOR | each | 100 |
| MASK ORONASAL HUDSON CHILD ELONGATED MED CONCENTRATION DISP 50S | each | 100 |
| MASK ORONASAL PLAS CLEAR GREENISH TINT UNIVERSAL SZ POCKET MASK | each | 100 |
| MASK OXYGEN PLASTIC DISPOSABLE 50S | each | 200 |
| MASK SURG ANTI-FOG NON-GLASS PLEATED LINT-FREE GREEN DISP 300S | each | 400 |
| MASK TRACHEOSTOMY AIRLIFE ADULT COLLAR SHAPED PLAS CLR FLEX 50S | each | 60 |
| Mask, Cone (3M) | each | 25 |
| Mask, CPAP (Large) | each | 25 |
| Mask, CPAP (Medium) | each | 25 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| Mask, CPAP (Small) | each | 25 |
| Mask, Duck (Regular) | each | 25 |
| Mask, Duck (Small) | each | 25 |
| Mask, Non-Rebreather (Adult) | each | 25 |
| Mask, Non-Rebreather (Child) | each | 25 |
| Mask, Surgical | each | 50 |
| MAT SLEEPING SELF-INFLATING 3-INCH THICK W/PATCH KT | each | 150 |
| Mat, Child | each | 25 |
| MATTRESS PAD EXPANSION CONTROL W/PUMP 6S | each | 100 |
| MAXI-PAD | each | 50 |
| MAYO STAND WITH TRAY | each | 25 |
| MEDICAL INSTRUMENT AND SUPPLY SET 30X18X20 IN. W/DIVIDER OLIVE DRAB | sets | 15 |
| METER PEAK FLOW RATE INDICATING EXPIRATORY FULL RANGE I.W. 12S | each | 50 |
| Meter, Peak Flow, Mouthpiece (Adult) | each | 3 |
| Meter, Peak Flow, Mouthpiece (Peds) | each | 3 |
| MICROSCOPE, COVER GLASS | boxes | 2 |
| MICROSCOPE, GLASS SLIDE, 25 MM X 75 MM X 1 MM, FROSTED END | boxes | 2 |
| MICROSCOPE, LENS PAPER, 4" X 6", 50 SHEETS/PK | boxes | 2 |
| MIRROR LARYNGEAL CRS PLAIN GLASS .437DIAMETER TYPE II SIZE 00 | each | 100 |
| MONITOR PATIENT VITAL SIGNS ZOLL PROPAQ M | monitors | 25 |
| MONITORING SET INTRA-COMPARTMENTAL PRESS BTRY OPER 5X3X2 LTWT | each | 3 |
| MONTGOMERY STRAPS (PAIR) | pairs | 100 |
| MONTGOMERY STRAPS; 4 ADHESIVE STRAPS/4 CLOTH TAPE STRIPS PER BAG; 25 BAGS PER PACKAGE | pairs | 200 |
| Mop, Wet, Handle | each | 5 |
| Mop, Wet, Head | each | 5 |
| MORGAN LENS | each | 50 |
| NEBULIZER EMPTY 350ML WITH FIO2 SETTINGS 28 TO 98% 50S | each | 100 |
| NEBULIZER MEDICINAL C/O MOUTHPIECE TEE 7FT TUBING 6IN FLEX TU 50S | each | 100 |
| NEEDLE BLOOD COLLECTING 21 GA 1.25 IN LUER LOCK GREEN 480S | each | 400 |
| NEEDLE C12 GP 22 GA 1.5 LG LUER 100S | each | 400 |
| NEEDLE FILTRATION 19 GA 5-MICRON 1.5 100S | each | 400 |
| NEEDLE HYPO BLD COLL 20 GA X 1.5 IN MULTIPLE SMPL VACUTAINER 1000S | each | 400 |
| NEEDLE HYPO C13A GP 18 GA 1.438-1.562 LUER STER 100S | each | 400 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| NEEDLE HYPO C13A GP 20 GA 1.438-1.562, LUER STER 100S | each | 400 |
| NEEDLE HYPODERMIC SAFETY GLIDE 18 GAGE X 1.5 IN. NEEDLE 50S | each | 400 |
| NEEDLE HYPODERMIC SAFETY GLIDE 22 GAGE BY 1 1/2IN. STERILE 50S | each | 400 |
| NEEDLE HYPODERMIC SAFETY W/SHIELDING MECH 21 GA X 1-1/2 IN 50S | each | 400 |
| NEEDLE, BLOOD COLLECTION, 21G X 1-1/4" | boxes | 30 |
| NEEDLE, BUTTERFLY, BLOOD COLLECTION, 23G X 3/4" X 12" | boxes | 30 |
| Needle, Hypodermic, 20G x 1 1/2" | boxes | 30 |
| NET OPEN 10 YD X 1.75 IN WHITE | each | 100 |
| N-G TUBE 50S | each | 50 |
| Notepads, White | each | 25 |
| Notepads, White | each | 25 |
| OB Kit | each | 3 |
| ONE TOUCH ULTRA CONTROL SOLUTION | boxes | 15 |
| ONE TOUCH ULTRA GLUCOSE METER ONLY | units | 25 |
| ONE TOUCH ULTRA GLUCOSE TEST STRIPS, 50S | bottles | 100 |
| OPHTHALMIC IRRIGATING SOLUTION, 120ML | each | 150 |
| Ostomy, Closed - End Pouch | each | 25 |
| Ostomy, Drainable Pouch | each | 25 |
| Ostomy, Wafer | each | 50 |
| OTOSCOPE OPHTHALMOSCOPE SET ELEC WELCH-ALLYN BTRY OPER POCKET | units | 15 |
| OXIMETER PULSE PORT FINGERTIP | each | 30 |
| OxImeter, Pulse | each | 5 |
| OxImeter, Pulse, Carrying Case | each | 5 |
| Oxygen Concentrator | each | 5 |
| Oxygen Cylinder Cart (1 cart per 25 patients) | each | 2 |
| OXYGEN MASK; PEDS; AGES 2 TO 7; CLEAR; 50S | each | 100 |
| Oxygen Nebulizer, Handheld | | 50 |
| OXYGEN REGULATOR FOR D CYLINDER | each | 60 |
| OXYGEN TRANSPORT D CYLINDER | each | 50 |
| OXYGEN USP 99% CYLINDER TYPE H 1650 GALLON | type H gallon | 45 |
| Oxygen, Cylinder, Wrench | each | 3 |
| Oxygen, Hose | each | 5 |
| Oxygen, MiniLator | each | 2 |
| OXYGEN, NEBULIZER, CONDENSER AND DELIVERY UNIT | each | 50 |
| Oxygen, Regulator, D | each | 25 |
| Oxygen, Tubing, 100' | each | 50 |
| Pacifiers, Orthodontic, Silicone (Large) | each | 5 |
| Pack, Cold (Instant) | each | 50 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| Pack, Warm Solar-First Aid Size | each | 50 |
| PAD ABDOMINAL STERILE 16 IN X 12 IN 144S | each | 1000 |
| PAD COOLING CHEMICAL PLASTIC WHITE DISPOSABLE 9X6 16S | each | 400 |
| PAD HEAT TREATMENT INSTANT HEAT PACK KWIK HEAT BECOMES 110 DEG 4 | each | 400 |
| PAD WRITING PAPER 8.5W 11LG WHITE A/A PULP TYPE | each | 100 |
| Pad, ABD | each | 75 |
| PAD, CHUX, 23" x 36", LIGHTWEIGHT, DISPOSABLE | each | 500 |
| Pad, Chux, Absorbent | each | 100 |
| Pad, Convolutd (Egg crate) | each | 50 |
| Pad, Easel | each | 1 |
| PAD, NONADHERENT, VERSI-FOAM; T.R.A.C. WHITEFOAM LARGE DRESSING; 5S | each | 750 |
| PADS MATERNITY CURITY 168S | each | 400 |
| Pads, Gauze (Sterile) | each | 50 |
| Pads, Mattress, Crib | each | 5 |
| Pallet, Hand Jack | each | 1 |
| Paper, Copy 8.5 x 11 (1 ream) | each | 5 |
| PAPER,TOILET | each | 500 |
| Paste, Stomahesive 2oz | each | 1 |
| PATIENT ID BAND | each | 250 |
| Patient lift, 1000 lb. Hydraulic w /washable sling | | 1 |
| PELVIC BINDERS | each | 20 |
| PEN BALL-POINT BLACK FINE POINT POCKET RETRACTABLE | each | 500 |
| PENCIL NONINDELIBLE GRAPHITE LEAD NO.2 THIN IV TYPE 2 NUMBER | per each | 500 |
| PENROSE DRAIN 1" | each | 60 |
| PENROSE DRAIN- 1/4" | each | 20 |
| PENROSE DRAIN-1/2" | each | 20 |
| Pens, Standard, Black / Blue | each | 25 |
| Pens, Standard, Black / Blue | each | 25 |
| PERSONAL HYGIENE KIT 30S | each | 250 |
| PETROLATUM GAUZE ACCORDION FOLD STER WHITE 18 IN X 3 IN | per each | 500 |
| PICCOLO GENERAL CHEMISTRY 13 PANEL | boxes | 50 |
| PICCOLO PRINTER PAPER | boxes | 50 |
| PICCOLO, BRT, GENERAL CHEMISTRY CONTROL WITH LEVEL 1 AND 2 | sets | 2 |
| Pillow (126 EA) | each | 50 |
| Pillow (BEDPACK 2 EA per bag x 25) | each | 13 |
| Pillow Case, Disposable (2 EA per 25 x 5)) | each | 50 |
| Pillow Case, Disposable (200 EA per x 5) | each | 5 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Pillow Case, Disposable (5 CS x 100) | each | 50 |
| PILLOW PNEUMATIC COTTON RUBBER KHAKI OR OLIVE DRAB 16.5X13INCHES | each | 300 |
| PILLOWCASE COTTON-POLYESTER 36.0X20.5IN GREEN GRAY NONDISPOSABLE | each | 150 |
| PILLOWCASE NONWOV FAB DISP AQUA 20X29 IN 200S | each | 500 |
| PIN,SAFETY | each | 500 |
| PIPETTE TIP, 0.1 ML, DISPOSABLE | boxes | 40 |
| PIPETTE, MICRO, 0.1 ML | each | 75 |
| Plate, Dinner, Heavyweight (4 PKG per CS x 4) | cases | 13 |
| Plugs, Child Protective | each | 15 |
| Power Cord, Electric, 100' | | 5 |
| Power Cord, Electric, 50' | | 5 |
| Power, Outlet Box, 6-Outlet Surge Type w/Cord | each | 1000 |
| Prep Pad, Alcohol | each | 250 |
| PREP RAZOR | each | 40 |
| PREP TRAY SURGICAL SKIN WITH BETADINE 20S | each | 1000 |
| PRESSURE BAGS FOR IV FLUIDS | units | 20 |
| PRESSURE MONITOR KIT WITH 18 GAGEX2.50 NEEDLE 3ML SYR STER 6S | units | 10 |
| Privacy Screen, 3 Fold Panel (15 EA per) | each | 8 |
| PROCEDURE MASK WITH FACE SHIELD AND EARLOOPS | masks | 1000 |
| PROPAQ EKG PAPER | roles | 40 |
| Protective Underwear Pullups, Extra Large | packs | 3 |
| Protective Underwear Pullups, Large | packs | 3 |
| Protective Underwear Pullups, Medium | packs | 3 |
| Protective Underwear Pullups, Small | packs | 3 |
| Protectors, Paper Sheet, Non-Glare | each | 50 |
| Protectors, Paper Sheet, Non-Glare | each | 50 |
| PULSE OXIMETER KIT, NONIN 9840, AIRWAY ADAPTER, DISPOSABLE | each | 50 |
| PULSE OXIMETER KIT, NONIN 9840, CO2 END TIDAL, NON-DISPOSABLE | each | 13 |
| PULSE OXIMETER KIT, NONIN 9840, SENSOR (Adult, Ped, Neo), NON-DISPOSABLE | each | 13 |
| PULSE OXIMETER KIT, NONIN 9840, SENSOR, ADULT, DISPOABLE | each | 50 |
| PULSE OXIMETER KIT, NONIN 9840, SENSOR, NEONATAL, DISPOSABLE | each | 10 |
| PULSE OXIMETER KIT, NONIN 9840, SENSOR, PEDIATRIC, DISPOSABLE | each | 50 |
| PULSE OXIMETER KIT, NONIN, HANDHELD | unit | 13 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|--|----------|
| Description | Unit of Measure | Quantity |
| PUMP INTRAVENOUS INFUSION 3-CHANNEL VOLUMETRIC PORTABLE | If multichannel not available then CME America, BodyGuard 121 and increased quantity. channel portable | 25 |
| RADIOPAQUE SAFETY IV CATHETER 14 GA 1.25 IN LG PLASTIC STERILE 200S | each | 75 |
| Razor, Disposable | each | 25 |
| REFRIGERATOR FREEZER | each | 20 |
| REGULAR PRESSURE MED GAS/OXYGEN/CGA 540/TUBE TYPE FLOW/15LPM/TANK GAUGE 4000 LB PSI | each | 25 |
| REGULATOR FLOW RATE EXTENSION SET LUER LOCK PORT LATEX FREE 18 IN. 48S | each | 20 |
| Repellent, Insect | each | 25 |
| RESTRAINT LOCKING LEATHER SET WRIST ANKLE W/FOAM PADDING | each | 20 |
| RESUSCITATOR HAND-POWERED ADULT SIZE 4 AND 5 CHILD SIZE 3 | per week (Ambu Bag) | 20 |
| RESUSCITATOR MOUTH-TO-MASK FILTERED MASK ORONASAL ADULT SZ DISP 20S | each | 50 |
| RING CUTTER | each | 2 |
| RING CUTTER, BLADES | each | 5 |
| ROBE SEERSUCKER LG 12S | each | 50 |
| Rope Nylon | | 1 |
| SAFETY NEEDLE 25 GAUGE STERILE | each | 500 |
| Safety Pin, Large | each | 50 |
| Safety Pin, Medium | each | 50 |
| SAHARA CHEST TUBE DRAINAGE SYSTEM | each | 25 |
| SALEM SUMP W/FUNNEL 16FR 48L DBL LUMEN | each | 25 |
| SAM SPLINT MALLEABLE 36 X 4.5, GRAY, 12S | each | 50 |
| SCALPEL BLADE KNIFE NO. 10 CUTTING | each | 50 |
| SCALPEL SURGICAL SAFETY SHIELDED SIZE NO. 10 DISPOSABLE STERILE 100 | each | 50 |
| Scalpel, #10, (HANDLE AND BLADE) Disposable | each | 50 |
| Scalpel, #11, (HANDLE AND BLADE) Disposable | each | 50 |
| Scissor, Lister | each | 1 |
| Scissors | each | 13 |
| SCREEN BEDSIDE ALUMINUM 68X76 WASHABLE VINYL CURTAIN 52X20 | each | 50 |
| SCRUB TOP SZ LG | each | 50 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|--|-----------------|
| Description | Unit of Measure | Quantity |
| Set, Gravity Feeding | each | 25 |
| Shampoo, Personal | each | 50 |
| SHARPIE FINE POINT | each | 250 |
| SHARPS CONTAINER 2 GALLON | each | 150 |
| SHARPS CONTAINER WITH NEEDLE REMOVER, 1 QUART | EACH needle REMOVER, remover quart | 75 |
| Sharps Container, Large | each | 1 |
| Sharps Container, Large | each | 3 |
| Sharps Container, Small | each | 1 |
| Sharps Container, Small | each | 15 |
| Shaving Cream, Non-Aerosol | each | 10 |
| SHEET BED PLAS ALUM COATED 72X20IN BLUE FITTED DISP 50S | each | 1000 |
| Sheet, Bed, White, Disposable | each | 100 |
| Sheet, Bed, White, Disposable | each | 200 |
| Sheet, Bed, White, Disposable(2 ea X 25 X 10) | each | 100 |
| SHIELD EYE SURG GOFFMAN SGL CONSTRUCTION CATARACT OPERATION 50S | each | 25 |
| Shield, Face (2 X 96) | each | 39 |
| SHOES SHOWER BLACK RBBR W/CROSS STRAP NON-SLIP ADULT X-LARGE 36S | each | 50 |
| SHOES SHOWER RBBR BLACK ADULT SZ SHOE W/CROSS STRAP SZ MEDIUM72S | each | 50 |
| SHOES SHOWER RBBR BLACK W/CROSS STRAP NON-SLIP ADULT SZ SMALL72S | each | 50 |
| SHOES SHOWER RUBBER BLACK W/CROSS STRAP ADULT SZ LARGE 72S | each | 50 |
| Shower Curtain | each | 5 |
| Shower Seat w/Back (700 lbs) | each | 5 |
| Sign Language Board | each | 1 |
| SILVERLON ELASTIC BURN WRAPS 4 X 66 | each | 150 |
| SILVERLON WOUND CONTACT DRESSING 4 IN X 4 IN | each | 150 |
| SKIN CLEANSER AND SHAMPOO AND BODY WASH MEDICATED 4FLOZ BTL 72S | each | 600 |
| SKIN STAPLER | each | 38 |
| Slide Board, PT Transfer | each | 3 |
| Sling, Patient Lift, 450 lbs. | each | 1 |
| Sling, Patient Lift, Washable, 1000 lbs. | each | 1 |
| SOAP TOILET NONMEDICATED CAKE I.W. 0.75OZ 1000S | each | 150 |
| Soap, Bar (50 bags x 5) | each | 50 |
| Soap, Lotion | each | 100 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| SODIUM CHLORIDE INHALATION SOLUTION USP 3ML VIAL 100S PG | each | 1000 |
| SPECULUM OTOSCOPE 2.75 MM (850) PER PACKAGE | packages | 3 |
| SPECULUM OTOSCOPE 4.25 MM (850) PER PACKAGE | packages | 3 |
| SPHYGMOMANOMETER ANEROID CHILD WITH CASE | each | 10 |
| SPHYGMOMANOMETER ANEROID SZ ADULT LATEX FREE W/CARRYING CASE | each | 20 |
| SPONGE SURGICAL GAUZE COMPRESSED 8 X 4 WHITE NONSTERILE 200S | packages | 25 |
| SPONGE, LAP, Sterile, 5-pack | each | 25 |
| SPONGES 8 X 4 12 PLY STERILE, 10 SPONGES PER PEEL TRAY | each | 25 |
| Stand, IV | each | 35 |
| Staple Remover | each | 1 |
| Staple Remover | each | 3 |
| STAPLE REMOVER STERILE DISP | each | 50 |
| Stapler | each | 3 |
| Station, Hand Wash (2 EA Per) | each | 25 |
| Station, Hand Wash, Portable, Wheelchair Acc.Accessible | each | 3 |
| Step Stool | each | 10 |
| Stethoscope | each | 1 |
| Stethoscope | each | 2 |
| Stethoscope | each | 1 |
| STETHOSCOPE LITTMAN CLASSIC II | each | 25 |
| Stickers, Kids (Rolls) | each | 3 |
| Stockinette 4" Roll | each | 50 |
| STOPCOCK 3-WAY | each | 150 |
| STOPCOCK 4 WAY 50S | each | 150 |
| STRAINER UROLOGICAL WHITE W/BUILT IN RIDGE FOR GRIPPING | each | 50 |
| Straw, Drinking | each | 500 |
| Stretcher (guerney) | each | 5 |
| Stretcher, Bariatric (guerney) | each | 1 |
| Stretcher, IV Rod | each | 6 |
| STYLET CATHETER-TUBE ALUMINUM 14FR ADULT SIZE 15 INCH LENGTH STERILE 20S | each | 38 |
| Suction Catheter 14 FR | each | 20 |
| SUCTION CATHETER KIT TRACH 14 FR STERILE | trach | 100 |
| SUCTION SET TRACHEAL TRI-FLOW CATH 14FR 22IN LONG IND PKG 100S | each | 100 |
| SUCTION TUBING, NON-STERILE, 100 | each | 250 |
| SUCTION YANKAUER W/O CONTROL VENT W/72 IN SUCT TUBNG | each | 150 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Sunblock | each | 25 |
| SURGICAL DRAPE, U Split with Tube Holders (76" x 120") | each | 50 |
| SURGICAL SPONGE 4X4 12 PLY GAUZE WHITE STERILE PEEL TUB 1280S | each | 250 |
| SUTURE KIT SURGICAL 10 COMPONENTS FORCEPS SCISSORS SWABS STERILE DISPOSABLE 20S | each | 100 |
| Suture Kit, Laceration Tray (2 X 16) | each | 7 |
| SUTURE REMOVAL KIT, STERILE | each | 50 |
| Suture, Monosof 4-0 18" black PC-3/PC-11 needle | each | 3 |
| Suture, Monosof 5-0 18" black p-3/p-13 needle | each | 3 |
| SYRINGE NEEDLE INSULIN 1 ML CAP 28 GA SGL SCALE 100S | each | 600 |
| SYRINGE AND NEEDLE HYPODERMIC SAFETY 3ML 20GAGE 100S | each | 350 |
| SYRINGE AND NEEDLE INSULIN SAFETY-LOK 29 G X 1/2 50 UNIT 0.5ML 400S STERILE | each | 600 |
| SYRINGE GP 3ML CAP LUER TIP 200S | each | 500 |
| SYRINGE HYPO GP 10ML CAP LUER LOCK W/O NEEDLE PLAS STER 400S | each | 400 |
| SYRINGE HYPODERMIC 60CC STERILE LUER LOCK 100S | each | 400 |
| SYRINGE HYPODERMIC LUER LOCK PLAS STER DISP 20CC STERILE 192S | each | 400 |
| Syringe, Luer-Lock, 5cc | each | 120 |
| Syringe, Luer-Lock, Disposable 10cc | each | 60 |
| Syringe, Piston 60cc | each | 20 |
| T.R.A.C. WHITEFOAM SMALL DRESSING KIT; PVA; SMALL; FREEDOM VAC; 5S | each | 50 |
| Table, Folding (9 EA x 6) | each | 5 |
| Tag, Triage | | 60 |
| TAPE ADHESIVE SURGICAL 1 X 360 12S | rolls | 250 |
| Tape Dispenser w/ 6 rolls of tape | rolls | 15 |
| TAPE MEASURING LINEN OR COTTON WOVEN OR FIBER SYNTHETIC 72" CAP | each | 75 |
| TAPE PRESSURE SENSITIVE ADHESIVE 3/4 INCHES BY 8-1/3 YARDS | rolls | 250 |
| Tape, Coban, 1" | rolls | 50 |
| Tape, Coban, 4" | rolls | 50 |
| Tape, Duct | rolls | 5 |
| Tape, Electrical | rolls | 5 |
| Tape, Masking | rolls | 5 |
| Tape, Surgical, Durapore 1" | rolls | 15 |
| Tape, Surgical, Medipore 2" | rolls | 15 |
| Tarp | each | 5 |
| TELFA PAD LARGE 3IN X 8IN STERILE 50S | each | 1000 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| TEST KIT OCCULT BLOOD DETERMINATION 100 TESTS | test | 500 |
| TEST STRIPS AND COLOR CHART 100 STRIPS PER BOTTLE | each | 1 |
| TEST STRIPS AND COLOR CHART GLUCOSE AND PROTEIN IN URINE 100S (MULTISTIX SG-2) | bottles | 25 |
| THERMOMETER DIGITAL HUMAN ORAL/RECTAL | each | 55 |
| THERMOMETER DISPOSABLE 2000S | each | 50 |
| THERMOMETER KIT W/PROBES DIGITAL SURETEMP PLUS | each | 20 |
| THERMOMETER PROBE COVER FOR DIGITAL THERMOMETER | each | 1000 |
| Thermometer, Bat Powered w/Probe (Welch Allyn) | each | 3 |
| Thermometer, Probe Cover (Welch Allyn) | each | 250 |
| THORACENTESIS SET STERILE DISP 16GA X 6IN POLYTETRAFLUOROETHYLENE CATHETER ASSY 10S | each | 25 |
| Tissue, Facial | each | 50 |
| Toilet Brush & Cup Combo | each | 50 |
| Toilet Paper | each | 150 |
| Tongue Depressor | each | 50 |
| Tool Kit | each | 1 |
| TOOMEY SYRINGE 70CC CAP STER 50S | each | 350 |
| Toothbrush, Adult | each | 50 |
| Toothbrush, Child | each | 10 |
| Toothpaste | each | 50 |
| TOURNIQUET; VACUTAINER BRAND; 1 IN BY 18 IN; 25S | each | 500 |
| Tourniquets | each | 60 |
| Towel, Bath, Cotton | each | 60 |
| Towel, Bath, Cotton (60 x 5) | each | 61 |
| Towel, Bath, Cotton (2 EA x 25 x 10) | each | 61 |
| Towel, Paper Roll | each | 50 |
| TOWEL,BATH | each | 6000 |
| TOWELETTE DISINFECTING CAVIWIPES 160S | each | 100 |
| TOWELETTE SKIN CLEANSING BABY WIPES SCENTED ALOE 1200S | each | 500 |
| TOWELETTE,BENZALKONIUM CHLORIDE IMPREGNATED | each | 1000 |
| Towelettes, Antimicrobial | each | 3000 |
| TPIII CABLE, FOR USE WITH PROPAK | DEFIBS/MONITORS | 6 |
| TRAC TUBING CAP KCI WOUND THERAPY UNIT 10S | each | 45 |
| TRACH TAPES | each | 40 |
| TRACHEOSTOMY CARE SET DISP 24S STER ITEMS PACKED IN ORDER OF USE | units | 3 |
| Transcutaneous pacer | each | 15 |
| Transfer Bench w/ Back, 700lb | each | 3 |
| Trauma Pack, Back Pack, Empty | | 2 |
| Trauma Pack, Back Pack, Full | each | 13 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| Trauma Pack, Bag, Empty | | 2 |
| Trauma Pack, Bag, Full | each | 13 |
| TRAY INSTRUMENT CORROSION RESISTING STEEL 10.5LG 10W 3.5DEEP | each | 15 |
| TRAY INSTRUMENT CRS 16.75X9.25X2.50 INCHES RECTANGULAR | each | 15 |
| Tray, Tracheostomy Care Kit | each | 1 |
| TROUSERS MENS PAJAMA MEDIUM ANKLE LG COTTON/POLYESTER BLUE | each | 150 |
| TROUSERS MENS PAJAMA SMALL ANKLE LG COTTON/POLYESTER BLUE | each | 150 |
| TROUSERS MENS PAJAMA SZ 29.50 LGE ANKLE LG COTTON/POLYESTER BLUE | each | 150 |
| TROUSERS MENS PAJAMA XLGE ANKLE LG COTTON/POLYESTER BLUE | each | 150 |
| TROUSERS SCRUB MED ELAS WAIST RIGHT HIP POCKET 30S | each | 150 |
| T-SHAPED PLASTIC 5 IN 1 CONNECTOR | each | 100 |
| TUBE ENDOTRACH 7.0 MM 10S | each | 40 |
| TUBE FEEDING BAG | each | 40 |
| TUBE FEEDING NASAL W/LUER TAPER END INFANT 8 FR 15 50S | each | 25 |
| TUBE FEEDING SURG E17 NASAL W/LUER TAPER DISP OPAQUE 12FR 10S | each | 25 |
| TUBE GAUZE 50 YD X .875 IN WHITE NONSTERILE | each | 200 |
| TUBE INHALER PLAS 84 LG FORCE-FIT FLARED TIPS NONSTER DISP 50S | each | 20 |
| TUBE NASAL FEEDING PREMATURE INFANT 5FR DIA CLOSED TIP 15IN LG 200S | each | 15 |
| TUBE TRACH NASAL/RAE E12 W/CUFF 7.5MM DIA LP CUFF MURPHY EYE 10S | each | 40 |
| TUBE TRACHEAL MURPHY E12 W/CUFF 7.0MM ID 30CM LG W/15MM CONN 10S | each | 40 |
| TUBE TRACHEOSTOMY SHILEY DSGN 80MM LG 36FR TUBULAR STYLE PLASTIC | each | 40 |
| TUBE, BLOOD COLLECTION, EDTA, 4 ML, PURPLE TOP | tubes | 250 |
| TUBE, BLOOD COLLECTION, HEPARIN, 4 ML, GREEN TOP | packages | 15 |
| TUBE, BLOOD COLLECTION, PLAIN, 7 ML, RED TOP | packages | 20 |
| TUBE, BLOOD COLLECTION, VAC-U TAINER BARREL | packages | 6 |
| TUBE, CAPILLARY, 100uL, LITHIUM HEPARIN | packages | 15 |
| TUBE, DRAINAGE, SURGICAL, THORACIC 12 Fr, Straight (Latex Free) | each | 25 |
| TUBE, DRAINAGE, SURGICAL, THORACIC 16 Fr, Straight (Latex Free) | each | 25 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| TUBE, DRAINAGE, SURGICAL, THORACIC 36 FR, Straight (Latex Free) | each | 25 |
| Tube, Nasal Gastric (14FR) | each | 10 |
| Tube, Nasal Gastric (16FR) | each | 10 |
| TUBE, NASAL GASTRIC (NGT), 10 Fr (Latex Free) | each | 25 |
| TUBE, NASAL GASTRIC (NGT), 16 Fr (Latex Free) | each | 25 |
| TUBE, VAC BLOOD, 2.7 ML, BLUE TOP, 3.2% CITRATE SOLN, 50S | packages | 5 |
| TUBE, VAC BLOOD, 4 ML, K2EDTA, LAVENDER TOP, PLASTIC, 1200S | packages | 10 |
| Tube, Yankauer | each | 10 |
| TUBING BREATHING CORRUGATED 100FT ROLL | sets | 200 |
| TUBING TRANSDUCER A-LINE 60 LG DISP SQUEEZE FLUSH DEVICE 20S | each | 50 |
| Tubing, CPAP 6 ft | each | 5 |
| TUNING FORK SET W/STEEL CASE MARKED W/CADUCEUS 5 COMPONENTS | each | 3 |
| ULTRASONIC UNIT BLOOD FLOW DETECTION 115/120V 50/60 HZ DOPPLER | units | 5 |
| ULTRASOUND HANDHELD UNIT | units | 1 |
| ULTRASOUND UNIT, Sonosite Edge II | units | 3 |
| UNNA BOOT DRESSING | each | 50 |
| URETHAL CATHETERIZATION KIT PRECISION 400 URINE METER FOLEY 16 FR 5 CC 10S | each | 50 |
| URETHRAL CATHETER KIT FLOCATH® QUICK™ STRAIGHT TIP HYDROPHILIC COATED PVC 6 Fr. 16 Inch | each | 25 |
| URETHRAL CATHETER KIT FLOCATH® QUICK™ STRAIGHT TIP HYDROPHILIC COATED PVC 8 Fr. 16 Inch | each | 25 |
| URINAL MALE PATIENT PLAS STURDY HANDLE HINGED CAP | each | 100 |
| Urinal, Male, Disposable | each | 10 |
| VALVE ANTI-REFLUX NASO GASTRIC ONE WAY PLASTIC DISPOSABLE 10S | each | 100 |
| VALVE PORT NEEDLE-FREE POSITIVE BOLUS SMARTSITE 1.45IN LENGTH 100S | each | 30 |
| VELCRO TAPE HOOK SIDE 2 IN X 25 YD (GOES W/8315013583556) | each | 20 |
| VELCRO TAPE PILE SIDE 2 IN WIDE X 25 YD (GOES W/8315013583555) | each | 20 |
| VENTILATOR CIRCUIT ADULT DISP 15S | each | 50 |
| VENTILATOR PORTABLE WITH INTERNAL BATTERY CHARGER | Units | 15 |
| VENTRICULOSTOMY BAGS (FOR BURR HOLES AND TAP SHUNTS) | each | 25 |
| VIDEO LARYNGOSCOPE | each | 3 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| VIDEO LARYNGOSCOPE BLADE, MAC SIZE 1 | each | 40 |
| VIDEO LARYNGOSCOPE BLADE, MAC SIZE 2 | each | 40 |
| VIDEO LARYNGOSCOPE BLADE, MAC SIZE 3 | each | 40 |
| VIDEO LARYNGOSCOPE BLADE, MAC SIZE 4 | each | 40 |
| VITAL SIGN MONITORS | units | 25 |
| Walker, 300 lbs | each | 3 |
| Walker, 700 lbs | each | 2 |
| Walkie-Talkie Set | each | 2 |
| Wash Cloth, Cotton, White | each | 60 |
| Wash Cloth, Disposable, Face | each | 200 |
| WASHCLOTH COTTON 12X12IN SOLID WHITE STRIPE TERRY NONDISPOSABLE | each | 750 |
| WASTE RECEPTACLE RND W/TOP GRAY 32GAL 28IN O/A H 22IN O/A DIA | each | 40 |
| Water, Sterile | each | 50 |
| WEBRIL UNDER CAST PADDING, 4 INCH | each | 50 |
| WEBRIL UNDER CAST PADDING, 6 INCH | each | 50 |
| Wedge, Foam | each | 2 |
| Wheel Kit, Walker, 700 lbs. | each | 1 |
| Wheelchair, 22" | each | 2 |
| Wheelchair, 26" | each | 2 |
| Wheelchair, 18" | each | 2 |
| Wheelchair, 24" | each | 2 |
| Wipes, Baby (Tub) | boxes | 25 |
| WOODEN APPLICATOR, 6" | boxes | 3 |
| Y CONNECTOR ACTIVAC THERAPY UNIT 5S | boxes | 2 |
| YOKE-ADAPTER COMPRESSED GAS CYLINDER FLUSH TYPE OUTLET | units | 25 |
| Y-SHAPED CONNECTOR | each | 100 |

Acute Care / 50-bed / Pharmacy Recommendations

| Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| ACETAMINOPHEN TABLETS USP 0.325GM 1000S | BT=Bottle | 6 |
| Acetaminophen Suppositories 325mg pkg of 12 | PG=Package | 2 |
| ACETYLCYSTEINE SOLUTION USP 20% 30ML BOTTLE 3 PER PACKAGE | PG | 2 |
| ADENOSINE 12 MG/4 ML SYRINGE 4ML, 10S | PG | 2 |
| Albuterol Sulfate Syrup 2mg/5mL, 480mL | BT | 4 |
| Albuterol Inhalation Solution 0.083%, 3mL ampoule box of 25 | BX=Box | 6 |
| Albuterol Inhaler 90mcg 200 actuations | EA=Each | 16 |
| Alcohol Prep Pads Box of 200 | BX | 2 |

| Acute Care / 50-bed / Pharmacy Recommendations | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| ALTEPLASE FOR INJECTION 58000000 INTERNATIONAL UNITS | EA | 2 |
| ALUMINUM HYDROXIDE GEL DRIED MAGNESIUM TRISILICATE TABLETS 100S | BT | 2 |
| AMIODARONE HCL Inj. 150mg/3ml vial pkg of 25 | PG | 2 |
| AMMONIA INHALANT SOLUTION AROMATIC 0.333ML AMPUL 10 PER PACKAGE | PG | 4 |
| AMOXICILLIN AND CLAVULANATE POTASSIUM TABLETS USP 20 TABS/BOTTLE | BT | 24 |
| AMPICILLIN AND SULBACTAM FOR INJECTION USP 3GM VIAL 10/PG | PG | 16 |
| ARTIFICIAL TEARS SOLUTION 15 ML DROPPER BOTTLE | BT | 72 |
| ASPIRIN 81 MG TABLETS | BT | 4 |
| ASPIRIN TABLETS USP 0.325GM 100S | BT | 20 |
| ATENOLOL TABLETS USP 50MG 100 TABLETS PER BOTTLE | BT | 2 |
| ATROPINE SULFATE INJECTION USP 0.1MG/ML 10ML ANSYR PLAS SYR 10S | PG | 4 |
| Atropine 0.4mg/mL 20ml 10S | PG | 4 |
| Atropine Inj 1ml Vial 25 vials per pg | PG | 4 |
| Azithromycin Suspension 200mg/5mL, 30mL | BT | 8 |
| AZITHROMYCIN TABLETS 250MG 18 TABLETS PER PACKAGE (3 Z PAKS) | PG | 48 |
| AZITHROMYCIN TABLETS 250MG 30 TABLETS PER BOTTLE | BT | 6 |
| Azithromycin 500mg/vial 10S | PG | 4 |
| BACITRACIN OINTMENT USP 500UN/GM .87GM PACKET I.S. 144PACKETS/PG | PG | 4 |
| BACITRACIN ZINC OINTMENT USP 500 UNITS PER GRAM 14.2 GM .5 OZ | TU-Tube | 72 |
| BELLADONNA ALKALOIDS WITH PHENOBARBITAL ELIXIR 4FL OZ/118ML BT | BT | 12 |
| BENZOCAINE GEL USP 10% ZILACTIN-B 0.25 OZ | TU | 50 |
| Benzocaine Spray 20% 2FLOZ or 60 mL container | EA | 2.5 |
| BENZOCAINE MENTHOL CETYLPYRIDINIUM THROAT LOZENGES SUGAR FREE 16 | PG | 8 |
| BENZONATATE CAPSULES USP 100 MG 100S | BT | 24 |
| BENZOIN TINCTURE SWAB STICK INDIV PKG 500S | | 2 |
| BENZOYL PEROXIDE GEL USP 10% 1.5OZ OR 42.5GM TUBE | TU | 20 |
| BETADINE PAINT 4 OZ BOTTLE | | 30 |
| Betadine scrub 4oz bottle | bt | 6 |
| Bisacodyl Suppositories 10mg box of 12 | bx | 4 |
| BISMUTH SUBSALICYLATE TABLETS CHEWABLE SUGAR FREE I.S. 30/PG | PG | 30 |
| BUPIVACAINE AND EPINEPHRINE INJECTION USP 1.8ML CARTRIDGE 50/CAN | CN | 2 |
| BUPIVACAINE HYDROCHLORIDE INJECTION USP .50% 30ML VIAL 10S | PG | 2 |
| BUPIVACAINE HYDROCHLORIDE INJECTION USP 50ML VIAL | VI=Vial | 6 |
| BUPROPION HYDROCHLORIDE SUSTAINED RELEASE TABLETS 150MG 60S | BT | 10 |
| BUPROPION HYDROCHLORIDE TABLETS 150MG 60 TABLETS PER BOTTLE | BT | 10 |
| CALAMINE LOTION USP 6 FL OZ BOTTLE | BT | 20 |
| CALCIUM CHLORIDE INJECTION USP 100MG/ML 10ML SYRINGE 10/PACKAGE | PG | 2 |
| CARBAMIDE PEROXIDE OTIC SOLUTION 0.5FL OZ BOTTLE | BT | 12 |
| CEFAZOLIN INJECTION USP 1GM CEFAZOLIN 10ML VIAL 25S | PG | 4 |
| CEFTRIAZONE SODIUM STERILE USP 1GM VIAL 10 VIALS PER PACKAGE | PG | 12 |
| CEPHALEXIN CAPSULES USP EQUIVALENT TO 250MG 100 PER BOTTLE | BT | 8 |
| CHARCOAL ACTIVATED SUSPENSION 50GM 240ML BOTTLE | BT | 6 |
| CLINDAMYCIN INJECTION USP 150MG/ML 6ML VIAL 25 VIALS/PACKAGE | PG | 2 |
| CLOTRIMAZOLE CREAM USP TOPICAL 1% 15GM | TU | 48 |
| CLOTRIMAZOLE CREAM USP TOPICAL 1% 30 GRAM | TU | 10 |
| CYCLOBENZAPRINE HYDROCHLORIDE TABLETS USP 10MG 100TABLETS/BOTTLE | BT | 8 |
| CYCLOPENTOLATE HYDROCHLORIDE OPHTHALMIC SOLUTION USP 5ML BOTTLE | BT | 12 |
| DEXAMETHASONE SODIUM PHOSPHATE INJECTION USP 4MG/ML 30 ML VIAL | VI | 2 |
| DEXTROAMPHETAMINE SULFATE TABLETS USP 5MG 100 TABLETS PER BOTTLE | BT | 4 |
| DEXTROMETHORPHAN HYDROBROMIDE AND GUAIFENESIN SYRUP 118ML BOTTLE | BT | 48 |
| Dextrose 5% & Sodium Chloride 0.45% Inj., 1000mL IV bag case of 12 | CS | 8 |
| Dextrose 5% & Sodium Chloride 0.9% Inj., 1000mL IV bag case of 12 | CS | 8 |
| Dextrose Inj. 5%, 50mL IV bag case of 80 | CS | 4 |
| DEXTROSE Inj. 50%, 50mL syringe pkg of 10 | PG | 4 |
| DIAZEPAM INJECTION USP 5MG/ML 2 ML UNIT 10 PER PACKAGE | PG | 2 |
| DIAZEPAM TABLETS USP 5MG INDIVIDUALLY SEALED 100S | PG | 4 |
| Dietary Supplement Therapeutic INDIV 250ml/container 24S | PG | 2 |
| Dietary Supplement Therapeutic Vanilla Flavor 8 oz can 24S | PG | 2 |
| Dietary Supplement Therapeutic powder form vanilla 14oz can 6S | PG | 2 |

| Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| DIBUCAINE OINTMENT USP 1% WITH RECTAL APPLICATOR 1OZ COLLAPSIBLE | PG | 6 |
| DIGOXIN INJECTION USP 0.25MG/ML 2ML AMPUL 10 AMPULS PER PACKAGE | PG | 2 |
| DILTIAZEM HYDROCHLORIDE CAPSULES 60MG 100 CAPSULES PER BOTTLE | BT | 2 |
| DIMENHYDRINATE TABLETS USP 50MG 100 TABLETS PER BOTTLE | BT | 2 |
| Diphenhydramine HCl Inj. 50mg/mL, 1mL vial pkg of 25 | PG | 2 |
| Diphenhydramine Elixir 12.5mg/5mL, 120ml | EA | 4 |
| DIPHENHYDRAMINE HYDROCHLORIDE CAPSULES USP 25MG 1000 CAPS/BOTTLE | BT | 2 |
| Dobutamine for Inj. 12.5mg/mL 20ml vial 10s | PG | 4 |
| Dopamine HCL and Dextrose Inj. 250mL bag 12 S | PG | 2 |
| DOXYCYCLINE HYCLATE TABLETS 100MG FILM COATED 100S | BT | 20 |
| Droperidol Inj. 2.5mg/mL 2ml Syringe needle Unit 10mL 10S | PG | 6 |
| Enalapril Inj. 1.25mg/mL, 2mL vial pkg of 10 | BX | 2 |
| Enoxaparin Inj. 40mg/0.4mL syringe box of 10 | BX | 2 |
| EPINEPHRINE INJECTION 1MG/ML, 1ML, 25S | PG | 4 |
| EPINEPHRINE INJECTION USP 0.1 MG/ML 10ML LIFESHIELD SYRINGE 10S | PG | 4 |
| Epinephrine Inj. 1:1,000 (1mg/mL), 30mL vial | VI | 10 |
| Epinephrine Auto Injector, Jr, 0.15mg | PG | 6 |
| Epinephrine Auto Injector 0.3mg | PG | 6 |
| ERYTHROMYCIN OPHTHALMIC OINTMENT USP 5MG/GM 1GM TUBE 50/PACKAGE | PG | 2 |
| ESMOLOL HYDROCHLORIDE INJECTION STERILE 10MG/ML 10ML VIAL 25S | PG | 4 |
| ETOMIDATE INJECTION 2 MG/ML 20ML SINGLE DOSE VIAL 10S | PG | 2 |
| FAMCICLOVIR TABLETS 125MG 30 TABLETS PER BOTTLE | BT | 12 |
| FENTANYL CITRATE INJECTION USP 0.05MG/ML 5ML AMPUL 10S | PG | 4 |
| FLUCONAZOLE TABLETS 150MG I.S. 12S | PG | 4 |
| FLUMAZENIL INJECTION 0.1MG/ML 10ML VIAL 10 VIALS PER PACKAGE | PG | 2 |
| FLUOCINONIDE CREAM USP 0.05% TOPICAL ADMINISTRATION 15GM COLLAPS | TU | 12 |
| FLUORESCEIN SODIUM OPHTHALMIC STRIPS USP 1MG STERILE 100S | PG | 6 |
| FLUTICASONE PROPIONATE INHALATION AERSOL HFA/110MCG/12GM/120DOSE | EA | 16 |
| FLUTICASONE PROPIONATE INHALATION AERSOLHFA220MCG/12GM/120 DOSES | EA | 16 |
| FLUTICASONE PROPIONATE NASAL SPRAY 16GM 120 ACTUATIONS | EA | 40 |
| FOSPHENYTOIN SODIUM INJECTION,USP 10S | PG | 4 |
| Furosemide Inj. 10mg/mL, 10mL vial pkg of 25 | PG | 2 |
| GENTAMICIN SULF OPPTH SOL USP EQUIV 3.0MG GENTAMICIN PER ML 5ML | BT | 20 |
| GENTAMICIN SULFATE INJECTION USP 40MG EQUIV/ML 2ML VIAL 25/PG | PG | 2 |
| GENTAMICIN SULFATE OPHTHALMIC OINTMENT USP 3.5 GRAM TUBE | TU | 10 |
| GLOBULIN TETANUS IMMUNE USP SYRINGE 250 UNITS PREFILLED | EA | 2 |
| GLYCOPYRROLATE INJECTION USP 0.2MG PER ML 20ML MULTI-DOSE VI 10S | PG | 2 |
| GUAIFENESIN AND CODEINE PHOSPHATE SYRUP 4FL OZ OR 120ML BOTTLE | BT | 48 |
| HAEMOPHILUS B POLYSACCHARIDE CONJUGATE VACCINE 5 VIALS/PACKAGE | PG | 4 |
| HALOPERIDOL INJECTION USP 5MG/ML 1ML AMPUL 10 AMPULES/PACKAGE | PG | 2 |
| HEPARIN SODIUM INJECTION USP 10000 UNITS PER ML 1ML VIAL 25S | PG | 2 |
| HETASTARCH IN SODIUM CHLORIDE INJECTION 500ML BAG 12 BAGS/PG | PG | 0.5 |
| HYDROCODONE BITARTRATE AND ACETAMINOPHEN TABLETS USP 5MG/325MG 1 | BT | 10 |
| HYDROCORTISONE & ACETIC ACID OTIC SOL USP 1%/2% 10ML DROPPER BTL | BT | 16 |
| HYDROCORTISONE CREAM USP 1% 1 OZ (28.35 GM) TUBE | TU | 96 |
| HYDROGEN PEROXIDE TOPICAL SOLUTION USP 1PINT (473 ML) | BT | 24 |
| HYDROXYZINE HYDROCHLORIDE INJECTION USP 50MG/ML 1ML VIAL 25S | PG | 2 |
| HYDROXYZINE HYDROCHLORIDE TABLETS USP 25MG 500 TABLETS/BOTTLE | BT | 2 |
| IBUPROFEN TABLETS USP 800 MG 500 TABLETS PER BOTTLE | BT | 20 |
| IMIPENEM AND CILASTATIN SODIUM F/INJ 500MG-500MG 25S | PG | 2 |
| INDINAVIR SULFATE CAPSULES 400 MG 180 CAPSULES PER BOTTLE | BT | 2 |
| Inhalation Chamber Spacer for MDI | EA | 10 |
| Inhalation Chamber with Mask, size Medium | EA | 10 |
| INSULIN HUMAN INJECTION USP 100UN/ML 10ML MULTIPLE DOSE VIAL | VI | 8 |
| INSULIN HUMAN ISOPHANE SUSPENSION 100USP UN/ML 10ML VIAL | VI | 8 |
| INSULIN GLARGINE, 10ML | VI | 4 |
| IPRATROPIUM BROMIDE INHAL AEROSOL W/HYDROFLUOROALKANE 17MCG 13GM | EA | 12 |
| Ipratropium Bromide Inhalation Solution 0.2%, 2.5mL ampoule box of 25 | BX | 2 |
| ISONIAZID TABLETS USP 300 MG 100S | BT | 2 |
| Isentress (raltegravir)--HIV prophylaxis | BT | 2 |

| Acute Care / 50-bed / Pharmacy Recommendations | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Truvada (emtricitabine/tenofovir)--HIV prophylaxis | BT | 2 |
| KETAMINE HYDROCHLORIDE INJECTION USP 10ML VIAL 10 VIALS/PG | PG | 4 |
| KETOCONAZOLE CREAM 2% 15GM TUBE | TU | 20 |
| KETOROLAC TROMETHAMINE INJECTION USP 30MG/ML 1ML UNIT 10/PACKAGE | PG | 8 |
| LEVAlBUTEROL TARTRATE 45MCG INHALATION WITH ADAPTER 15GM | PG | 48 |
| LEVOfLOXACIN SOLUTION FOR INJECTION 750MG/30ML SINGLE USE VIAL | VI | 40 |
| LEVOfLOXACIN TABLETS 500 MG 50 TABLETS PER BOTTLE | BT | 16 |
| LEVONORGESTREL AND ETHINYL ESTRADIOL TABLETS USP 168S | PG | 12 |
| LIDOCAINE HCL and Dextrose Inj. 500ml Bag 24S | PG | 2 |
| Lidocaine HCL and Epinephrine Inj. 20ml Vial 5S | PG | 2 |
| LIDOCAINE HYDROCHLORIDE INJECTION USP 10ML BOTTLE 5 PER PACKAGE | PG | 4 |
| LIDOCAINE HYDROCHLORIDE JELLY USP 2% 30 ML TUBE W APPLICATOR 12S | PG | 2 |
| Lidocaine HCL Injection USP 50ml vial 25S | PG | 2 |
| Lidocaine/Prilocaine Cream 2.5%/2.5%, 5gm pkg of 5 | PG | 2 |
| LIDOCAINE OINTMENT USP 5% 35 GM TUBE | TU | 8 |
| LISINAPRIL TABLETS 10MG 100 TABLETS PER BOTTLE | BT | 20 |
| LOPERAMIDE HYDROCHLORIDE CAPSULES USP 2MG 100 CAPSULES/BOTTLE | BT | 8 |
| LORAZEPAM 1mg BTL of 100 | BT | 2 |
| LORATADINE TABLETS,10MG BT 90S | BT | 8 |
| LUBRICANT OPHTHALMIC TOPICAL STERILE MINERAL OIL 0.125 OZ OR 3.5 | TU | 8 |
| LUBRICANT SURGICAL 5 GRAM 144S | PG | 2 |
| Magnesium Sulfate Inj. 50% (500mg/mL), 10mL syringe pkg of 10 | PG | 2 |
| MANNITOL INJECTION USP 25% 50ML SINGLE DOSE VIALS 25 VIALS/PG | PG | 2 |
| MECLIZINE HYDROCHLORIDE TABLETS USP CHEWABLE 25 MG 100S | BT | 2 |
| MENINGOCOCCAL POLYSACCHARIDE DIPHTHERIA TOX CONJUGATE VIAL 5S | PG | 4 |
| MEPERIDINE HYDROCHLORIDE INJECTION USP 50MG/ML 1ML UNIT 10/PG | PG | 24 |
| METFORMIN HYDROCHLORIDE TABLETS 500MG 100 TABLETS PER BOTTLE | BT | 4 |
| METHOCARBAMOL TABLETS USP 500MG 500 TABLETS PER BOTTLE | BT | 2 |
| METHYLPREDNISOLONE SOD SUCCINATE F/INJ USP 2GRAMS IN 50ML VIAL | PG | 4 |
| METHYLPREDNISOLONE SODIUM SUCCINATE FOR INJECTION USP POWDER INT | VI | 2 |
| METOCLOPRAMIDE INJECTION USP 5MG/ML 2ML VIAL 25 PER PACKAGE | PG | 2 |
| METOCLOPRAMIDE TABLETS USP 10MG 100 TABLETS PER BOTTLE | BT | 2 |
| Metoprolol Inj. 1mg/mL, 5mL vial pkg of 10 vials | PG | 2 |
| METOPROLOL TARTRATE TABLETS 50MG 100 TABLETS PER BOTTLE | BT | 20 |
| METRONIDAZOLE INJECTION USP STERILE 5MG/ML 100ML BAG 24/PACKAGE | PG | 2 |
| METRONIDAZOLE TABLETS USP 250MG 250 TABLETS PER BOTTLE | BT | 2 |
| MIDAZOLAM HYDROCHLORIDE INJECTION 5MG/ML 1ML VIAL 10/PACKAGE | PG | 8 |
| MILK OF MAGNESIA USP 12 FL OZ (355 ML) | BT | 6 |
| MORPHINE SULFATE INJECTION 10MG/ML 1ML 10S | PG | 8 |
| MOXIFLOXACIN OPHTHALMOLIDE OPHTHALMIC SOL 5MG/ML 0.5% 3ML BOTTLE | BT | 12 |
| NALOXONE HCL Inj. 0.4mg/mL, 1ml vial pkg of 10 | PG | 6 |
| NAPHAZOLINE HCL AND PHENIRAMINE MALEATE OPHTH SOL USP 15ML | BT | 30 |
| NAPROXEN TABLETS USP 500 MG 500S | BT | 8 |
| NEOMYCIN AND POLYMYXIN B SULFATES AND HYDROCORTISONE OTIC SUSPEN 12/pkg | PG | 2 |
| NEOSTIGMINE METHYLSULFATE INJECTION, FOR INTRAVENOUS USE | PG | 2 |
| NICOTINE TRANSDERMAL SYSTEM 14 MG FOR 24 HOURS 7 PER PACKAGE | PG | 10 |
| NICOTINE TRANSDERMAL SYSTEM 21 MG FOR 24 HOURS 7 PER PACKAGE | PG | 10 |
| NICOTINE TRANSDERMAL SYSTEM 7 MG FOR 24 HOURS 7 PER PACKAGE | PG | 10 |
| NITROGLYCERIN LINGUAL AEROSOL 0.4MG 200 SPRAYS PER BOTTLE | EA | 10 |
| NITROGLYCERIN TABLETS USP 0.4MG 25 TABLETS PER BOTTLE 4 BOTTLES | PG | 4 |
| NITROPRESS 50 MG PER 2ML, VIAL | VI | 6 |
| NORETHINDRONE AND ETHINYL ESTRADIOL TABLETS USP 168S | PG | 6 |
| Norepinephrine Bitartrate Inj USP 4mL ampul 10S | PG | 2 |
| Oral Electrolyte Solution (Gatorade or Equivalent) powder formulation (pkg of 8) | PG | 6 |
| ONDANSETRON INJECTION USP 2MG/ML 2ML SINGLE DOSE VIAL 25 VIALS P | PG | 4 |
| OPHTHALMIC IRRIGATION 120 ML | BT | 8 |
| OXYCODONE AND ACETAMINOPHEN TABLETS USP 100 TABLETS PER PACKAGE | PG | 8 |
| OXYMETAZOLINE HYDROCHLORIDE NASAL SOLUTION USP 15ML SPRAY BOTTLE | BT | 96 |
| Pantoprazole 40mg po Tablet BTL | BT | 4 |
| Pantoprazole 40mg IV Inj vial pkg of 10 | PG | 2 |

| Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Pedialyte 1L bottle 12 per case | CS | 2 |
| Penicillin G Potassium for Inj. USP 20MU | BT | 10 |
| PENICILLIN V POTASSIUM 250MG TABLETS USP 100 TABLETS/BT | BT | 16 |
| PERMETHRIN CREAM 60GM TUBE | TU | 10 |
| PETROLATUM WHITE USP 1 OZ (28.35 GM) | TU | 10 |
| PHENAZOPYRIDINE HYDROCHLORIDE TABLETS USP 100MG 100 TABLETS/BT | BT | 2 |
| PHENYLEPHRINE HYDROCHLORIDE INJECTION USP 1% 1 ML 25S | BX | 2 |
| PHENYTOIN SODIUM Inj. 50mg/mL, 5mL vial | PG | 2 |
| PNEUMOCOCCAL VACCINE 10S | PG | 4 |
| POTASSIUM CHLORIDE FOR INJECTION CONCENTRATE USP 50ML BAG 24/PG | PG | 2 |
| PREDNISOLONE ACETATE OPHTHALMIC SUSPENSION 1% 5 ML | BT | 12 |
| PREDNISONE TABLETS USP 20MG I.S. 100 TABLETS PER PACKAGE | PG | 2 |
| PROCAINAMIDE HYDROCHLORIDE INJECTION USP 100MG/ML 10ML VIAL 25S | PG | 2 |
| PROMETHAZINE HYDROCHLORIDE INJECTION USP 25MG/ML 1ML AMPUL 25/BX | BX | 4 |
| PROPOFOL INJECTION 10MG/ML 50ML VIAL 20 VIALS PER PACKAGE | PG | 4 |
| PSEUDOEPHEDRINE HYDROCHLORIDE/GUAIFENESIN EXTENDED-RELEASE TABLET | PG | 60 |
| PYRIDOXINE HYDROCHLORIDE TABLETS USP 50MG 100 TABLETS PER BOTTLE | BT | 20 |
| RANITIDINE INJECTION USP 25MG/ML 2ML SINGLE DOSE VIAL 10/PACKAGE | PG | 4 |
| RANITIDINE TABLETS USP 150MG 60 TABLETS PER BOTTLE | BT | 24 |
| RINGER'S INJECTION LACTATED USP 1000ML BAG 12 BAGS PER PACKAGE | PG | 12 |
| SELENIUM SULFIDE LOTION USP 2.5% TOPICAL 120 ML BOTTLE | BT | 8 |
| SERTRALINE HYDROCHLORIDE TABLETS 100MG 30S | BT | 30 |
| SEVOFLURANE LIQUID FOR INHALATION 250 ML BOTTLE | BT | 8 |
| SIMETHICONE TABLETS USP 80MG 100 TABLETS PER PACKAGE | PG | 2 |
| SODIUM BICARBONATE INJ USP 8.4% SYRINGE-NEEDLE UNIT 50ML 10S | PG | 2 |
| SODIUM CHLORIDE INHALATION SOLUTION USP 5ML CONTAINER 100/PG | PG | 2 |
| SODIUM CHLORIDE INJ USP 3% 500 ML PLASTIC BAG 24s | PG | 2 |
| SODIUM CHLORIDE INJECTION USP 0.9% 100ML BAG 64 BAGS PER PACKAGE | PG | 2 |
| SODIUM CHLORIDE INJECTION USP 0.900% 10ML VIAL 25 VIALS/PACKAGE | PG | 2 |
| SODIUM CHLORIDE INJECTION USP 1000ML BAG 12 BAGS PER PACKAGE | PG | 12 |
| SODIUM CHLORIDE IRRIGATION USP 0.9% 1000 ML BOTTLE 12/PACKAGE | PG | 6 |
| Sodium Chloride Inj. 0.9%, 250mL IV bag 24/case | CS | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag 24/case | CS | 2 |
| Sodium Chloride Inj. 0.9%, 50mL IV bag 80/case | CS | 2 |
| Sodium Chloride Inj. 0.9%, Bacteriostatic, 30mL vial pkg of 25 | PG | 2 |
| Sodium phosphates Enema USP Disp Rect (4.5OZ) (133ML) | BT | 6 |
| Solu Cortef Hydrocortisone Sodium Succinate for Inj. 250mg 2ml vial | vials | 4 |
| SUCCINYLCHOLINE CHLORIDE INJECTION USP 20MG/ML 10ML VIAL 25/PG | PG | 4 |
| SUCRALFATE TABLETS 1GM 100 TABLETS PER BOTTLE | BT | 2 |
| SULFADIAZINE SILVER CREAM 1% TOPICAL 85GM TUBE | TU | 40 |
| SUMATRIPTAN SUCCINATE TABLETS 100MG 9TT | PG | 10 |
| TERAZOSIN HYDROCHLORIDE CAPSULES EQUIVALENT TO 1 MG 100 TABS/BT | BT | 2 |
| TERBINAFINE CREAM 1% TOPICAL 30 GRAM TUBE | TU | 24 |
| Tetanus & Diphtheria Toxoids Abs Inj., Adult, 0.5mL syringe pkg of 10 | PG | 2 |
| Tetanus & Diphtheria Toxoids Abs Inj., Peds, 1mL vial pkg of 10 | PG | 2 |
| TETRACAINE HYDROCHLORIDE OPHTHALMIC SOLUTION 0.5% 15 ML | BT | 10 |
| TIMOLOL MALEATE OPHTHALMIC SOLUTION USP 5ML BOTTLE WITH TIP | BT | 10 |
| TOBRAMYCIN OPHTHALMIC OINTMENT USP 3.5GM TUBE | TU | 10 |
| TRAMADOL ACETAMINIPHEN TABLETS 100S | BT | 6 |
| TRIAMCINOLONE ACETONIDE CREAM USP TOPICAL 0.1% 15 GM | TU | 24 |
| TRIAMCINOLONE ACETONIDE DENTAL PASTE USP 5GM | TU | 20 |
| VANCOMYCIN HYDROCHLORIDE STERILE USP 1GM VIAL 10 VIALS/PACKAGE | PG | 2 |
| VECURONIUM BROMIDE FOR INJECTION 10 MG 10ML VIALS 10/PKG | PG | 2 |
| VENLAFAXINE HYDROCHLORIDE CAPSULES EXTENDED RELEASE 24-HRS 90S | BT | 20 |
| VERAPAMIL HYDROCHLORIDE EXTENDED-RELEASE TABLETS USP 240MG 100S | BT | 2 |
| WARFARIN SODIUM TABLETS USP 5MG 100 TABLETS PER BOTTLE | BT | 2 |
| WATER FOR INJECTION STERILE USP VIAL WITH FLIP TOP 20 ML 25/PG | PG | 4 |
| WATER FOR IRRIGATION STERILE USP 1000ML BOTTLE 16 PER PACKAGE | PG | 6 |
| ZINC OXIDE OINTMENT USP 1 OZ (28.35 GM) | TU | 20 |
| ZOLPIDEM TARTRATE TABLETS 10 MG 100 TABLETS PER PACKAGE | PG | 4 |

Mobile Lifesaving Kit

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Marker, Permanent, Black, Regular Tip (Sharpie Type) | each | 4 |
| Notebook, Spiral, 3" x 5" | each | 2 |
| Stethoscope, Single Head, Black (Latex Free) | each | 2 |
| Oxygen, Cylinder, "D", Regulator (0-15L) | each | 2 |
| Oxygen, Cylinder, "D", Wrench | each | 2 |
| Oxygen, Cylinder, "D",Regulator (0-15L),Gasket | each | 6 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 2 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 6 |
| Laryngoscope, Handle (GR Spec Fiber Optic) | each | 2 |
| Battery, Alkaline, Size C (1.5 Volt) | each | 8 |
| ET Tube Holder, Thomas, Adult | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Intubation Indicator Kit, CO ² , Disposable, Adult | each | 2 |
| Laryngoscope, Mac Blade, #3 (GR Spec FO) | each | 2 |
| Laryngoscope, Mac Blade, #4 (GR Spec FO) | each | 2 |
| Shield, Full Faceguard, Clear | each | 2 |
| Stylete, Intubation, Adult | each | 2 |
| Syringe, 10cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Tube, Endotracheal, 6.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 7.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 8.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, Introducer 15Fr x 70cm | each | 2 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 2 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 6 |
| Laryngoscope, Handle (GR Spec Fiber Optic) | each | 2 |
| Battery, Alkaline, Size C (1.5 Volt) | each | 8 |
| ET Tube Holder, Thomas, Adult | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Intubation Indicator Kit, CO ² , Disposable, Adult | each | 2 |
| Laryngoscope, Mac Blade, #3 (GR Spec FO) | each | 2 |
| Laryngoscope, Mac Blade, #4 (GR Spec FO) | each | 2 |
| Shield, Full Faceguard, Clear | each | 2 |
| Stylete, Intubation, Adult | each | 2 |
| Syringe, 10cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Tube, Endotracheal, 6.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 7.0, with Cuff (Latex Free) | each | 2 |

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Tube, Endotracheal, 8.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, Introducer 15Fr x 70cm | each | 2 |
| Forceps, Magill, Adult | each | 2 |
| Laryngoscope, Miller Blade, #2 (GR Spec FO) | each | 2 |
| Laryngoscope, Miller Blade, #3 (GR Spec FO) | each | 2 |
| Airway, King LTS-D, #3, (Yellow) (Latex Free) | each | 2 |
| Airway, King LTS-D, #4, (Red) (Latex Free) | each | 2 |
| Airway, King LTS-D, #5, (Purple) (Latex Free) | each | 2 |
| Airway, Laryngeal Mask (LMA), #2, Disposable (Latex Free) | each | 2 |
| Airway, Laryngeal Mask (LMA), #3, Disposable (Latex Free) | each | 2 |
| Emergency Cricothyrotomy Kit (QuickTrach), Adult (Latex Free) | each | 2 |
| Emergency Cricothyrotomy Kit (QuickTrach), Ped (Latex Free) | each | 2 |
| Syringe, 60cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Airway, Management, Tracheal Hook | each | 2 |
| Scalpel, #10, Disposable | each | 2 |
| Tube, Endotracheal, 5.5, with Cuff (Latex Free) | each | 2 |
| Catheter, (IV), 14G x 3¼", Chest Decompression (Latex Free) | each | 4 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |
| Tube, Drainage, Surgical, Heimlich Valve (Latex Free) | each | 4 |
| Tube, Extension (Cook) (For Use with Hemlich Valve) (Latex Free) | each | 4 |
| Airway, Nasopharyngeal, 12 Fr (Latex Free) | each | 2 |
| Airway, Nasopharyngeal, 14 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 2 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 6 |
| Laryngoscope, Handle, Pediatric (GR Spec Fiber Optic) | each | 2 |
| Battery, Alkaline, Size AA (1.5 Volt) | each | 8 |
| ET Tube Holder, Thomas, Pediatric | each | 2 |
| Forceps, Magill, Pediatric | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Intubation Indicator Kit, CO ² , Disposable, Pediatric | each | 2 |
| Laryngoscope, Miller Blade, #0 (GR Spec FO) | each | 2 |
| Laryngoscope, Miller Blade, #1 (GR Spec FO) | each | 2 |
| Laryngoscope, Mac Blade, #2 (GR Spec FO) | each | 2 |
| Shield, Full Faceguard, Clear | each | 2 |
| Suction, Bulb, Neo-natal (For Irrigation & Suction), 1 oz, Sterile (Latex Free) | each | 2 |
| Stylete, Intubation, Pediatric | each | 2 |
| Tube, Endotracheal, 2.5, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 3.0, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 3.5, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 4.0, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 4.5, w/o Cuff (Latex Free) | each | 2 |
| Suction, Handheld, Disposable (Easy Suction) | each | 2 |
| Suction, Handheld, Disposable (Easy Suction), Catheter, Pediatric | each | 2 |

| Mobile Lifesaving Kit | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Mask, Bag Valve, Pocket, Adult (Hockey Puck) | each | 2 |
| PEEP Valve, Adjustable, Disposable | each | 2 |
| Mask, Bag Valve, Pocket, Adult (Hockey Puck) | each | 2 |
| PEEP Valve, Adjustable, Disposable | each | 2 |
| Mask, Bag Valve (Ambu Bag), Pediatric (Latex Free), with Adjustable Peep Valve | each | 2 |
| PEEP Valve, Adjustable, Disposable | each | 2 |
| Mask, Oxygen, Non-Rebreather, Pediatric (Latex Free) | each | 4 |
| Oxygen, Nasal Cannula, with 7' Tubing, Latex Free | each | 4 |
| Mask, Oxygen, Non-Rebreather, Adult (Latex Free) | each | 4 |
| Oxygen, Nebulizer, Inline, Handheld (Latex Free) | each | 4 |
| Pulse Oximeter, Fingertip | each | 2 |
| Battery, Alkaline, Size AAA (1.5 Volt) | each | 4 |
| Oxygen, Cylinder, "D", Aluminum w/Toggle Valve | each | 4 |
| Oxygen Case, CART | each | 2 |
| Tie Down, Ratchet (1" Strap, 'S' Hook) | each | 2 |
| Defibrillator, Zoll Propaq MD, Surepower Single Bay Charger | each | 2 |
| Defibrillator, Zoll Propaq, Battery, Lithium Ion, Surepower II | each | 4 |
| Razor, Disposable | each | 4 |
| Swabs, Betadine | each | 12 |
| Defibrillator, Propaq-MD, Paper, Thermal, 80mm Roll | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Thigh (13) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Lg Adult (12) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Adult (11) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Sm Adult (10) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Child (9) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Sm Child (8) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Infant (7) | each | 2 |
| Defibrillator, Zoll Propaq, Power Cord (For Propaq MD) | each | 2 |
| Defibrillator, Propaq-MD, AC Power Adapter/Charger | each | 2 |
| Defibrillator, Zoll Propaq, Cable, Multi-Function (red) | each | 2 |
| Defibrillator, Zoll Propaq, Electrodes, EKG (may be in pkgs of 3,4 or 6) | each | 16 |
| Defibrillator, Propaq-MD, Filter Line H Set, Adult/Ped | each | 2 |
| Defibrillator, Propaq-MD, Filter Line, Adult/Ped | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Adult (Smart Capno) | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Ped (Smart Capno) | each | 2 |
| Defibrillator, Zoll Propaq, Skin Temperature Probe, Adult, Reusable | each | 2 |
| Defibrillator, Zoll Propaq, Cable, Multi-Function (red) | each | 2 |
| Defibrillator, Zoll Propaq, Electrodes, Multi Function, Adult | each | 4 |
| Defibrillator, Zoll Propaq, Electrodes, Multi Function, Pedi | each | 4 |
| Defibrillator, Zoll Propaq MD | each | 2 |
| Defibrillator, Propaq, Cable Sleeve, Blue | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Dual Lumen Tubing Assembly | each | 2 |
| Defibrillator, Zoll Propaq, Cable, 12 Lead ECG (6 Wire & 4 Wire Combo) | each | 2 |

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Defibrillator, Zoll Propaq, Sensor, SPO2, SpCO and SpMet Sensor, Reusable | each | 2 |
| Defibrillator, Zoll Propaq, Sensor, SPO2, Cable Extension, Reusable | each | 2 |
| Defibrillator, Zoll Propaq, Electrodes, EKG (may be in pkgs of 3,4 or 6) | each | 32 |
| Defibrillator, Zoll Propaq, Electrodes, Multi Function, Adult | each | 2 |
| Defibrillator, Propaq-MD, Filter Line H Set, Adult/Ped | each | 2 |
| Defibrillator, Propaq-MD, Filter Line, Adult/Ped | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Adult (Smart Capno) | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Ped (Smart Capno) | each | 2 |
| Defibrillator, Propaq-MD, Paper, Thermal, 80mm Roll | each | 2 |
| << SUPPLEMENTAL REQUIREMENTS >> << Advanced Cardiovascular Life Support Drug Bag (ACLS)(QTY-1) Must Be Added Prior To Deployment >> | each | |
| Seal, Tug Tight, 12", Consecutively Numbered, Green | each | 24 |
| << SUPPLEMENTAL REQUIREMENTS >> << Advanced Cardiovascular Life Support Drug Bag (ACLS)(QTY-1) Must Be Added Prior To Deployment >> | each | |
| Bandage, Kerlix, Sterile, 4.5" x 4.1 Yd | each | 8 |
| QuikClot ACS Plus | each | 4 |
| Tourniquet, CAT, Military Type | each | 8 |
| Shield, Full Faceguard, Clear | each | 10 |
| Syringe, Toomey, with Luer-Lok Adapter, Disposable (60 or 70 cc) (Latex Free) | each | 2 |
| Patient Treatment Forms | each | 100 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |
| Catheter, (IV), 14G x 3¼", Chest Decompression (Latex Free) | each | 4 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 4 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |
| Catheter, (IV), 14G x 3¼", Chest Decompression (Latex Free) | each | 4 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 4 |
| Airway, Nasopharyngeal, 12 Fr (Latex Free) | each | 2 |
| Airway, Nasopharyngeal, 14 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 4 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |
| Gauze, Vaseline, Sterile, 3" x 36" | each | 4 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 4 |
| Tape, Broselow | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Mask, Surgical, Cupped | each | 8 |
| Shears, Trauma | each | 2 |

| Mobile Lifesaving Kit | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Bandage, Flexible, Small (Band-Aid Type) (Latex Free) | each | 40 |
| Bandage, Flexible, X-Large (Band-Aid Type) (Latex Free) | each | 20 |
| Bandage, Moleskin, Small | each | 12 |
| Pad, Gauze, Non Adherent, Sterile, 3" x 4" (Telfa) | each | 8 |
| Pad, ABD/COMBINE, Sterile | each | 4 |
| Sponge, Gauze, 4" x 4", Sterile (may contain 1 or 2 per pack) | pack | 20 |
| Bag, Infectious Waste, Red, 25" x 34" | each | 6 |
| Blanket, Mylar | each | 4 |
| Marker, Permanent, Black, Regular Tip (Sharpie Type) | each | 4 |
| Notebook, Spiral, 3" x 5" | each | 2 |
| Pen, Ball Point, Black, Medium Point (NO GEL) | each | 2 |
| Sharps Shuttle, Small Conical | each | 2 |
| Tag, Triage | each | 40 |
| Bandage, Elastic, 2" (Latex Free) | each | 8 |
| Bandage, Elastic, 4" (Latex Free) | each | 4 |
| Bandage, Triangular | each | 4 |
| Splint, SAM | each | 4 |
| Dressing, Multi Trauma, 12" X 30" | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Needle, Spinal, 18G x 6", Non-Safety Tip | each | 2 |
| Sharps Shuttle, Small Conical | each | 2 |
| Needle, 18G x 1½", Safety Tip | each | 10 |
| Needle, 25G x 5/8", Safety Tip | each | 10 |
| Syringe, 10cc, Luer-Lok, Disposable (Latex Free) | each | 10 |
| Syringe, 35cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Syringe/Needle, 1cc, w/25g x 5/8" Needle (Safety Tip), TB (Latex Free) | each | 10 |
| Syringe/Needle, 3cc, w/21g x 1½" Needle (Safety Tip) (Latex Free) | each | 10 |
| Syringe/Needle, 5cc or 6cc, w/20g x 1½" Needle (Latex Free) | each | 4 |
| Arm Board, Padded, Short | each | 4 |
| Dial-a-Flow Extension Set (Latex Free) | each | 2 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | each | 2 |
| Sodium Chloride Inj. 0.9%, 100mL IV bag | each | 8 |
| Needle, Intraosseous (IO), EZ-IO, Adult (Inc needle, fluid transfer line & armband) | each | 2 |
| Needle, Intraosseous (IO), EZ-IO, Pediatric (Inc needle, fluid transfer line & armband) | each | 2 |
| Needle, Intraosseous (IO), EZ-IO, Power Driver | each | 2 |
| Needle, Intraosseous (IO), EZ-IO, Extra Long (Inc needle, fluid transfer line & armband) | each | 2 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | each | 20 |
| Bandage, Tegaderm, IV Op Site Dressing | each | 4 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 22G x 1", Blue, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 24G x 3/4", Yellow, Safety Tip (Latex Free) | each | 4 |

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | each | 4 |
| Sponge, Gauze, 4" x 4", Sterile (may contain 1 or 2 per pack) | pack | 4 |
| Tape, Surgical, Durapore, 1" | each | 2 |
| Tourniquet, 1" x 18", Disposable (Latex Free) | each | 2 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | each | 20 |
| Bandage, Tegaderm, IV Op Site Dressing | each | 4 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 22G x 1", Blue, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 24G x 3/4", Yellow, Safety Tip (Latex Free) | each | 4 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | each | 4 |
| Sponge, Gauze, 4" x 4", Sterile (may contain 1 or 2 per pack) | pack | 4 |
| Tape, Surgical, Durapore, 1" | each | 2 |
| Tourniquet, 1" x 18", Disposable (Latex Free) | each | 2 |
| Flashlight, Penlight | each | 2 |
| Thermometer, Digital, Battery Powered | each | 2 |
| Thermometer, Digital, Sheaths, Disposable | each | 200 |
| Tongue Blades, 6", Sterile | each | 8 |
| Tweezers | each | 2 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | each | 20 |
| Glucometer Kit (One-Touch Ultra): Battery, Lithium (3.0 Volt) | each | 4 |
| Glucometer Kit (One-Touch Ultra): Glucose Meter | each | 2 |
| Glucometer Kit (One-Touch Ultra): Lancets | each | 20 |
| One Touch Ultra Control Solution | bottle | 2 |
| One Touch ULTRA Test Strips, 50 strips | bottle | 2 |
| Sphygmomanometer, Aneroid Set, w/Case, Adult (Latex Free) | each | 2 |
| Sphygmomanometer, Aneroid Set, w/Case, Child (Latex Free) | each | 2 |
| Stethoscope, Single Head, Black (Latex Free) | each | 2 |
| Pack, Cold, Crush Activated, Urea Based, 4" x 6" | each | 4 |
| Suture, Stapler Remover | each | 2 |
| Suture, Surgical Stapler, 15 pack, Regular | each | 2 |
| Suture, Skin Adhesive, Individual Packets | each | 6 |
| Tape, Surgical, Durapore, 1" | each | 2 |
| Tape, Surgical, Durapore, 3" | each | 2 |
| Cervical Collar, Adjustable, Plastic | each | 4 |

Mobile Lifesaving Kit - Augmented

| Mobile Lifesaving Kit – Augmented | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | Each | 800 |
| Catheter, (IV), 22G x 1", Blue, Safety Tip (Latex Free) | Each | 6 |
| Catheter, (IV), 24G x 3/4", Yellow, Safety Tip (Latex Free) | Each | 6 |
| IV, Admin Set, Burette Chamber, 20" | Each | 6 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | Each | 16 |

| Mobile Lifesaving Kit – Augmented | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Needle, 19G x 1 1/2", Safety Tip | Each | 12 |
| Needle, 22G x 1 1/2", Safety Tip | Each | 24 |
| Needle, 25G x 5/8", Safety Tip | Each | 12 |
| Sharps Container, w/Needle Remover, 1 Quart | Each | 2 |
| Syringe, 3cc, Luer-Lok, Monoject | Each | 24 |
| Syringe, 10cc, Luer-Lok, Disposable (Latex Free) | Each | 12 |
| Syringe, 35cc, Luer-Lok, Disposable (Latex Free) | Each | 6 |
| Syringe/Needle, 1cc, w/28g or 29/g Needle (Safety Tip), Insulin (Latex Free) | Each | 20 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | Each | 2 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | Each | 2 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | Each | 2 |
| IV, Extension, Tubing, 30" (Latex Free) | Each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | Each | 4 |
| IV, Starter Set | Each | 2 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | Each | 2 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | Each | 2 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | Each | 2 |
| IV, Extension, Tubing, 30" (Latex Free) | Each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | Each | 4 |
| IV, Starter Set | Each | 2 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | Each | 2 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | Each | 2 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | Each | 2 |
| IV, Extension, Tubing, 30" (Latex Free) | Each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | Each | 4 |
| IV, Starter Set | Each | 2 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | Each | 2 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | Each | 2 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | Each | 2 |
| IV, Extension, Tubing, 30" (Latex Free) | Each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | Each | 4 |
| IV, Starter Set | Each | 2 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | Each | 2 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | Each | 2 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | Each | 2 |
| IV, Extension, Tubing, 30" (Latex Free) | Each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | Each | 4 |
| IV, Starter Set | Each | 2 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | Each | 2 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | Each | 2 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | Each | 2 |
| IV, Extension, Tubing, 30" (Latex Free) | Each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | Each | 4 |
| IV, Starter Set | Each | 2 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | Each | 2 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | Each | 2 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | Each | 2 |
| IV, Extension, Tubing, 30" (Latex Free) | Each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | Each | 4 |
| IV, Starter Set | Each | 2 |
| Bag, Reclosable, 9" x 12" (4 ml) | Each | 40 |
| Basin, Wash, Plastic, 7 Quart, Rectangular | Each | 8 |
| Blanket, Mylar | Each | 12 |

| Mobile Lifesaving Kit – Augmented | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Catheter, Foley, Tray, 16 Fr, Closed System (Latex Free) | Each | 4 |
| Catheter, Foley, Tray, 18 Fr, Closed System (Latex Free) | Each | 4 |
| Cup, Medicine, Plastic, 1 oz | Each | 200 |
| Obstetrical Kit, Emergency | Each | 2 |
| Pack, Cold, Crush Activated, Urea Based, 4" x 6" | Each | 48 |
| Pad, Chux, 23" x 36", Lightweight, Disposable | Each | 24 |
| Tape, Duct, 2" x 60 Yds, Industrial Grade, Olive | Each | 2 |
| Wash Cloth, Pre-Moistened, XL, Disposable | PK | 12 |
| Wipes, Equipment, Sani-Plus Antibacterial | Each | 2 |
| Bag, Infectious Waste, Red, 25" x 34" | Each | 6 |
| Gown, Isolation, Protection | Each | 10 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | Each | 200 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | Each | 200 |
| Gloves, Examination, Nitrile, Small (Powder Free & Latex Free) | Each | 50 |
| Insect Repellent, <35% Deet, Lotion, 2 oz | Each | 10 |
| Mask, N95, Particulate Respirator, Reg, 3-M | Each | 40 |
| Mask, Surgical, Cupped | Each | 24 |
| Sunscreen, Lotion, 30 SPF, UV-A, 4oz. | Each | 12 |
| Syringe, Toomey, with Luer-Lok Adapter, Disposable (60 or 70 cc) (Latex Free) | Each | 6 |
| Bacitracin Ointment 1 oz. | Each | 12 |
| Bandage, Elastic, 4" (Latex Free) | Each | 12 |
| Bandage, Triangular | Each | 24 |
| Cleanser, Antibacterial Hand, w/pump, 7-10 oz | Each | 2 |
| Hand Sanitizer, Alcohol Based, 2-4oz | Each | 12 |
| Defibrillator, LifePak-12, Electrodes, Life Patch, Adult, PK/4 | PK/4 | 40 |
| Gloves, Surgeons, Sterile, Size #6.5 (Latex Free)(Pack of 2 gloves) | PR | 12 |
| Gloves, Surgeons, Sterile, Size #7.5 (Latex Free)(Pack of 2 gloves) | PR | 12 |
| Gloves, Surgeons, Sterile, Size #8 (Latex Free)(Pack of 2 gloves) | PR | 12 |
| Soap, Hibiclens, 4 oz | Each | 12 |
| Applicator, Cotton Tip, Sterile, 2-pack | PK | 12 |
| Bandage, Flexible, Small (Band-Aid Type) (Latex Free) | Each | 200 |
| Bandage, Kerlix, Sterile, 4.5" x 4.1 Yd | Each | 12 |
| Bandage, Moleskin, Small | Each | 24 |
| Bandage, Tegaderm, 10cm x 12cm (4"x4¼") | Each | 24 |
| Curette, Ear, 4mm, Disposable | Each | 12 |
| Dressing, Adaptic Nonadherent, Gauze, 3"x 8" (7.6cm x 20.6cm) | Each | 12 |
| Ophthalmic Irrigating Solution 120mL | Each | 2 |
| Fluorescein Sodium Ophthalmic Strips, Sterile | Each | 4 |
| Flashlight, Eye Exam Penlight, COBALT Blue (for eye exam only) | Each | 2 |
| Packing, Nasal, 1/2", Plain | Each | 6 |
| Ring Cutter | Each | 2 |
| Ring Cutter, Blades | Each | 2 |
| Safety Pins, Large | Each | 288 |
| Scalpel, #10, Disposable | Each | 6 |
| Shears, Trauma | Each | 6 |
| Splint, SAM | Each | 12 |
| Sponge, Gauze, 4" x 4", Sterile (may contain 1 or 2 per pack) | PK | 100 |

| Mobile Lifesaving Kit – Augmented | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Suture Kit (Laceration Tray) | Each | 6 |
| Suture, Ethilon (Nylon), Black Monofilament w/Needle 3/8 Circle, 4-0, 18", NonAbsorbable | Each | 6 |
| Suture, Ethilon (Monosof), Black Monofilament w/Needle 3/8 Circle, 5-0, 18", NonAbsorbable | Each | 6 |
| Suture, Ethilon (Nylon), Black Monofilament w/Needle 3/8 Circle, 6-0, 18", NonAbsorbable | Each | 6 |
| Suture, Stapler Remover | Each | 6 |
| Suture, Surgical Stapler, 15 pack, Regular | Each | 2 |
| Swabs, Chloro-Prep | Each | 24 |
| Tape, Surgical, Durapore, 1" | Each | 12 |
| Tape, Surgical, Durapore, 3" | Each | 12 |
| Tongue Blades, 6", Sterile | Each | 24 |
| Tray, Incision & Drainage | Each | 6 |
| Oxygen, Connector, 6-in-One (Y) | Each | 4 |
| Oxygen, Nasal Cannula, with 7' Tubing, Latex Free | Each | 12 |
| Oxygen, Tubing, 7', Individually Wrapped | Each | 4 |
| Oxygen, Tubing Connector Straight, 5 in 1 | Each | 2 |
| Oxygen, Tubing, Low Pressure, Connector, Straight Type | Each | 4 |
| Pulse Oximeter Kit, Nonin 9840, Sensor, Adult, Disposable | Each | 24 |
| Suction Unit, Portable, Tubing, Sterile, 9/32 ID x 6', Non-Cond, 7mm (Latex Free) | Each | 6 |
| Suction Unit, Portable, Yankauer Tip (Latex Free) | Each | 6 |
| Tube, Nasal Gastric (NGT), 10 Fr (Latex Free) | Each | 2 |
| Tube, Nasal Gastric (NGT), 16 Fr (Latex Free) | Each | 4 |
| Oxygen, Nebulizer, Filter | Each | 10 |
| Oxygen, Nebulizer, Inline, Handheld (Latex Free) | Each | 18 |
| Power Outlet Box, 4 or 6 Outlet Surge Type, w/Cord | Each | 2 |
| Pulse Oximeter Kit: Nonin, Handheld | Each | 2 |
| Battery, Alkaline, Size AA (1.5 Volt) | Each | 12 |
| Pulse Oximeter Kit, Nonin 9840, CO2 End Tidal, Non-Disposable | Each | 2 |
| Pulse Oximeter Kit, Nonin 9840, Sensor (Adult, Ped, Neo), Non-Disposable | Each | 2 |
| Pulse Oximeter Kit, Nonin 9840, Airway Adapter, Disposable | Each | 6 |
| Pulse Oximeter Kit, Nonin 9840, Sensor, Adult, Disposable | Each | 2 |
| Pulse Oximeter Kit, Nonin 9840, Sensor, Neonatal, Disposable | Each | 2 |
| Pulse Oximeter Kit, Nonin 9840, Sensor, Pediatric, Disposable | Each | 2 |
| Suction Unit, Portable (Impact 321) w/ Battery (Sealed Lead Acid) | Each | 2 |
| Suction Unit, Portable (Impact 321), External AC-DC Wall Adapter | | AEA-C |
| Suction Unit, Portable (Impact 321), 12 VDC Car Charger Adapter | | AEA-C |
| Suction Unit, Portable (Impact 321), Spare Battery (Sealed Lead Acid) | Each | 2 |
| Suction Unit, Portable, Collection Jar, Canister, 1200 cc Guardian (Latex Free) | Each | 6 |
| Suction Unit, Portable, Collection Jar, Canister, Elbow Adaptor | Each | AEA-C |
| Applicator, Chloraprep Foam Sponge, 3ml, Sterile | Each | 12 |
| Epistaxis Device, Rapid Rhino, 5.5cm | Each | 4 |
| Epistaxis Device, Rapid Rhino, 7.5 | Each | 4 |
| Insertion Tray, Chest Drain, Pleura | Each | 4 |

| Mobile Lifesaving Kit – Augmented | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Oxygen, Cylinder, "D",Regulator (0-15L),Gasket | Each | 6 |
| Oxygen, Cylinder, "D", Regulator (0-15L) | Each | 2 |
| Sphygmomanometer, Aneroid Set, w/Case, Adult (Latex Free) | Each | 2 |
| Sphygmomanometer, Aneroid Set, w/Case, Adult Large (Latex Free) | Each | 2 |
| Sphygmomanometer, Aneroid Set, w/Case, Child (Latex Free) | Each | 2 |
| Stethoscope, Single Head, Black (Latex Free) | Each | 6 |
| Scalpel, #10, Disposable | Each | 6 |
| Sterile Field, Barrier, Non-Fenestrated, Disposable | Each | 6 |
| Suture, Silk, Black Braided, 0, w/Curved Needle | Each | 12 |
| Thermometer, Digital , Battery Powered | Each | 2 |
| Thermometer, Digital, Sheaths, Disposable | Each | 200 |
| Tube, Drainage, Surgical, Thoracic, 12 Fr, Straight (Latex Free) | Each | 2 |
| Tube, Drainage, Surgical, Thoracic, 16 Fr, Straight (Latex Free) | Each | 2 |
| Tube, Drainage, Surgical, Thoracic, 36 Fr, Straight (Latex Free) | Each | 4 |
| Tube, Drainage, Surgical, Heimlich Valve (Latex Free) | Each | AEB |
| Glucometer Kit (One-Touch Ultra): Glucose Meter | Each | 2 |
| Glucometer Kit (One-Touch Ultra): Lancets | Each | 20 |
| One Touch Ultra Control Solution | Each | 2 |
| One Touch ULTRA Test Strips, 50 strips | Each | 2 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | Each | 20 |
| Battery, Alkaline, Size AA (1.5 Volt) | Each | 8 |
| Speculum, Ear, Disposable Cover, 4.25mm | Each | 70 |

Mobile Lifesaving Kit - Pharmacy

| Mobile Lifesaving Kit – Pharmacy | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Acetaminophen Tablets 500mg UD | Each | 100 |
| Albuterol Inhalation Solution 0.083%, 3mL ampoule UD | Each | 60 |
| Albuterol Metered Dose Inhaler, HFA | Each | 20 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | Each | 20 |
| Amlodipine Tablets 10mg UD | Each | 20 |
| Amoxicillin/Clavulanic Tablets 875mg/125mg | Each | 80 |
| Aspirin Chewable Tablets 81mg | Each | 216 |
| Azithromycin Tablets 250mg UD | Each | 200 |
| Bisacodyl Tablets 5mg | Each | 200 |
| Bismuth Subsalicylate Tablets 262mg UD | Each | 100 |
| Burn Relief Gel | Each | 10 |
| Ceftriaxone Sodium Inj. 1gm vial | Each | 10 |
| Cephalexin Capsules 500mg | Each | 200 |
| Ciprofloxacin Tablets 500mg UD | Each | 100 |
| Clindamycin HCl Capsules 300mg | Each | 200 |
| Clonidine HCl Tablets 0.1mg UD | Each | 40 |
| Cyclobenzaprine HCl Tablets 10mg UD | Each | 40 |
| Dextrose Inj, 5%, 100mL IV bag | Each | 8 |
| DHHS Prescription Blanks, 100/pad | Each | 200 |
| Diphenhydramine Capsules 25mg UD | Each | 40 |

| Mobile Lifesaving Kit – Pharmacy | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Doxycycline Hyclate Tablets/Capsules 100mg | Each | 100 |
| Emtricitabine/Tenofovir Disoproxil Tablets 200mg/300mg | | 60 |
| Epinephrine Auto Injector 0.3mg | Each | 4 |
| Erythromycin Ophth. Oint.0.5% (5mg/gm), 3.5gm Tube | Each | 4 |
| Famotidine Tablets 20mg UD | Each | 100 |
| Furosemide Tablets 20mg UD | Each | 40 |
| Gabapentin Capsules 100mg UD | Each | 120 |
| Glucose Tablets | Each | 20 |
| Glyburide Tablets 5mg UD | Each | 20 |
| Guaifenesin DM Tablets 600mg/30mg | Each | 80 |
| Haloperidol Lacatate Inj. 5mg/mL, 1mL vial | Each | 10 |
| Hetastarch 6% in Sodium Chloride 0.9% Inj., 500mL IV bag | Each | 2 |
| Hydralazine Inj. 20mg/mL, 1mL vial | Each | 4 |
| Hydralazine Tablets 25mg UD | Each | 20 |
| Hydrochlorothiazide Tablets 25mg, UD | Each | 20 |
| Hydrocortisone Cream 1%, 0.9gm UD | Each | 10 |
| Ibuprofen Tablets 400mg UD | Each | 100 |
| Inhalation Chamber Spacer for MDI | Each | 20 |
| Insulin Regular 100 units/mL, 10mL vial | Each | 4 |
| Ketoralac Inj. 30mg/mL, 2mL vial | Each | 20 |
| Labetalol Inj. 5mg/mL, 20mL vial | Each | 10 |
| Levofloxacin Inj. 500mg/100mL IV bag | Each | 6 |
| Levofloxacin Tablets 500mg UD | Each | 40 |
| Lidocaine HCl Inj. 1%, 10mL vial | Each | 10 |
| Lisinopril Tablets 20mg UD | Each | 20 |
| Loperamide HCl Capsules 2mg UD | Each | 100 |
| Loratadine Tablets 10mg UD | Each | 100 |
| Meclizine HCl Tablets 25mg UD | Each | 20 |
| Metformin Tablets 500mg UD | Each | 60 |
| Methylprednisolone Sodium Succinate Inj. 125mg/2mL vial | Each | 10 |
| Metoprolol Inj. 1mg/mL, 5mL vial | Each | 20 |
| Metoprolol Tablets 25mg UD | Each | 20 |
| Metronidazole Tablets 500mg | Each | 200 |
| Miconazole Nitrate Cream 2% 15gm | Each | 10 |
| Naloxone HCl Inj. 0.4mg/mL, 1mL vial | Each | 10 |
| Needle, 18G, 1.5inch | Each | 20 |
| Neomycin/Polymyxin/HC Otic Susp. 10mL | Each | 4 |
| Norepinephrine Inj. 1mg/mL, 4mL vial | Each | 4 |
| Ondansetron Inj. 2mg/mL, 2mL vial | Each | 10 |
| Ondansetron Tablets 8mg UD | Each | 100 |
| Oral Rehydration Powder, Fruit Punch (for 20 oz. bottle) | Each | 12 |
| Oral Rehydration Powder, Lemon Lime (for 20 oz. bottle) | Each | 12 |
| Oral Rehydration Powder, Orange (for 20 oz. bottle) | Each | 12 |
| Oxymetazoline Nasal Spray 0.05%, 15mL | Each | 10 |
| Pen, Ball Point, Blue, Medium Point (NO GEL) | Each | 4 |
| Phenazopyridine Tablets 95mg UD | Each | 24 |

| Mobile Lifesaving Kit – Pharmacy | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Phenytoin Sodium Capsules ER 100mg UD | Each | 20 |
| Phenytoin Sodium Inj. 50mg/mL, 5mL vial | Each | 6 |
| Prednisone Tablets 10mg UD | Each | 100 |
| Quetiapine Fumerate Tablets 25mg UD | Each | 60 |
| Raltegravir Potassium Tablets 400mg | | 120 |
| Senna Tablets 8.6mg UD | Each | 60 |
| Silver Sulfadiazine Cream 1%, 50gm | Each | 2 |
| Sodium Chloride Inj. 0.9%, 100mL IV bag | Each | 8 |
| Sulfamethoxazole/Trimethoprim DS Tablets 800mg/160mg UD | Each | 100 |
| Syringe, 10mL, LL | Each | 20 |
| Test Kit, HIV, Rapid Diagnostic, 20 tests | Each | 2 |
| Tetracaine Ophthalmic Solution 0.5%, 15mL | Each | 4 |
| Throat Lozenges | Each | 32 |
| Triple Antibiotic Ointment, 0.9gm UD | Each | 20 |
| Water For Inj., Sterile, 20mL vial | Each | 10 |
| Albuterol Metered Dose Inhaler, HFA | Each | 2 |
| Dextrose Inj. 10%, 250mL IV bag | Each | 2 |
| Dextrose Inj. 25%, 10mL Syringe | Each | 2 |
| Diphenhydramine Elixir 12.5mg/5mL, 120mL | Each | 2 |
| Epinephrine Auto Injector, Jr, 0.15mg | Each | 4 |
| Ibuprofen Oral Susp. 100mg/5mL, 120mL | Each | 2 |
| Inhalation Chamber Spacer for MDI | Each | 2 |
| Phenytoin Sodium Chew Tablets 50mg UD | Each | 40 |

Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy

| Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy | | | |
|--|------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Adenosine Inj. 3mg/mL, 2mL vial | Adencard | EA | 6 |
| Albuterol Inhalation Solution 0.083%, 3mL ampoule | Proventil | EA | 10 |
| Alcohol Prep Pad | Alcohol | EA | 10 |
| Amiodarone HCl Inj., 150mg/3mL vial | Cordarone | EA | 6 |
| Aspirin Chewable Tablets 81mg | Aspirin | EA | 72 |
| Atropine Sulfate Inj. 0.1mg/mL, 10mL syringe | Atropine | EA | 6 |
| Calcium Chloride Inj. 10% (100mg/mL), 10mL syringe | Calcium Chloride | EA | 4 |
| Dextrose Inj. 50%, 50mL syringe | Dextrose | EA | 2 |
| DHHS Prescription Blanks, 20/pad (#'s xx-xx) | Rx Pad | EA | 2 |
| Digoxin Inj. 0.25mg/mL, 2mL ampoule | Lanoxin | EA | 4 |
| Diphenhydramine HCl Inj. 50mg/mL, 1mL vial | Benadryl | EA | 2 |
| Epinephrine Auto Injector 0.3mg | Epi-Pen Adult | EA | 2 |
| Epinephrine Auto Injector, Jr, 0.15mg | Epi-Pen Jr | EA | 2 |
| Epinephrine Inj. 1:10,000 (0.1mg/mL), 10mL syringe | Adrenalin | EA | 10 |
| Etomidate HCl Inj. 2mg/mL, 20mL vial | Amidate | EA | 4 |
| Furosemide Inj. 10mg/mL, 10mL vial | Lasix | EA | 2 |
| Lidocaine HCl Inj. 2%, (20mg/mL), 5mL syringe | Lidocaine | EA | 4 |
| Magnesium Sulfate Inj. 50% (500mg/mL), 10mL syringe | Magnesium | EA | 2 |
| Metoprolol Inj. 1mg/mL, 5mL vial | Lopressor | EA | 6 |

| Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy | | | |
|---|-------------------|------------------------|-----------------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Naloxone HCl Inj. 0.4mg/mL, 1mL vial | Narcan | EA | 10 |
| Needle, 18G, 1.5inch | Needle | EA | 10 |
| Needle, Filter 19G, 1.5inch | Needle | EA | 4 |
| Nitroglycerin Sublingual Tablets 0.4mg, 25's | Nitro-Stat | EA | 2 |
| Norepinephrine Inj. 1mg/mL, 4mL vial | Levophed | EA | 4 |
| Ondansetron Inj. 2mg/mL, 2mL vial | Zofran | EA | 4 |
| Phenylephrine Inj. 10mg/mL, 1mL vial | Phenylephrine | EA | 4 |
| Phenytoin Sodium Inj. 50mg/mL, 5mL vial | Dilantin | EA | 8 |
| Sodium Bicarbonate Inj. 8.4% (50mEq/50mL) syringe | Sodium Bicarb. | EA | 4 |
| Syringe, 5cc, Luer Slip Tip, Disposable (Latex Free) | | EA | 4 |
| Syringe, 10mL | Syringe | EA | 4 |
| Syringe, 30cc, Luer-Lok, Disposable (Latex Free) | | EA | 4 |
| Vecuronium Bromide Inj. 10mg/10mL vial | Norcuron | EA | 4 |
| Verapamil Inj. 2.5mg/mL, 2mL vial | Calan | EA | 2 |
| Water For Inj., Sterile, 20mL vial | Sterile Water | EA | 2 |
| Fentanyl Citrate Inj. 50mcg/mL, 2mL vial | Sublimaze | EA | 10 |
| Ketamine HCl Inj. 50mg/mL, 10mL vial | Ketalar | EA | 2 |
| Midazolam Inj. 1mg/mL, 2mL vial | Versed | EA | 10 |
| Morphine Sulfate Inj. 10mg/mL, 1mL vial | Morphine | EA | 10 |

SUPPLEMENT 3: ADDITIONAL GUIDANCE FOR ACUTE CARE ACS MODEL

Acute Care: Higher acuity care for COVID-19 patients. These patients require significant ventilatory support, including intensive monitoring on a ventilator. This level of care corresponds to Level 2 (step-down care) and Level 1 (ICU care) patients in medical care terminology.

The following recommendations should be modified depending on local needs and capacity. This recommended model assumes full bed occupancy and should be scaled according to patient needs.

Given the risk for patients with COVID-19 to abruptly decompensate, it is recommended that all Alternate Care Site (ACS) Models include an Emergency Resuscitation Capability. Included at the end of this Supplement is a table including equipment and supplies recommended for this Emergency Resuscitation Capability. It was derived from the U.S. Department of Health and Human Services (HHS) Mobile Lifesaving Kit (MLK).

The below table is a recommended staffing model for a 50-bed footprint for the Acute Care ACS Model.

| Medical Staffing for 50-bed footprint | 24 hours |
|--|----------|
| Physician | 4 |
| Advance Care Practitioners | 4 |
| Nurse Anesthetists | 2 |
| Registered Nurse | 24 |
| Pharmacist | 2 |
| Emergency Medical Technician-Paramedic | 4 |
| Radiology Technologist | 2 |
| Respiratory Therapist | 8 |
| Total | 50 |

Note on Personal Protective Equipment (PPE)

Based on the current COVID-19 situation and availability of PPE, the Centers for Disease Control and Prevention (CDC) has specific recommendations PPE use. Please refer to current CDC guidance to ensure that all staff (e.g., security, support staff, logistics, medical providers) caring for patients with COVID-19 have appropriate PPE. PPE is a component of an overall infection prevention and control strategy that includes administrative and environmental controls in addition to hand hygiene, PPE and other measures to ensure safe provision of care and limiting the risk of nosocomial spread of infection. Please refer to CDC current guidance for infection prevention and control strategies.

It is recommended that each site measure the amount of PPE at the beginning and end of each day and monitor the burn rate of PPE on a daily basis. The online [CDC Personal Protective Equipment Burn Rate Calculator](#) is a spreadsheet-based model that provides information for healthcare facilities to plan and optimize the use of PPE for response to coronavirus disease

2019 (COVID-19). This tool can also be used for planning PPE use outside the context of COVID-19, where PPE shortages may also occur due to supply chain issues related to the COVID-19 response (e.g., manufacturing facilities).

Potential reuse of disposable filtering facepiece respirators (FFRs) as a crisis capacity strategy to conserve available supplies for healthcare environments during a pandemic. Strategies for FFR extended use and reuse (without decontamination of the respirator) are currently available from [CDC's National Institute for Occupational Safety and Health \(NIOSH\)](https://www.cdc.gov/niosh). Additional information on strategies to optimize PPE supply and equipment can be found at <https://www.cdc.gov/coronavirus/2019-ncov/hcp/ppe-strategy/index.html>.

Note on Oxygen

Unintended consequences of an insufficient supply chain should be taken in consideration.

Backup generators for ventilators and alternate oxygen reserve (e.g., bottled, tanks) are critical for oxygen needs to ensure that oxygen supply and delivery does not get interrupted.

Potential challenges in getting oxygen to an ACS, include:

- Logistics of getting the product to a facility;
- 24/7 maintenance of the vaporizers;
- Appropriate heating and cooling systems to prevent damage of gas lines;
- Updating pipes in a potential facility to distribute oxygen more broadly to additional rooms; and
- Planning for the volume needed at each ACS.

Note on Pulse Oximeters

Given the increased need for patients and providers to monitor PulseOx, an ACS should have an abundance of pulse oximeters available for distribution.

Acute Care / 50-bed / Medical-Biomed Recommendations

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| 2X3 INCH OPSITE | each | 350 |
| 5-IN-1 CONNECTOR | each | 100 |
| ABD PADS LARGE 8IN X7.5IN STERILE 15 TO 20/TRAY 12 TO 16 TRAYS PER PKG (180-320) 240S | each | 1500 |
| ABDOMINAL BINDER | each | 50 |
| ABORhCard WITH ACCESSORIES (FOR BLOOD TYPING) | per month | 50 |
| ABTHERA OPEN ABDOMINAL DRESSING WOUND THERAPY 5S | units | 10 |
| ACE WRAP 4.5 YD X 4 IN WASHABLE PRESSURE | each | 150 |
| ACE WRAP NONSTER 4.5 YD X 3 PKG 12S | each | 150 |
| ACE WRAP, 6 | each | 150 |
| ADAPTER CATHETER TO LUER SYRINGE C.R. BARD FITS 4-6FR CATH 24S | each | 750 |
| ADAPTER CONNECTING VENTILATOR MULTI 15MM ID 22MM OD PLASTIC 50S | each | 50 |
| ADAPTER DIRECT DRAW FOR MULTI SAMPLE LUER ADAP W/HOLDER STER 50S | each | 750 |
| ADAPTER SYRINGE TO TUBING DBL MALE LUER LOCK ADAP PLASTIC 100S | each | 200 |
| ADAPTER TRACHEOSTOMY CANNULA ADAP TO GAS CIRCUIT 15MM ID CONN50S | each | 100 |
| ADHESIVE TAPE SURGICAL MICROFOAM 198 IN X 3 IN WHITE CLOSED CELL VINYL 4S | each | 400 |
| ADMINISTRATION SET INFUSION PUMP 50S | each | 1500 |
| ADMINISTRATION SET USE WITH INFUSION PUMP 50S | each | 1500 |
| AED PRO ECG CABLE AAMI | each | 5 |
| AED, Defibrillator | | 5 |
| AIRWAY NASOPHARYNGEAL 6MM ID 8MM OD SMOOTH RD EDGES PLAS DISP10S | each | 20 |
| AIRWAY NASOPHARYNGEAL 9MM ID 12MM OD KINK RES SMOOTH RD EDGES10S | each | 20 |
| AIRWAY NASOPHARYNGEAL PORTEX 8MM ID 10.5MM OD KINK RES DISP 10S | each | 40 |
| AIRWAY NASOPHARYNGEAL PORTEX DSGN PLAS 7MM ID 9.5MM OD STER 10S | each | 20 |
| AIRWAY NASOPHARYNGEAL ROBERTAZZI DESIGN 34FR OBLIQUE TIP 12S | each | 40 |
| AIRWAY NASOPHARYNGEAL SZ 32 RUBBER O/A ADJUSTABLE FLANGE 5S | each | 40 |
| AIRWAY ORAL BERMAN DESIGN ADULT EXTRA LARGE 100MM LG PLASTIC 10S | each | 40 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| AIRWAY PHARYNGEAL BERMAN DESIGN CHILD SIZE 80MM LENGTH 10S | each | 40 |
| AIRWAY PHARYNGEAL BERMAN DSGN LARGE ADULT 100MM LG PLAS DISP 12S | each | 40 |
| AIRWAY PHARYNGEAL BERMAN DSGN MEDIUM 40MM LG OPEN SIDE DISP 12S | each | 40 |
| AIRWAY PHARYNGEAL BERMAN DSGN MEDIUM 90MM LG OPEN SIDE DISP 12S | each | 40 |
| AIRWAY PHARYNGEAL GUEDEL 60MM LG CHILD SIZE PLASTIC DISP 10S | each | 20 |
| AIRWAY PHARYNGEAL GUEDEL DSGN SZ 4 MED/LGE ADL 90MM LG PLAS 30S | each | 20 |
| AIRWAY, KING LTS-D, #3 (Yellow) (Latex Free) | each | 20 |
| AIRWAY, KING LTS-D, #5, (Purple) (Latex Free) | each | 20 |
| AIRWAY, KINGLTS-D, #4, (Red) (Latex Free) | each | 20 |
| AIRWAY, LARYNGEAL MASK (LMA), #2, Disposable (Latex Free) | each | 40 |
| AIRWAY, LARYNGEAL MASK (LMA), #3, Disposable (Latex Free) | each | 40 |
| AIRWAY, LARYNGEAL MASK (LMA), #4, Disposable (Latex Free) | each | 40 |
| AIRWAY, MANAGEMENT, TRACHEAL HOOK | each | 20 |
| AIRWAY, NASOPHARNGEAL, 14 Fr (Latex Free) | each | 20 |
| AIRWAY, NASOPHARNGEAL, 24 Fr (Latex Free) | each | 20 |
| ALARIS BLOOD TUBING | each | 75 |
| ALCOHOL PADS SMALL 200EA | each | 1500 |
| AMBU BAG, NEONATE | each | 15 |
| AMBU BAG, PEDICATRIC | each | 15 |
| Aneroid, BP Cuff, Adult | each | 18 |
| Aneroid, BP Cuff, Adult | each | 18 |
| Aneroid, BP Cuff, Adult | each | 18 |
| Aneroid, BP Cuff, Child | each | 18 |
| Aneroid, BP Cuff, Child | each | 18 |
| Aneroid, BP Cuff, Child | each | 18 |
| Aneroid, BP Cuff, Infant | each | 18 |
| Aneroid, BP Cuff, Infant | each | 18 |
| Aneroid, BP Cuff, Infant | each | 18 |
| Aneroid, BP Cuff, Obese | each | 18 |
| Aneroid, BP Cuff, Obese | each | 18 |
| Aneroid, BP Cuff, Obese | each | 18 |
| ANESTHESIA CIRCUIT HUMIDIFIER | each | 200 |
| ANESTHESIA NERVE STIMULATOR | each | 4 |
| Anti-Microbial Solution, 4%, 32 oz. | each | 5 |
| APPLICATOR GLYCERIN-LEMON OIL IMPREGNATED 4 IN LG DISPOSABLE | each | 400 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|--------------------|----------|
| Description | Unit of Measure | Quantity |
| Arm Bands, Staff ID (20 PKG of 5 =100) | each | 1 |
| Arm Board, Padded, Short | each | 150 |
| ARTERIAL BLOOD GAS SAMPLING KIT | boxes | 2 |
| ARTERIAL LINE SET | boxes | 2 |
| Aspirator, Portable w/ Charger | similar to suction | 50 |
| Backboard (Adult) w/ Straps | each | 3 |
| Backboard (Child) w/ Straps | each | 1 |
| BAG BIOHAZARD DISP 45 X 38 PLAS RED HEAT SEAL TOP 100S | bags | 750 |
| BAG BIOHAZARD, SPECIMEN, 6" X 9" | packages | 4 |
| BAG BLOOD RECOVERY AUTOTRANSFUSION PE SAHARA FITS ALL MDLS 6S | sets | 4 |
| BAG COLLECTION AND TUBING VENTRICULAR KIT | sets | 100 |
| BAG LAUNDRY 46X25 COTTON DUCK NATURAL COLOR SELF-CLOSING VALVE | bags | 500 |
| BAG OSTOMY 16 X 6 PLAS 3J CTR OPENING KARAYA SEAL MICROPOROUS 30S | each | 100 |
| BAG OSTOMY 23X7 PLAS OPEN TOP TO ADMIT STOMA CONE OPEN BOT 20S | each | 100 |
| BAG PLASTIC 39 X 33 IN DARK BROWN GREEN 33 GAL 50 LB 125S | each | 15000 |
| BAG PLASTIC 50S | each | 30000 |
| BAG PLASTIC A4 FLAT 12IN X 12IN HEAT SEAL CLEAR | each | 45000 |
| BAG PLASTIC A4 FLAT 8 X 8 | each | 45000 |
| BAG POUCH OSTOMY 3IN. SIZE 10S | each | 100 |
| BAG STORAGE ACCESSORY HOLDS CPR MASK AND ACCESSORIES 4X6IN 72S | each | 50 |
| BAG URINE COLL DISP 2 LITER CAPACITY 20S | each | 200 |
| Bag, Ambu, Adult, Disposable w/ mask | each | 10 |
| Bag, Ambu, Infant, Disposable w/ mask | each | 3 |
| Bag, Ambu, Pediatric, Disposable w/ mask | each | 5 |
| Bag, Biohazard Specimen | each | 50 |
| Bag, Body (Adult) | each | 25 |
| Bag, Body (Child) | each | 5 |
| Bag, Hamper | each | 25 |
| Bag, Infectious Waste | each | 250 |
| Bag, Patient Belongings (2 EA x 25 x 10) | 10-packs | 5 |
| Bag, Trash, Liner, Clear | each | 100 |
| Bag, Urinary Meter, 500mL | each | 15 |
| Bag, Urinary, Drainage | each | 15 |
| Band, ID (Adult) | each | 50 |
| Band, ID (Child) | each | 15 |
| BANDAGE SCISSORS | pairs | 20 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|---------------------------------------|----------|
| Description | Unit of Measure | Quantity |
| BANDAGE SCISSORS PLASTIC HANDLES | pairs | 15 |
| Bandage, Elastic, 2" (Latex Free) | each | 150 |
| Bandage, Triangular | each | 150 |
| BANDAGE,GAUZE | each | 45000 |
| BAND-AIDS 3 IN X 1 IN STERILE | each | 3000 |
| BASIN WASH 7QT PLASTIC | each | 600 |
| Basin, Emesis (50 x 5) | each | 50 |
| Basin, Wash, Round | each | 60 |
| Battery Pack, AED Defibrillator | each | 5 |
| BATTERY POWER W/VENTILATOR, 6530-01-464-0267, AND SUCTION APPARATUS, SURGICAL, 6515-01-435-0050 | vents (may need increase by scenario) | 5 |
| Battery, Alkaline, Size AA (80 EA) | packs | 20 |
| BATTERY, ALKALINE, SIZE AAA (1.5 VOLT) | each | 125 |
| Battery, Alkaline, Size C (64 EA) | packs | 15 |
| Battery, Alkaline, Size D (184 EA) | packs | 8 |
| BATTERY, LITHIUM, SIZE 3.0 VOLT (BUTTON BATTERY FOR GLUCOMETER) | each | 125 |
| BATTERY, LITHIUM, SIZE 9 VOLT (FOR I-STAT) | each | 180 |
| BEAKER WATER CLEAR PLASTIC 32 OZ 150S | each | 15 |
| Bed, Bariatric Set 600 lbs | each | 2 |
| Bed, General Use (GUB) | each | 40 |
| Bed, Hospital, Adjustable | each | 2 |
| Bed, Westcot (Standard) | each | 10 |
| Bedpan (50 x 5) | each | 20 |
| BEDPAN FRACTURE-TYPE PLAS AUTOCLAVABLE 12S | each | 50 |
| BEDPAN PONTOON STACKABLE AUTOCLAVABLE 20S | each | 50 |
| BELMONT TUBING | each | 150 |
| BETADINE PAINT 4 OZ BOTTLE | each | 150 |
| BETADINE SCRUB 4 OUNCE BOTTLE | each | 300 |
| BETADINE SWAB | each | 2250 |
| Binder, 3 Ring, 1" | each | 5 |
| Binder, 3 Ring, 2" | each | 5 |
| Binder, 3 Ring, 3" | each | 5 |
| Binder, 3 Ring, 3" | each | 5 |
| BINDER,NOTE PAD | each | 200 |
| BLADE LARYNGOSCOPE MAC 2 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |
| BLADE LARYNGOSCOPE MAC 4 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |
| BLADE LARYNGOSCOPE MILLER 0 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|--------------------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| BLADE LARYNGOSCOPE MILLER 1 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |
| BLADE LARYNGOSCOPE MILLER 2 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |
| BLADE LARYNGOSCOPE MILLER 3 DISP COMPONENT OF 6515-01-450-9790 | each | 20 |
| BLANKET BED COTTON THERMAL WEAVE WHITE 66X90 INCHES | each | 600 |
| BLANKET BED WOOL OLIVE GREEN 90X66 INCHES | each | 600 |
| BLANKET HYPOTHERMIA ULTRA-PORTABLE A/PROVISIONS RECHARGEABLE BATTERY POWERED | each | 5 |
| Blanket, Cotton | each | 30 |
| Blanket, Cotton | each | 50 |
| Blanket, Emergency | each | 30 |
| Blanket, Emergency | each | 50 |
| Blanket, Space, Mylar | each | 100 |
| Blanket, Wool Blend (90 x 3) | each | 50 |
| Bleach, Clorox | each | 5 |
| BLOOD COLLECTING UNIT PLASTIC 23 GA NEEDLE VACUTAINER 200S | each | 1000 |
| BLOOD RECIPIENT SET INDIRECT TRANSFUSION 48S [M] | sets | 4 |
| BLOOD TRANSFER DEVICE STERILE SAFETY ONE PC PRE-ASSEM W/LUER LOCK 200S | sets | 4 |
| BLOOD-FLUID WARMER SYSTEM | units | 30 |
| BODY BAG, FULL FASTENER; PLASTIC; 36 IN BY 94 IN; NON-CHEM/BIO; EA | each | 50 |
| BOOK POCKET SIZE REF GUIDE F/ADULT CRITICAL CARE 2010 | each | 25 |
| Book, Record | each | 5 |
| Bottle, Nursing, Starter, Kit | each | 5 |
| Bottle, Spray, Quart, w/Trigger | each | 10 |
| Bowl, 12 oz. | each | 150 |
| Box, File Storage w/Lid | each | 5 |
| Brief, Adult, Bariatric (128 Ea Total) | each | 5 |
| Brief, Ultra, Adult, Extra Large | each | 5 |
| Brief, Ultra, Adult, Large | each | 5 |
| Brief, Ultra, Adult, Medium | each | 5 |
| Brief, Ultra, Adult, Small | each | 5 |
| Broom, Push (Two Piece) | each | 3 |
| BROSELOW BAG PEDIATRIC | each (also refillable from Pharmacy) | 25 |
| Broselow Bag (Ped Resuscitation Sys.) | each | 3 |
| BROSELOW TAPE | each | 50 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| BRUSH SANITARY BLACK CRIMPED NYLON BRISTLE J1 CURVED BRUSH HEAD | each | 200 |
| BRUSH SANITARY STRAIGHT BRUSH HEAD SPIRAL WOUND WOOD HANDLE 17 | each | 200 |
| BRUSH SCRUB WITH CHLORHEXIDINE 300S | each | 200 |
| Bucket, 3 Gallon, Pour Spout, w/Handle | each | 5 |
| Bucket, Mop, w/Ringer | each | 3 |
| Bulb, Light, 120v, RS 60W | each | 100 |
| Bulb, Light, Perimeter Flood Lighting | each | 5 |
| Bungee Cord Assortment | each | 5 |
| Cable Ties, Black | 50 packs | 5 |
| Calculator, Metric Conversion | each | 20 |
| Can, Trash, 32 Gallon | each | 25 |
| Can, Trash, Lid, 32 Gallon | each | 25 |
| Can, Trash, Lid, Red, 32 Gallon | each | 25 |
| Can, Trash, Red, 32 Gallon | each | 25 |
| Cane, Quad (700 lbs) | each | 3 |
| CANISTER ASSY SUCTION SURG PLASTIC 2000CC CAP LID HYDROP FILTER 48S | each | 200 |
| CANISTER KCI INFOVAC 1000ML WITH GEL 5S | each | 60 |
| CANISTER KCI INFOVAC WITH GEL 500ML 5S | each | 60 |
| CANISTER NEGATIVE PRESSURE WOUND THERAPY WITH GEL 5S | each | 60 |
| Canister, Suction Tubing | each | 20 |
| Canister, Suction, 800CC | each | 10 |
| CANNUAL NASAL OXYGEN PLASTIC 252 DISPOSABLE NON-FLARED TIP | each | 200 |
| Cannula Cushion PED, 7ft tube, CS/50 | each | 50 |
| Cannula Tubing (Adult) | each | 100 |
| CARDIAC MARKER TEST KIT (LIFESIGN MI 3-IN-1 MYOGLOBIN, CK-MB, TROPONIN I) | boxes | 30 |
| CART CRASH EMERGENCY RED COLD ROLLED STEEL DBL WALL CONSTRUCTION | each | 50 |
| Case, Contact Lens | each | 1 |
| CATHETER CONNECTOR SUCTION TRACH 6FR PLASTIC STER DISP 50S | each | 60 |
| CATHETER CONNECTOR SUCTION TRACH 8FR PLASTIC STER DISP 50S | each | 60 |
| CATHETER BALLOON PACING ELECTRODE RADIOPAQUE 5FR 110CM STER DISP | each | 40 |
| CATHETER INTRAVENOUS 14G X 3.25 INCH, CHEST DECOMPRESSION | each | 50 |
| CATHETER INTRAVENOUS SAFETY 14 GA 1-1/4 200S | each | 400 |
| CATHETER INTRAVENOUS SAFETY 18 GA 1-1/4 200S | each | 400 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|-----------------|----------|
| Description | Unit of Measure | Quantity |
| CATHETER INTRAVENOUS SAFETY 20 GA 1-1/4 200S | each | 400 |
| CATHETER INTRAVENOUS SAFETY 22 GA 1-1/4 200S | each | 400 |
| CATHETER INTRAVENOUS, SAFETY; 24 GA; 0.55 IN LONG; 200S | each | 400 |
| CATHETER IV INTROCAN SAFETY 16 GA 1.25 IN LG 200S | each | 400 |
| Catheter IV, 18G X 1 1/4", Green Safety Tip | each | 40 |
| Catheter IV, 20G X 1 1/4", Pink Safety Tip | each | 40 |
| Catheter Kit, Foley Tray, 18fr, Closed System | each | 40 |
| Catheter Kit, Foley, Tray, 16 Fr Closed System | each | 40 |
| Catheter Plug & Drain Tube Protector | each | 40 |
| CATHETER SET INTRACOMPARTMENTAL PRESS MNTR 18GAX8 CATH STER 12S | each | 48 |
| CATHETER TRACH CARE 72-HOUR BALLARD 21.3IN SWIVEL ELBOW 14 FR/4.6MM 20S | each | 100 |
| CATHETER TRIPLE LUMEN VENOUS VANTEX TRAY 5S | each | 20 |
| CATHETER URETHRAL FOLEY 16FR RD TIP 5CC BALLOON ADL RBBR DISP12S | each | 50 |
| CATHETER URETHRAL FOLEY 18FR ROUND TIP SILICONE | each | 50 |
| Catheter, Foley Tray, 6FR (Child) | each | 20 |
| CATHETER, FOLEY, 10FR, UR (LATEX FREE) | each | 40 |
| CATHETER, FOLEY, 12FR, UR (LATEX FREE) | each | 40 |
| CATHETER, FOLEY, 3.5FR, UR (LATEX FREE) | each | 20 |
| CATHETER, FOLEY, 5FR, UR (LATEX FREE) | each | 20 |
| CATHETER, FOLEY, 6FR, UR (LATEX FREE) | each | 20 |
| CATHETER, FOLEY, 8FR, UR (LATEX FREE) | each | 20 |
| Catheter, IV, 22G x 1" | each | 20 |
| Catheter, IV, 24G x 3/4" | each | 20 |
| Catheter, Self, 18FR (Robnell) | each | 2 |
| Catheter, Urinary, External Large | each | 1 |
| Catheter, Urinary, External Medium | each | 1 |
| Catheter, Urinary, External Small | each | 1 |
| CATHETERIZATION KIT CARDIO 20GAX1.75 RADPQ POLYTETRAFLUOROETHYLENE CATH STER 50S | each | 10 |
| CaviWipes | each | 25 |
| Cervical Collar, Adjustable, Plastic | each | 25 |
| Chair, Metal, Folding | each | 25 |
| Chart Holder, Patient, Plastic | each | 50 |
| Chart, Pain, Childrens | each | 1 |
| CHEST SEAL BOLIN OCCLUSIVE 6IN. DIA 10S | each | 10 |
| CHEST TUBE INSERTION TRAY WITH KELLY HEMOSTATS | each | 50 |
| CHEST TUBE, 24 FR STRAIGHT | each | 20 |
| CHEST TUBE, 36 FR STRAIGHT | each | 20 |
| Chest, Ice 48 QT | each | 3 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| CHRISTMAS TREE, XMAS TREE, GREEN, OXYGEN ADAPTOR | each | 100 |
| CIRCUIT VENT WYE ADULT / PEDI SINGLE LIMB 15S | each | 20 |
| CLAMP DRAINAGE POUCH OSTOMY ONE-PIECE PLAS REUSABLE HINGED 20S | each | 40 |
| Cleaner, Floor, Powdered | each | 5 |
| CLINITEK CONTROL, URINE DIPPER WITH LEVEL 1 AND 2 | sets | 2 |
| Clipboard, 9" x 12.5" | each | 50 |
| Clips, Binder, Medium | each | 50 |
| Clips, Paper, Jumbo | each | 50 |
| CLOTH CLEANING WHITE 15 X12 900S | each | 500 |
| COBAN 4 X 5 YDS STER | each | 100 |
| Comb, Two-Sided | each | 50 |
| COMMODE FIELD FOLDING | each | 20 |
| Commode, Bedside | each | 25 |
| Commode, Bedside (1000 lbs) | each | 1 |
| COMPRESS SALINE WET SOAKS 8 X 4 W/NAACL | each | 200 |
| Compressor, Pulmo-Aide, Aerosol | each | 2 |
| CONNECTOR SALINE LOCK/HEPARIN LOCK HUBS 100S | each | 200 |
| Container, Action Packer | each | 1 |
| Container, Specimen | each | 20 |
| CONTROL SET, HIV 1 AND 2, CHEMBIO (NONREACTIVE, REACTIVE HIV-1 AND REACTIVE HIV-2) | sets | 2 |
| CONTROL SET, PBM QUALITATIVE CARDIAC MARKER (CK-MB, MYOGLOBIN, TROPONIN I), LEVEL 1 AND 2 | sets | 2 |
| CORDIS IV CATHETER 8.5 FR 2 5 CC SYRINGES | each | 50 |
| Cot, Toddler | each | 5 |
| COTTON TIPPED APPLICATOR PLASTIC OR WOOD ROD 6 IN | each | 600 |
| COULTER 4C PLUS TRI-PAK CONTROLS WITH (LOW, NORMAL, AND HIGH) | sets | 2 |
| COULTER CALIBRATOR KIT S-CAL | sets | 2 |
| COULTER DIFF ACT TAINER REAGENT KIT | sets | 2 |
| COULTER WASTE CONTAINER, 10 L | sets | 2 |
| COVER ELECTRIC BLANKET 60 X 30 DISP SMS SPUNBOND 25S | each | 100 |
| Cover, Shoe, Non Skid | each | 50 |
| COVER,BOTTOM OPTION | each | 1000 |
| CPAP Machine | each | 2 |
| CRADLE HOSPITAL BED CLOTHING FIELD TYPE | each | 20 |
| CRADLE HOSPITAL BED CLOTHING FIELD TYPE | each | 20 |
| Crib, Portable (12 Ea. Per triwall - Total 24) | each | 3 |
| CRICOTHYROTOMY SET FIELD PACK | each | 20 |
| CSF DRAINAGE BAGS | each | 20 |
| CSF DRAINAGE SYSTEM | each | 20 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|-----------------|----------|
| Description | Unit of Measure | Quantity |
| CUFF SET SPHYGMOMANOMETER W/ANEROID CASE LATEX FREE SZ ADULT THEIGH | each | 10 |
| CUFF SET SPHYGMOMANOMETER W/ANEROID CASE LATEX FREE SZ ADULT XL | each | 50 |
| CUP MEDICINE PLAS 1 OZ 1.3X1.5FLAT TRANSPARENT NESTING TYPE5000 | each | 2000 |
| CUP MEDICINE PLASTIC 1 OZ | each | 2000 |
| CUP PAPER | each | 4000 |
| Cup, Denture w/ Lid | each | 5 |
| Cup, Hot / Cold, 12 oz. | each | 75 |
| Cup, Medicine | each | 250 |
| Cup, Toddler | each | 10 |
| CUP, URINE COLLECTION, STERILE | boxes | 20 |
| CUP,DISPOSABLE | each | 4000 |
| CURETTE, EAR, 4MM, DISPOSABLE | each | 100 |
| Cutlery Combo Pack | each | 1 |
| Cylinder, Oxygen (D) | each | 4 |
| Cylinder, Oxygen (E) | each | 5 |
| Cylinder, Oxygen (M6) | each | 3 |
| Cystoscopy Irrigation Set | each | 20 |
| DD 2064 DEATH, CERTIFI | certificates | 20 |
| DEFIBRILLATOR, PROPAQ-MD, FILTER LINE H SET, Adult/Ped | each | 50 |
| DEFIBRILLATOR, PROPAQ-MD, FILTER LINE, Adult/Ped | each | 50 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Adult (11) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Child (9) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Infant (7) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Lg Adult (12) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Sm Adult (10) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Cuff, Sm Child (8) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIBP Dual Lumen Tubing Assembly | each | 25 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, NIPB Cuff, Thigh (13) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, Sensor, SPO2, Cable Extension, Reusable | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, Sensor, SPO2, Reusable | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, Skin Temperature Probe, Adult, Reusable | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ MD, Stat-Padz, Adult Electrodes | each | 100 |
| Defibrillator, Zoll Propaq, Cable, 12 Lead ECG (6 Wire & 4 Wire Combo) | each | 5 |
| Defibrillator, Zoll Propaq, Cable, Multi-Function (red) | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ, ELECTRODES, EKG (4 per pack) | packs | 480 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Defibrillator, Zoll Propaq, Electrodes, Multi Function, Pedi | each | 5 |
| DEFIBRILLATOR, ZOLL PROPAQ, SMART CAPNO (ADULT) | packs | 50 |
| DEFIBRILLATOR, ZOLL PROPAQ, SMART CAPNO (PEDS) | packs | 50 |
| DEFIBRILLATOR/MONITOR-RECORDER SYSTEM | packs | 24 |
| DELUXE CORPSMAN KIT EAR-NOSE-THROAT | kits | 13 |
| DEPRESSOR TONGUE 6X0.75X0.0675 PARALLEL EDGES ROUNDED ENDS 100S | each (2 boxes) | 2000 |
| DERMABOND TOPICAL SKIN ADHESIVE HIGH VISCOSITY DOME TIP .5 ML | each | 200 |
| DERM-APPLY 100S | each | 2000 |
| DIAL-A-FLOW EXTENSIN SET (Latex Free) | each | 250 |
| DIAPER INFANTS PLASTIC POLYETHYLENE INFANT 20 TO 35 LBS 19 IN. LONG 13 IN. WIDE 160S | each | 1000 |
| DIAPER INFANTS PLASTIC POLYETHYLENE INFANT UP TO 6 LBS 11 IN. LONG 9 IN. WIDE WHITE DISPOSABLE 180S. | each | 1000 |
| DIAPER, SIZE 2, 12-18 LBS 136S | each | 1000 |
| Diapers, Baby, (Large - Size 4) | packs | 25 |
| Diapers, Baby, (Medium - Size 3) | packs | 40 |
| Diapers, Baby, (Small - Size 2) | packs | 75 |
| Diapers, Baby, (XXLarge - Size 6) | packs | 15 |
| Disinfectant, Cleaning (Microcide) (gallon) | each | 3 |
| DISINFECTANT-DETERG GP O-PHENYLPHENOLP-TERTIARY AMYPHENOLAR1GL4 | gallons | 40 |
| Divider, Binder, Alphabet | each | 5 |
| Divider, Binder, Alphabet | each | 5 |
| Dolly, Handtruck | each | 1 |
| Dolly, Trash Can | each | 1 |
| Door Stop, Rubber | each | 3 |
| DOPPLER PROBE VERSATONE | each | 30 |
| DRAINAGE KIT LUMBAR C/046CM SILICON LUMBAR CATHETER LI.D. 76MM | each | 20 |
| DRAPE SURGICAL NONWOVEN DISPOSABLE AND STERILE 18 X 26 IN 300S | each | 1000 |
| Drape, Disposable (Sterile) | each | 30 |
| DRESSING BURN 24 X 36 STERILE ABSORBENT COTTON GAUZE 15S | each | 200 |
| Dressing Change Tray (Kit Wound Dressing Sub) | each | 30 |
| DRESSING KIT HAND GRANUFOAM VACUUM ASSISTED CLOSURE 5S | each | 60 |
| DRESSING OPSITE POSTOPERATIVE TRANSPARENT WATERPROOF 17 3/4 X 21 5/8 40S | each | 200 |
| DRESSING SIGNAL DUODERM 5.5IN. X 5.5IN. 5S | each | 200 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| DRESSING WOUND CONTACT 10 BY 12 INCH ANTIMICROBIAL 5S | each | 200 |
| Dressing, DuoDERM | each | 25 |
| DRESSING, STERILE, 2 X 2, 100S | each | 2000 |
| DRUG OF ABUSE PANEL | boxes | 2 |
| DRUG OF ABUSE PANEL, DOA CONTROL LEVEL 1 | boxes | 2 |
| DRUG OF ABUSE PANEL, DOA CONTROL LEVEL 2 | boxes | 2 |
| DUAL CANNULA DEVICE TWINPAK 1000/CASE | each | 200 |
| DURAPORE TAPE SILK WOVEN 3 IN X 10 YDS | each | 500 |
| Ear Plugs | each | 50 |
| Easel, Flip Board | each | 1 |
| Electrical Distribution System | each | 10 |
| ELECTRODE ELECTROCARDIOGRAPH ADULT PATIENT MONITORING 1000S | each | 480 |
| ELECTRODE ELECTROCARDIOGRAPH SILVER CHL DISP ADULT PREGELL 1000S | each | 480 |
| EMERGENCY BLANKET | each | 200 |
| EMOLLIENT LOTION | each | 400 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 2.5FR., prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 3.0FR, prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 3.5FR, prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 4.0FR, prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 4.5FR, prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 5.0FR, prefereable is cuffed | each | 20 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 5.5FR, prefereable is cuffed | each | 40 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 6.0FR, prefereable is cuffed | each | 40 |
| ENDOTRACHEAL TUBE (ORAL/NASAL) SIZE 8.0FR, prefereable is cuffed | each | 40 |
| Envelope, Manila, 9" x 12" | each | 10 |
| EPISTAXIS DEVICE, RAPID RHINO, 5.5cm | each | 50 |
| EPISTAXIS DEVICE, RAPID RHINO, 7.5cm | each | 50 |
| EUCERIN CREAM | each | 300 |
| EXERCISER, LUNG, INHALATION THERPY; INCENTIVE SPIROMETRY LUNG PLAS 3 CHAM 600CC-1200CC PER SEC 12S | each | 100 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|-----------------|----------|
| Description | Unit of Measure | Quantity |
| EXTINGUISHER,FIRE | each | 40 |
| EYE PADS | each | 200 |
| FACIAL TISSUE WHITE, 2-PLY, BOX DISPENSER, 100 SHEETS | boxes | 100 |
| Feminine Hygiene Kits (KT=16 EA x 5 =80)) | each | 10 |
| FILTER UNIT SYRINGE HYPODERMIC STER DISP PLASTIC 0.22 MICRON 50S | each | 200 |
| Fire Extinguishers | each | 3 |
| Fit Test Kit (N95 Mask) | each | 1 |
| Flashlight | each | 25 |
| FLUFFS KERLIX 5/ENV 10 ENV/TRAY 12 TRAYS/BOX 600S | each | 200 |
| FLUID SOLIDIFIER F/CANISTER 1500CC 64S | each | 200 |
| FOAM DONUT | each | 20 |
| Folder, Manila | each | 50 |
| FOR BAIR HUGGER, E/I 6530015677143 | each | 100 |
| FORCEPS HEMO 5.50/A LG CRILE DESIGN SLIGHTLY CURVED JAW STR HDL | each | 20 |
| FORCEPS HEMO HALSTED 5LG 0.875JAW STRAIGHT JAW CRS BOX LOCK | each | 20 |
| FORCEPS HEMO PEAN DESIGN SLIGHTLY CURVED JAW 90/A LG CRS | each | 20 |
| FORCEPS, MAGILL, ADULT | each | 25 |
| FORCEPS, MAGILL, PEDICATRIC | each | 25 |
| FORM PRINTED CLINICAL RECORD-BLOOD TRANSFUSION STD FRM 518 100S | each | 400 |
| FORM PRINTED CLINICAL RECORD-DOCTORS ORDERS STD FORM 508 | each | 400 |
| FORM PRINTED LABORATORY REPORT DISPLAY 8IN W X 10.5IN L 100S | each | 4000 |
| FRAME CLOTH BASKET CORROSION RESISTING STEEL TUBING 31IN DEEP | each | 10 |
| FREEDOM VAC (WOUND VAC) | units | 6 |
| Gate, Child 6-Panel | each | 1 |
| GAUZE IODOFORM IMPREGNATED .25 X 5 YD 12S | each | 100 |
| GAUZE IODOFORM IMPREGNATED 2 IN X 5 YDS | each | 100 |
| GAUZE, STERILE, 4" x 4", 12-PLY, 25'S | each | 1000 |
| Glasses, Safety (Large) | each | 10 |
| Glasses, Safety (Small) | each | 10 |
| GLOVE EXAM NON STERILE SYNTHETIC POWDER FREE BEADED CUFF VINYL XLG SMOOTH POLYMER COATED BX 100S | each | 1000 |
| GLOVE PATIENT EXAM 9.5 IN LONG N-DEX DSGN NITRILE RUBBER SZ SMALL 100S | each | 2000 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| GLOVE PATIENT EXAM 9.5IN LG N-DEX DSGN NITRILE RBBR SZ MED 100S | each | 4000 |
| GLOVE PATIENT EXAMINING TREATMENT SZ 10 LG PURPLE 4.3 MIL 100S | each | 4000 |
| Gloves, Exam, Nitrile, Powder Free, Large | each | 100 |
| Gloves, Exam, Nitrile, Powder Free, Large | each | 200 |
| Gloves, Exam, Nitrile, Powder Free, Large | each | 400 |
| Gloves, Exam, Nitrile, Powder Free, Medium | each | 100 |
| Gloves, Exam, Nitrile, Powder Free, Medium | each | 200 |
| Gloves, Exam, Nitrile, Powder Free, Medium | each | 400 |
| Gloves, Exam, Nitrile, Powder Free, Small | each | 100 |
| Gloves, Exam, Nitrile, Powder Free, Small | each | 200 |
| Gloves, Exam, Nitrile, Powder Free, Small | each | 400 |
| GLOVES, SURGEONS, INNER LAYER, LATEX POWDER FREE, SIZE 6.5, STERILE, 200 PAIR | each | 2000 |
| GLOVES, SURGEONS, INNER LAYER, LATEX POWDER FREE, SIZE 7, STERILE, 200 PAIR | each | 2000 |
| GLOVES, SURGEONS, INNER LAYER, LATEX POWDER FREE, SIZE 7.5, STERILE, 200 PAIR | each | 4000 |
| GLOVES, SURGEONS, INNER LAYER, LATEX POWDER FREE, SIZE 8, STERILE, 200 PAIR | each | 400 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 6.5 (PAIR) | each | 20 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.0 (PAIR) | each | 20 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.5 (PAIR) | each | 20 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 7.5 (PAIR) | each | 20 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 8.0 (PAIR) | each | 60 |
| Gloves, Surgeons, Sterile, Non-Latex, Size 8.5 (PAIR) | each | 10 |
| GLOVES,MEN'S | each | 20 |
| Glucometer, Lancets (safety) | each | 200 |
| Glucometer, One Touch Ultra II, Test Strips | each | 200 |
| Glucometer, One Touch, Ultra II | each | 3 |
| GOWN HOSPITAL PATIENT BLUE PATTERN W/WHITE BACKGROUND BACK TIE LARGE | each | 200 |
| GOWN ISOLATION DISPOSABLE YELLOW LARGE ELASTIC CUFF 100S | each | 60 |
| Gown, Patient, Child (Large) | each | 15 |
| Gown, Patient, Child (Medium) | each | 15 |
| Gown, Patient, Child (Small) | each | 15 |
| Gown, Patient, Obesity | each | 10 |
| Gown, Patient, Solid | each | 50 |
| Gown, Provider, Impervious | each | 150 |
| GRADUATE PITCHER | each | 60 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| GS900 PROCEDURE LIGHT WITH MOBILE STAND | each | 2 |
| HAMMER REFLEX TESTING TAYLOR LARGE 7-8 LG 0.75 THK TRIANGULAR | each | 15 |
| Hamper, Stand, Single | each | 20 |
| HAND SANITIZER (8 oz) | each | 600 |
| Hand Sanitizer, Foam | each | 50 |
| HANDLE LARYNGOSCOPE | each | 20 |
| HANGING MULTICOMPARTMENT BAG | each | 15 |
| hCG URINE TEST (PREGNANCY) | boxes | 2 |
| Head Set, Magnifying Glass and Light | each | 1 |
| HEAD WARMING HAT | each | 100 |
| HEADLAMP MEDICAL-SURGICAL BLACK | each | 20 |
| Headlamp, LED | each | 15 |
| HEIMLICH VALVE | each | 60 |
| HEMOCCULT TEST KIT | boxes | 2 |
| HEMOVAC DRAIN WITH TROCAR | each | 1 |
| HIBICLENS 8 oz | bottles | 200 |
| Hi-Lighter Pack (4 colors) | each | 5 |
| HIV RAPID TEST KIT (CHEMBIO) | box per month | 1 |
| HOLDER CATHETER LEGBAND W/TAPELESS CATH LOCKING DVC 10S | each | 100 |
| HOLDER,BLOOD COLLECTING TUBE | each | 500 |
| Hooks, Shower Curtain | each | 10 |
| Humidifier | each | 3 |
| HUMIDIFIER INHALATION THERAPY APPARATUS 300MM RESERVOIR CAP 50S | each | 40 |
| HUMIDIFIER INHALATION THERAPY APPARATUS PLAS DISP IP 50S | each | 100 |
| HYDROGEN PEROXIDE TOPICAL SOLUTION USP 1 PINT (473ML) | each | 48 |
| IMPACT ULTRA-LITE MODEL 326/326M ASPIRATOR | each | 20 |
| INFRARED THERMOMETER | each | 10 |
| INTERAOSSEOUS NEEDLE, ADULT | each | 40 |
| INTERAOSSEOUS NEEDLE, EXTRA LONG | each | 40 |
| INTERAOSSEOUS NEEDLE, PEDIATRIC | each | 40 |
| INTERAOSSEOUS POWER DRIVER | each | 10 |
| INTRAVENOUS INJECTION SET 5 COMPONENTS 48S | each | 750 |
| INTROCAN SAFETY IV CATHETER 20 GA 1.25 IN LG PLASTIC 200S | each | 400 |
| INTTUBATION INDICATOR KIT, CO2, DISPOSABLE, ADULT | each | 25 |
| INTTUBATION INDICATOR KIT, CO2, DISPOSABLE, PEDIATRIC | each | 25 |
| IODIFORM IMPREGNATED GAUZE .50 X 5 YD STERILE | each | 100 |
| Irrigating Kit, Type 1, w/Syringe | each | 25 |
| IRRIGATION KIT CATHETER-NASOGASTRIC TUBE 20S | each | 200 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| IRRIGATION SET UROLOGICAL INDUSTRIAL 12S | each | 100 |
| ISOLYSER POWDER | each | 200 |
| I-STAT AND CLINITEK PRINTER PAPER (THERMAL) | each | 2 |
| I-STAT BNP CARTRIDGE | each | 2 |
| I-STAT CHEM8+ CARTRIDGE | boxes | 60 |
| I-STAT CONTROL, BNP LEVEL 1 | sets | 2 |
| I-STAT CONTROL, BNP LEVEL 3 | sets | 2 |
| I-STAT CONTROL, PT LEVEL 1 | sets | 2 |
| I-STAT CONTROL, PT LEVEL 2 | sets | 2 |
| I-STAT CONTROL, TRICONTROL LEVEL 1 | sets | 2 |
| I-STAT CONTROL, TRICONTROL LEVEL 3 | sets | 2 |
| I-STAT G3+ CARTRIDGE | boxes | 2 |
| I-STAT PT/INR CARTRIDGE | boxes | 460 |
| IV ADMIN SET, 15 DROP (PREFEREABLE NEEDLESS) | boxes | 600 |
| IV ADMIN SET, 60 DROP (PREFEREABLE NEEDLESS) | boxes | 600 |
| IV Administration Kit | each | 200 |
| IV J LOOP ALARIS EXTENSION SET W/SMARTSITE NEEDLE FREE VALVE 6IN. 100S | boxes | 1200 |
| IV OCCLUSIVE DRESSING STERILE DISP | each | 600 |
| IV POLE FOR STRETCHER | each | 30 |
| IV POLE W/WHEELS | each | 13 |
| IV Set (Child) | each | 50 |
| IV Starter Kit (Adult) | each | 100 |
| IV STARTER SET | boxes | 50 |
| IV, ADMIN SET, BURETTE, CHAMBER, 20" | each | 50 |
| Jug, Collapsible, 5 Gal. | each | 1 |
| KERLIX 4.5 | boxes | 300 |
| Kit, Wound Dressing (Change Dressing Tray) | each | 25 |
| KNIFE GENERAL SURGICAL ACME DSGN PT W/NO.10 BLADE STER DISP 20S | each | 150 |
| LAB COAT, LARGE | each | 13 |
| LAB COAT, MEDIUM | each | 13 |
| LAB COAT, XL | each | 13 |
| Labels, 1" x 3" | each | 100 |
| Labels, 1" x 3" | each | 100 |
| LAMP, INCANDESCENT | each | 50 |
| LARYNGOSCOPE GREEN SYS ENT POCKET LIGHT ORIGINAL BLACK WATERPROOF | each | 13 |
| LARYNGOSCOPE SET FIBER OPTIC BATTERY OPERATED WITH CASE (1) PER CASE | each | 13 |
| Laryngoscope, MAC BLADE, #3 (GR Spec FO) | each | 200 |
| Laryngoscope, MILLER BLADE, #4 (GR Spec FO) | each | 20 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|--|----------|
| Description | Unit of Measure | Quantity |
| Laundry Detergent | each | 3 |
| Lid, Cup, Hot / Cold, 12 oz. | each | 250 |
| Lift, Patient w/ Sling (450 lbs) | each | 1 |
| LIFT-DRAW SHEET WHITE DISPOSABLE 80 IN. X 40 IN. WHITE 50S | per week each | 750 |
| LIGHT BULB FOR PETZL HEADLIGHT | each | 75 |
| LIGHT BULB LARYNGOSCOPE 2.5V GAS FILLED HIGH INTENSITY | each | 75 |
| LIGHT BULB LARYNGOSCOPE F/USE W/6515-01-450-9790 | each | 75 |
| LIGHT GENERAL EXAM GREEN SERIES 300 | each | 10 |
| LIGHT SOURCE MULTI-PURPOSE MEDICAL EXAM PTBL | each | 10 |
| Light, Goose Neck | each | 25 |
| Lighting, Perimeter Flood | each | 5 |
| Litter Stands, Support, Pair | each | 5 |
| Litter, De-Con Mesh Type | each | 5 |
| LUBRICANT SURGICAL 5 GRAM-PACK (STERILE) 144S | pack (sterile) 144s | 25 |
| Lubricant, Surgical | each | 5 |
| MAGILL FORCEPS | each | 20 |
| MANIOMETERS FOR MEASURING CSF AND CVP PRESSURES | EACH needle REMOVER, remover quart | 5 |
| MARKER LABORATORY F/WET OR DRY SURFACE PERMANENT MARKINGS 10S | each | 10 |
| MARKER TUBE TYPE FELT TIP | each | 75 |
| Marker, Expo, 6/set w/ eraser | each | 1 |
| Marker, Fine Point (sharpie) | each | 3 |
| MASK REBREATHING BAG ORONASAL W/ADAPTER CHIN STYLE FLEX DISP50 | each | 100 |
| MASK 02; NON-REBREATHING W/O SAFETY VENT; 7 FT OXYGEN SUPPLY TUBING; 50S | each | 200 |
| MASK FACE CARDIOPULMONARY RESUSCITATION LARGE DISP FILTERED 10S | each | 100 |
| MASK ORONASAL ADULT SIZE 5 CONTOUR FITTING 0.875 ADAPTER | each | 100 |
| MASK ORONASAL CHILD SIZE 2.875 ADAPTER FOR RESUSCITATOR | each | 100 |
| MASK ORONASAL HUDSON CHILD ELONGATED MED CONCENTRATION DISP 50S | each | 100 |
| MASK ORONASAL PLAS CLEAR GREENISH TINT UNIVERSAL SZ POCKET MASK | each | 100 |
| MASK OXYGEN PLASTIC DISPOSABLE 50S | each | 200 |
| MASK SURG ANTI-FOG NON-GLASS PLEATED LINT-FREE GREEN DISP 300S | each | 400 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| MASK TRACHEOSTOMY AIRLIFE ADULT COLLAR SHAPED PLAS CLR FLEX 50S | each | 60 |
| Mask, Cone (3M) | each | 25 |
| Mask, CPAP (Large) | each | 25 |
| Mask, CPAP (Medium) | each | 25 |
| Mask, CPAP (Small) | each | 25 |
| Mask, Duck (Regular) | each | 25 |
| Mask, Duck (Small) | each | 25 |
| Mask, Non-Rebreather (Adult) | each | 25 |
| Mask, Non-Rebreather (Child) | each | 25 |
| Mask, Surgical | each | 50 |
| MAT SLEEPING SELF-INFLATING 3-INCH THICK W/PATCH KT | each | 150 |
| Mat, Child | each | 25 |
| MATTRESS PAD EXPANSION CONTROL W/PUMP 6S | each | 100 |
| MAXI-PAD | each | 50 |
| MAYO STAND WITH TRAY | each | 25 |
| MEDICAL INSTRUMENT AND SUPPLY SET 30X18X20 IN. W/DIVIDER OLIVE DRAB | sets | 15 |
| METER PEAK FLOW RATE INDICATING EXPIRATORY FULL RANGE I.W. 12S | each | 50 |
| Meter, Peak Flow, Mouthpiece (Adult) | each | 3 |
| Meter, Peak Flow, Mouthpiece (Peds) | each | 3 |
| MICROSCOPE, COVER GLASS | boxes | 2 |
| MICROSCOPE, GLASS SLIDE, 25 MM X 75 MM X 1 MM, FROSTED END | boxes | 2 |
| MICROSCOPE, LENS PAPER, 4" X 6", 50 SHEETS/PK | boxes | 2 |
| MIRROR LARYNGEAL CRS PLAIN GLASS .437DIAMETER TYPE II SIZE 00 | each | 100 |
| MONITOR PATIENT VITAL SIGNS ZOLL PROPAQ M | monitors | 25 |
| MONITORING SET INTRA-COMPARTMENTAL PRESS BTRY OPER 5X3X2 LTWT | each | 3 |
| MONTGOMERY STRAPS (PAIR) | pairs | 100 |
| MONTGOMERY STRAPS; 4 ADHESIVE STRAPS/4 CLOTH TAPE STRIPS PER BAG; 25 BAGS PER PACKAGE | pairs | 200 |
| Mop, Wet, Handle | each | 5 |
| Mop, Wet, Head | each | 5 |
| MORGAN LENS | each | 50 |
| NEBULIZER EMPTY 350ML WITH FI02 SETTINGS 28 TO 98% 50S | each | 100 |
| NEBULIZER MEDICINAL C/O MOUTHPIECE TEE 7FT TUBING 6IN FLEX TU 50S | each | 100 |
| NEEDLE BLOOD COLLECTING 21 GA 1.25 IN LUER LOCK GREEN 480S | each | 400 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|-----------------|----------|
| Description | Unit of Measure | Quantity |
| NEEDLE C12 GP 22 GA 1.5 LG LUER 100S | each | 400 |
| NEEDLE FILTRATION 19 GA 5-MICRON 1.5 100S | each | 400 |
| NEEDLE HYPO BLD COLL 20 GA X 1.5 IN MULTIPLE SMPL VACUTAINER 1000S | each | 400 |
| NEEDLE HYPO C13A GP 18 GA 1.438-1.562 LUER STER 100S | each | 400 |
| NEEDLE HYPO C13A GP 20 GA 1.438-1.562, LUER STER 100S | each | 400 |
| NEEDLE HYPODERMIC SAFETY GLIDE 18 GAGE X 1.5 IN. NEEDLE 50S | each | 400 |
| NEEDLE HYPODERMIC SAFETY GLIDE 22 GAGE BY 1 1/2IN. STERILE 50S | each | 400 |
| NEEDLE HYPODERMIC SAFETY W/SHIELDING MECH 21 GA X 1-1/2 IN 50S | each | 400 |
| NEEDLE, BLOOD COLLECTION, 21G X 1-1/4" | boxes | 30 |
| NEEDLE, BUTTERFLY, BLOOD COLLECTION, 23G X 3/4" X 12" | boxes | 30 |
| Needle, Hypodermic, 20G x 1 1/2" | boxes | 30 |
| NET OPEN 10 YD X 1.75 IN WHITE | each | 100 |
| N-G TUBE 50S | each | 50 |
| Notepads, White | each | 25 |
| Notepads, White | each | 25 |
| OB Kit | each | 3 |
| ONE TOUCH ULTRA CONTROL SOLUTION | boxes | 15 |
| ONE TOUCH ULTRA GLUCOSE METER ONLY | units | 25 |
| ONE TOUCH ULTRA GLUCOSE TEST STRIPS, 50S | bottles | 100 |
| OPHTHALMIC IRRIGATING SOLUTION, 120ML | each | 150 |
| Ostomy, Closed - End Pouch | each | 25 |
| Ostomy, Drainable Pouch | each | 25 |
| Ostomy, Wafer | each | 50 |
| OTOSCOPE OPHTHALMOSCOPE SET ELEC WELCH-ALLYN BTRY OPER POCKET | units | 15 |
| OXIMETER PULSE PORT FINGERTIP | each | 30 |
| OxImeter, Pulse | each | 5 |
| OxImeter, Pulse, Carrying Case | each | 5 |
| Oxygen Concentrator | each | 5 |
| Oxygen Cylinder Cart (1 cart per 25 patients) | each | 2 |
| OXYGEN MASK; PEDS; AGES 2 TO 7; CLEAR; 50S | each | 100 |
| Oxygen Nebulizer, Handheld | | 50 |
| OXYGEN REGULATOR FOR D CYLINDER | each | 60 |
| OXYGEN TRANSPORT D CYLINDER | each | 50 |
| OXYGEN USP 99% CYLINDER TYPE H 1650 GALLON | type H gallon | 45 |
| Oxygen, Cylinder, Wrench | each | 3 |
| Oxygen, Hose | each | 5 |
| Oxygen, MiniLator | each | 2 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| OXYGEN, NEBULIZER, CONDENSER AND DELIVERY UNIT | each | 50 |
| Oxygen, Regulator, D | each | 25 |
| Oxygen, Tubing, 100' | each | 50 |
| Pacifiers, Orthodontic, Silicone (Large) | each | 5 |
| Pack, Cold (Instant) | each | 50 |
| Pack, Warm Solar-First Aid Size | each | 50 |
| PAD ABDOMINAL STERILE 16 IN X 12 IN 144S | each | 1000 |
| PAD COOLING CHEMICAL PLASTIC WHITE DISPOSABLE 9X6 16S | each | 400 |
| PAD HEAT TREATMENT INSTANT HEAT PACK KWIK HEAT BECOMES 110 DEG 4 | each | 400 |
| PAD WRITING PAPER 8.5W 11LG WHITE A/A PULP TYPE | each | 100 |
| Pad, ABD | each | 75 |
| PAD, CHUX, 23" x 36", LIGHTWEIGHT, DISPOSABLE | each | 500 |
| Pad, Chux, Absorbent | each | 100 |
| Pad, Convoluted (Egg crate) | each | 50 |
| Pad, Easel | each | 1 |
| PAD, NONADHERENT, VERSI-FOAM; T.R.A.C. WHITEFOAM LARGE DRESSING; 5S | each | 750 |
| PADS MATERNITY CURITY 168S | each | 400 |
| Pads, Gauze (Sterile) | each | 50 |
| Pads, Mattress, Crib | each | 5 |
| Pallet, Hand Jack | each | 1 |
| Paper, Copy 8.5 x 11 (1 ream) | each | 5 |
| PAPER,TOILET | each | 500 |
| Paste, Stomahesive 2oz | each | 1 |
| PATIENT ID BAND | each | 250 |
| Patient lift, 1000 lb. Hydraulic w /washable sling | | 1 |
| PELVIC BINDERS | each | 20 |
| PEN BALL-POINT BLACK FINE POINT POCKET RETRACTABLE | each | 500 |
| PENCIL NONINDELIBLE GRAPHITE LEAD NO.2 THIN IV TYPE 2 NUMBER | per each | 500 |
| PENROSE DRAIN 1" | each | 60 |
| PENROSE DRAIN- 1/4" | each | 20 |
| PENROSE DRAIN-1/2" | each | 20 |
| Pens, Standard, Black / Blue | each | 25 |
| Pens, Standard, Black / Blue | each | 25 |
| PERSONAL HYGIENE KIT 30S | each | 250 |
| PETROLATUM GAUZE ACCORDION FOLD STER WHITE 18 IN X 3 IN | per each | 500 |
| PICCOLO GENERAL CHEMISTRY 13 PANEL | boxes | 50 |
| PICCOLO PRINTER PAPER | boxes | 50 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| PICCOLO, BRT, GENERAL CHEMISTRY CONTROL WITH LEVEL 1 AND 2 | sets | 2 |
| Pillow (126 EA) | each | 50 |
| Pillow (BEDPACK 2 EA per bag x 25) | each | 13 |
| Pillow Case, Disposable (2 EA per 25 x 5)) | each | 50 |
| Pillow Case, Disposable (200 EA per x 5) | each | 5 |
| Pillow Case, Disposable (5 CS x 100) | each | 50 |
| PILLOW PNEUMATIC COTTON RUBBER KHAKI OR OLIVE DRAB 16.5X13INCHES | each | 300 |
| PILLOWCASE COTTON-POLYESTER 36.0X20.5IN GREEN GRAY NONDISPOSABLE | each | 150 |
| PILLOWCASE NONWOV FAB DISP AQUA 20X29 IN 200S | each | 500 |
| PIN,SAFETY | each | 500 |
| PIPETTE TIP, 0.1 ML, DISPOSABLE | boxes | 40 |
| PIPETTE, MICRO, 0.1 ML | each | 75 |
| Plate, Dinner, Heavyweight (4 PKG per CS x 4) | cases | 13 |
| Plugs, Child Protective | each | 15 |
| Power Cord, Electric, 100' | | 5 |
| Power Cord, Electric, 50' | | 5 |
| Power, Outlet Box, 6-Outlet Surge Type w/Cord | each | 1000 |
| Prep Pad, Alcohol | each | 250 |
| PREP RAZOR | each | 40 |
| PREP TRAY SURGICAL SKIN WITH BETADINE 20S | each | 1000 |
| PRESSURE BAGS FOR IV FLUIDS | units | 20 |
| PRESSURE MONITOR KIT WITH 18 GAGEX2.50 NEEDLE 3ML SYR STER 6S | units | 10 |
| Privacy Screen, 3 Fold Panel (15 EA per) | each | 8 |
| PROCEDURE MASK WITH FACE SHIELD AND EARLOOPS | masks | 1000 |
| PROPAQ EKG PAPER | roles | 40 |
| Protective Underwear Pullups, Extra Large | packs | 3 |
| Protective Underwear Pullups, Large | packs | 3 |
| Protective Underwear Pullups, Medium | packs | 3 |
| Protective Underwear Pullups, Small | packs | 3 |
| Protectors, Paper Sheet, Non-Glare | each | 50 |
| Protectors, Paper Sheet, Non-Glare | each | 50 |
| PULSE OXIMETER KIT, NONIN 9840, AIRWAY ADAPTER, DISPOSABLE | each | 50 |
| PULSE OXIMETER KIT, NONIN 9840, CO2 END TIDAL, NON-DISPOSABLE | each | 13 |
| PULSE OXIMETER KIT, NONIN 9840, SENSOR (Adult, Ped, Neo), NON-DISPOSABLE | each | 13 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|--|----------|
| Description | Unit of Measure | Quantity |
| PULSE OXIMETER KIT, NONIN 9840, SENSOR, ADULT, DISPOABLE | each | 50 |
| PULSE OXIMETER KIT, NONIN 9840, SENSOR, NEONATAL, DISPOSABLE | each | 10 |
| PULSE OXIMETER KIT, NONIN 9840, SENSOR, PEDIATRIC, DISPOSABLE | each | 50 |
| PULSE OXIMETER KIT, NONIN, HANDHELD | unit | 13 |
| PUMP INTRAVENOUS INFUSION 3-CHANNEL VOLUMETRIC PORTABLE | If multichannel not available then CME America, BodyGuard 121 and increased quantity. channel portable | 25 |
| RADIOPAQUE SAFETY IV CATHETER 14 GA 1.25 IN LG PLASTIC STERILE 200S | each | 75 |
| Razor, Disposable | each | 25 |
| REFRIGERATOR FREEZER | each | 20 |
| REGULAR PRESSURE MED GAS/OXYGEN/CGA 540/TUBE TYPE FLOW/15LPM/TANK GAUGE 4000 LB PSI | each | 25 |
| REGULATOR FLOW RATE EXTENSION SET LUER LOCK PORT LATEX FREE 18 IN. 48S | each | 20 |
| Repellent, Insect | each | 25 |
| RESTRAINT LOCKING LEATHER SET WRIST ANKLE W/FOAM PADDING | each | 20 |
| RESUSCITATOR HAND-POWERED ADULT SIZE 4 AND 5 CHILD SIZE 3 | per week (Ambu Bag) | 20 |
| RESUSCITATOR MOUTH-TO-MASK FILTERED MASK ORONASAL ADULT SZ DISP 20S | each | 50 |
| RING CUTTER | each | 2 |
| RING CUTTER, BLADES | each | 5 |
| ROBE SEERSUCKER LG 12S | each | 50 |
| Rope Nylon | | 1 |
| SAFETY NEEDLE 25 GAUGE STERILE | each | 500 |
| Safety Pin, Large | each | 50 |
| Safety Pin, Medium | each | 50 |
| SAHARA CHEST TUBE DRAINAGE SYSTEM | each | 25 |
| SALEM SUMP W/FUNNEL 16FR 48L DBL LUMEN | each | 25 |
| SAM SPLINT MALLEABLE 36 X 4.5, GRAY, 12S | each | 50 |
| SCALPEL BLADE KNIFE NO. 10 CUTTING | each | 50 |
| SCALPEL SURGICAL SAFETY SHIELDED SIZE NO. 10 DISPOSABLE STERILE 100 | each | 50 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|--|-----------------|
| Description | Unit of Measure | Quantity |
| Scalpel, #10, (HANDLE AND BLADE) Disposable | each | 50 |
| Scalpel, #11, (HANDLE AND BLADE) Disposable | each | 50 |
| Scissor, Lister | each | 1 |
| Scissors | each | 13 |
| SCREEN BEDSIDE ALUMINUM 68X76 WASHABLE VINYL CURTAIN 52X20 | each | 50 |
| SCRUB TOP SZ LG | each | 50 |
| Set, Gravity Feeding | each | 25 |
| Shampoo, Personal | each | 50 |
| SHARPIE FINE POINT | each | 250 |
| SHARPS CONTAINER 2 GALLON | each | 150 |
| SHARPS CONTAINER WITH NEEDLE REMOVER, 1 QUART | EACH needle REMOVER, remover quart | 75 |
| Sharps Container, Large | each | 1 |
| Sharps Container, Large | each | 3 |
| Sharps Container, Small | each | 1 |
| Sharps Container, Small | each | 15 |
| Shaving Cream, Non-Aerosol | each | 10 |
| SHEET BED PLAS ALUM COATED 72X20IN BLUE FITTED DISP 50S | each | 1000 |
| Sheet, Bed, White, Disposable | each | 100 |
| Sheet, Bed, White, Disposable | each | 200 |
| Sheet, Bed, White, Disposable(2 ea X 25 X 10) | each | 100 |
| SHIELD EYE SURG GOFFMAN SGL CONSTRUCTION CATARACT OPERATION 50S | each | 25 |
| Shield, Face (2 X 96) | each | 39 |
| SHOES SHOWER BLACK RBBR W/CROSS STRAP NON-SLIP ADULT X-LARGE 36S | each | 50 |
| SHOES SHOWER RBBR BLACK ADULT SZ SHOE W/CROSS STRAP SZ MEDIUM72S | each | 50 |
| SHOES SHOWER RBBR BLACK W/CROSS STRAP NON-SLIP ADULT SZ SMALL72S | each | 50 |
| SHOES SHOWER RUBBER BLACK W/CROSS STRAP ADULT SZ LARGE 72S | each | 50 |
| Shower Curtain | each | 5 |
| Shower Seat w/Back (700 lbs) | each | 5 |
| Sign Language Board | each | 1 |
| SILVERLON ELASTIC BURN WRAPS 4 X 66 | each | 150 |
| SILVERLON WOUND CONTACT DRESSING 4 IN X 4 IN | each | 150 |
| SKIN CLEANSER AND SHAMPOO AND BODY WASH MEDICATED 4FLOZ BTL 72S | each | 600 |
| SKIN STAPLER | each | 38 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|--|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| Slide Board, PT Transfer | each | 3 |
| Sling, Patient Lift, 450 lbs. | each | 1 |
| Sling, Patient Lift, Washable, 1000 lbs. | each | 1 |
| SOAP TOILET NONMEDICATED CAKE I.W. 0.75OZ 1000S | each | 150 |
| Soap, Bar (50 bags x 5) | each | 50 |
| Soap, Lotion | each | 100 |
| SODIUM CHLORIDE INHALATION SOLUTION USP 3ML VIAL 100S PG | each | 1000 |
| SPECULUM OTOSCOPE 2.75 MM (850) PER PACKAGE | packages | 3 |
| SPECULUM OTOSCOPE 4.25 MM (850) PER PACKAGE | packages | 3 |
| SPHYGMOMANOMETER ANEROID CHILD WITH CASE | each | 10 |
| SPHYGMOMANOMETER ANEROID SZ ADULT LATEX FREE W/CARRYING CASE | each | 20 |
| SPONGE SURGICAL GAUZE COMPRESSED 8 X 4 WHITE NONSTERILE 200S | packages | 25 |
| SPONGE, LAP, Sterile, 5-pack | each | 25 |
| SPONGES 8 X 4 12 PLY STERILE, 10 SPONGES PER PEEL TRAY | each | 25 |
| Stand, IV | each | 35 |
| Staple Remover | each | 1 |
| Staple Remover | each | 3 |
| STAPLE REMOVER STERILE DISP | each | 50 |
| Stapler | each | 3 |
| Station, Hand Wash (2 EA Per) | each | 25 |
| Station, Hand Wash, Portable, Wheelchair Acc.Accessible | each | 3 |
| Step Stool | each | 10 |
| Stethoscope | each | 1 |
| Stethoscope | each | 2 |
| Stethoscope | each | 1 |
| STETHOSCOPE LITTMAN CLASSIC II | each | 25 |
| Stickers, Kids (Rolls) | each | 3 |
| Stockinette 4" Roll | each | 50 |
| STOPCOCK 3-WAY | each | 150 |
| STOPCOCK 4 WAY 50S | each | 150 |
| STRAINER UROLOGICAL WHITE W/BUILT IN RIDGE FOR GRIPPING | each | 50 |
| Straw, Drinking | each | 500 |
| Stretcher (guerney) | each | 5 |
| Stretcher, Bariatric (guerney) | each | 1 |
| Stretcher, IV Rod | each | 6 |
| STYLET CATHETER-TUBE ALUMINUM 14FR ADULT SIZE 15 INCH LENGTH STERILE 20S | each | 38 |
| Suction Catheter 14 FR | each | 20 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| SUCTION CATHETER KIT TRACH 14 FR STERILE | trach | 100 |
| SUCTION SET TRACHEAL TRI-FLOW CATH 14FR 22IN LONG IND PKG 100S | each | 100 |
| SUCTION TUBING, NON-STERILE, 100 | each | 250 |
| SUCTION YANKAUER W/O CONTROL VENT W/72 IN SUCT TUBNG | each | 150 |
| Sunblock | each | 25 |
| SURGICAL DRAPE, U Split with Tube Holders (76" x 120") | each | 50 |
| SURGICAL SPONGE 4X4 12 PLY GAUZE WHITE STERILE PEEL TUB 1280S | each | 250 |
| SUTURE KIT SURGICAL 10 COMPONENTS FORCEPS SCISSORS SWABS STERILE DISPOSABLE 20S | each | 100 |
| Suture Kit, Laceration Tray (2 X 16) | each | 7 |
| SUTURE REMOVAL KIT, STERILE | each | 50 |
| Suture, Monosof 4-0 18" black PC-3/PC-11 needle | each | 3 |
| Suture, Monosof 5-0 18" black p-3/p-13 needle | each | 3 |
| SYRINGE NEEDLE INSULIN 1 ML CAP 28 GA SGL SCALE 100S | each | 600 |
| SYRINGE AND NEEDLE HYPODERMIC SAFETY 3ML 20GAGE 100S | each | 350 |
| SYRINGE AND NEEDLE INSULIN SAFETY-LOK 29 G X 1/2 50 UNIT 0.5ML 400S STERILE | each | 600 |
| SYRINGE GP 3ML CAP LUER TIP 200S | each | 500 |
| SYRINGE HYPO GP 10ML CAP LUER LOCK W/O NEEDLE PLAS STER 400S | each | 400 |
| SYRINGE HYPODERMIC 60CC STERILE LUER LOCK 100S | each | 400 |
| SYRINGE HYPODERMIC LUER LOCK PLAS STER DISP 20CC STERILE 192S | each | 400 |
| Syringe, Luer-Lock, 5cc | each | 120 |
| Syringe, Luer-Lock, Disposable 10cc | each | 60 |
| Syringe, Piston 60cc | each | 20 |
| T.R.A.C. WHITEFOAM SMALL DRESSING KIT; PVA; SMALL; FREEDOM VAC; 5S | each | 50 |
| Table, Folding (9 EA x 6) | each | 5 |
| Tag, Triage | | 60 |
| TAPE ADHESIVE SURGICAL 1 X 360 12S | rolls | 250 |
| Tape Dispenser w/ 6 rolls of tape | rolls | 15 |
| TAPE MEASURING LINEN OR COTTON WOVEN OR FIBER SYNTHETIC 72" CAP | each | 75 |
| TAPE PRESSURE SENSITIVE ADHESIVE 3/4 INCHES BY 8-1/3 YARDS | rolls | 250 |
| Tape, Coban, 1" | rolls | 50 |
| Tape, Coban, 4" | rolls | 50 |
| Tape, Duct | rolls | 5 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|-----------------|----------|
| Description | Unit of Measure | Quantity |
| Tape, Electrical | rolls | 5 |
| Tape, Masking | rolls | 5 |
| Tape, Surgical, Durapore 1" | rolls | 15 |
| Tape, Surgical, Medipore 2" | rolls | 15 |
| Tarp | each | 5 |
| TELFA PAD LARGE 3IN X 8IN STERILE 50S | each | 1000 |
| TEST KIT OCCULT BLOOD DETERMINATION 100 TESTS | test | 500 |
| TEST STRIPS AND COLOR CHART 100 STRIPS PER BOTTLE | each | 1 |
| TEST STRIPS AND COLOR CHART GLUCOSE AND PROTEIN IN URINE 100S (MULTISTIX SG-2) | bottles | 25 |
| THERMOMETER DIGITAL HUMAN ORAL/RECTAL | each | 55 |
| THERMOMETER DISPOSABLE 2000S | each | 50 |
| THERMOMETER KIT W/PROBES DIGITAL SURETEMP PLUS | each | 20 |
| THERMOMETER PROBE COVER FOR DIGITAL THERMOMETER | each | 1000 |
| Thermometer, Bat Powered w/Probe (Welch Allyn) | each | 3 |
| Thermometer, Probe Cover (Welch Allyn) | each | 250 |
| THORACENTESIS SET STERILE DISP 16GA X 6IN POLYTETRAFLUOROETHYLENE CATHETER ASSY 10S | each | 25 |
| Tissue, Facial | each | 50 |
| Toilet Brush & Cup Combo | each | 50 |
| Toilet Paper | each | 150 |
| Tongue Depressor | each | 50 |
| Tool Kit | each | 1 |
| TOOMEY SYRINGE 70CC CAP STER 50S | each | 350 |
| Toothbrush, Adult | each | 50 |
| Toothbrush, Child | each | 10 |
| Toothpaste | each | 50 |
| TOURNIQUET; VACUTAINER BRAND; 1 IN BY 18 IN; 25S | each | 500 |
| Tourniquets | each | 60 |
| Towel, Bath, Cotton | each | 60 |
| Towel, Bath, Cotton (60 x 5) | each | 61 |
| Towel, Bath, Cotton (2 EA x 25 x 10) | each | 61 |
| Towel, Paper Roll | each | 50 |
| TOWEL,BATH | each | 6000 |
| TOWELETTE DISINFECTING CAVIWIPES 160S | each | 100 |
| TOWELETTE SKIN CLEANSING BABY WIPES SCENTED ALOE 1200S | each | 500 |
| TOWELETTE,BENZALKONIUM CHLORIDE IMPREGNATED | each | 1000 |
| Towelettes, Antimicrobial | each | 3000 |
| TPIII CABLE, FOR USE WITH PROPAK | DEFIBS/MONITORS | 6 |
| TRAC TUBING CAP KCI WOUND THERAPY UNIT 10S | each | 45 |
| TRACH TAPES | each | 40 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| TRACHEOSTOMY CARE SET DISP 24S STER ITEMS PACKED IN ORDER OF USE | units | 3 |
| Transcutaneous pacer | each | 15 |
| Transfer Bench w/ Back, 700lb | each | 3 |
| Trauma Pack, Back Pack, Empty | | 2 |
| Trauma Pack, Back Pack, Full | each | 13 |
| Trauma Pack, Bag, Empty | | 2 |
| Trauma Pack, Bag, Full | each | 13 |
| TRAY INSTRUMENT CORROSION RESISTING STEEL 10.5LG 10W 3.5DEEP | each | 15 |
| TRAY INSTRUMENT CRS 16.75X9.25X2.50 INCHES RECTANGULAR | each | 15 |
| Tray, Tracheostomy Care Kit | each | 1 |
| TROUSERS MENS PAJAMA MEDIUM ANKLE LG COTTON/POLYESTER BLUE | each | 150 |
| TROUSERS MENS PAJAMA SMALL ANKLE LG COTTON/POLYESTER BLUE | each | 150 |
| TROUSERS MENS PAJAMA SZ 29.50 LGE ANKLE LG COTTON/POLYESTER BLUE | each | 150 |
| TROUSERS MENS PAJAMA XLGE ANKLE LG COTTON/POLYESTER BLUE | each | 150 |
| TROUSERS SCRUB MED ELAS WAIST RIGHT HIP POCKET 30S | each | 150 |
| T-SHAPED PLASTIC 5 IN 1 CONNECTOR | each | 100 |
| TUBE ENDOTRACH 7.0 MM 10S | each | 40 |
| TUBE FEEDING BAG | each | 40 |
| TUBE FEEDING NASAL W/LUER TAPER END INFANT 8 FR 15 50S | each | 25 |
| TUBE FEEDING SURG E17 NASAL W/LUER TAPER DISP OPAQUE 12FR 10S | each | 25 |
| TUBE GAUZE 50 YD X .875 IN WHITE NONSTERILE | each | 200 |
| TUBE INHALER PLAS 84 LG FORCE-FIT FLARED TIPS NONSTER DISP 50S | each | 20 |
| TUBE NASAL FEEDING PREMATURE INFANT 5FR DIA CLOSED TIP 15IN LG 200S | each | 15 |
| TUBE TRACH NASAL/RAE E12 W/CUFF 7.5MM DIA LP CUFF MURPHY EYE 10S | each | 40 |
| TUBE TRACHEAL MURPHY E12 W/CUFF 7.0MM ID 30CM LG W/15MM CONN 10S | each | 40 |
| TUBE TRACHEOSTOMY SHILEY DSGN 80MM LG 36FR TUBULAR STYLE PLASTIC | each | 40 |
| TUBE, BLOOD COLLECTION, EDTA, 4 ML, PURPLE TOP | tubes | 250 |
| TUBE, BLOOD COLLECTION, HEPARIN, 4 ML, GREEN TOP | packages | 15 |
| TUBE, BLOOD COLLECTION, PLAIN, 7 ML, RED TOP | packages | 20 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| TUBE, BLOOD COLLECTION, VAC-U TAINER BARREL | packages | 6 |
| TUBE, CAPILLARY, 100uL, LITHIUM HEPARIN | packages | 15 |
| TUBE, DRAINAGE, SURGICAL, THORACIC 12 Fr, Straight (Latex Free) | each | 25 |
| TUBE, DRAINAGE, SURGICAL, THORACIC 16 Fr, Straight (Latex Free) | each | 25 |
| TUBE, DRAINAGE, SURGICAL, THORACIC 36 FR, Straight (Latex Free) | each | 25 |
| Tube, Nasal Gastric (14FR) | each | 10 |
| Tube, Nasal Gastric (16FR) | each | 10 |
| TUBE, NASAL GASTRIC (NGT), 10 Fr (Latex Free) | each | 25 |
| TUBE, NASAL GASTRIC (NGT), 16 Fr (Latex Free) | each | 25 |
| TUBE, VAC BLOOD, 2.7 ML, BLUE TOP, 3.2% CITRATE SOLN, 50S | packages | 5 |
| TUBE, VAC BLOOD, 4 ML, K2EDTA, LAVENDER TOP, PLASTIC, 1200S | packages | 10 |
| Tube, Yankauer | each | 10 |
| TUBING BREATHING CORRUGATED 100FT ROLL | sets | 200 |
| TUBING TRANSDUCER A-LINE 60 LG DISP SQUEEZE FLUSH DEVICE 20S | each | 50 |
| Tubing, CPAP 6 ft | each | 5 |
| TUNING FORK SET W/STEEL CASE MARKED W/CADUCEUS 5 COMPONENTS | each | 3 |
| ULTRASONIC UNIT BLOOD FLOW DETECTION 115/120V 50/60 HZ DOPPLER | units | 5 |
| ULTRASOUND HANDHELD UNIT | units | 1 |
| ULTRASOUND UNIT, Sonosite Edge II | units | 3 |
| UNNA BOOT DRESSING | each | 50 |
| URETHAL CATHETERIZATION KIT PRECISION 400 URINE METER FOLEY 16 FR 5 CC 10S | each | 50 |
| URETHRAL CATHETER KIT FLOCATH® QUICK™ STRAIGHT TIP HYDROPHILIC COATED PVC 6 Fr. 16 Inch | each | 25 |
| URETHRAL CATHETER KIT FLOCATH® QUICK™ STRAIGHT TIP HYDROPHILIC COATED PVC 8 Fr. 16 Inch | each | 25 |
| URINAL MALE PATIENT PLAS STURDY HANDLE HINGED CAP | each | 100 |
| Urinal, Male, Disposable | each | 10 |
| VALVE ANTI-REFLUX NASO GASTRIC ONE WAY PLASTIC DISPOSABLE 10S | each | 100 |
| VALVE PORT NEEDLE-FREE POSITIVE BOLUS SMARTSITE 1.45IN LENGTH 100S | each | 30 |
| VELCRO TAPE HOOK SIDE 2 IN X 25 YD (GOES W/8315013583556) | each | 20 |

| Acute Care / 50-bed / Medical-Biomed Recommendations | | |
|---|------------------------|-----------------|
| Description | Unit of Measure | Quantity |
| VELCRO TAPE PILE SIDE 2 IN WIDE X 25 YD (GOES W/8315013583555) | each | 20 |
| VENTILATOR CIRCUIT ADULT DISP 15S | each | 50 |
| VENTILATOR PORTABLE WITH INTERNAL BATTERY CHARGER | Units | 15 |
| VENTRICULOSTOMY BAGS (FOR BURR HOLES AND TAP SHUNTS) | each | 25 |
| VIDEO LARYNGOSCOPE | each | 3 |
| VIDEO LARYNGOSCOPE BLADE, MAC SIZE 1 | each | 40 |
| VIDEO LARYNGOSCOPE BLADE, MAC SIZE 2 | each | 40 |
| VIDEO LARYNGOSCOPE BLADE, MAC SIZE 3 | each | 40 |
| VIDEO LARYNGOSCOPE BLADE, MAC SIZE 4 | each | 40 |
| VITAL SIGN MONITORS | units | 25 |
| Walker, 300 lbs | each | 3 |
| Walker, 700 lbs | each | 2 |
| Walkie-Talkie Set | each | 2 |
| Wash Cloth, Cotton, White | each | 60 |
| Wash Cloth, Disposable, Face | each | 200 |
| WASHCLOTH COTTON 12X12IN SOLID WHITE STRIPE TERRY NONDISPOSABLE | each | 750 |
| WASTE RECEPTACLE RND W/TOP GRAY 32GAL 28IN O/A H 22IN O/A DIA | each | 40 |
| Water, Sterile | each | 50 |
| WEBRIL UNDER CAST PADDING, 4 INCH | each | 50 |
| WEBRIL UNDER CAST PADDING, 6 INCH | each | 50 |
| Wedge, Foam | each | 2 |
| Wheel Kit, Walker, 700 lbs. | each | 1 |
| Wheelchair, 22" | each | 2 |
| Wheelchair, 26" | each | 2 |
| Wheelchair, 18" | each | 2 |
| Wheelchair, 24" | each | 2 |
| Wipes, Baby (Tub) | boxes | 25 |
| WOODEN APPLICATOR, 6" | boxes | 3 |
| Y CONNECTOR ACTIVAC THERAPY UNIT 5S | boxes | 2 |
| YOKE-ADAPTER COMPRESSED GAS CYLINDER FLUSH TYPE OUTLET | units | 25 |
| Y-SHAPED CONNECTOR | each | 100 |

Acute Care / 50-bed / Pharmacy Recommendations

| Acute Care / 50-bed / Pharmacy Recommendations | | |
|--|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| ACETAMINOPHEN TABLETS USP 0.325GM 1000S | BT=Bottle | 6 |
| Acetaminophen Suppositories 325mg pkg of 12 | PG=Package | 2 |
| ACETYLCYSTEINE SOLUTION USP 20% 30ML BOTTLE 3 PER PACKAGE | PG | 2 |
| ADENOSINE 12 MG/4 ML SYRINGE 4ML, 10S | PG | 2 |
| Albuterol Sulfate Syrup 2mg/5mL, 480mL | BT | 4 |
| Albuterol Inhalation Solution 0.083%, 3mL ampoule box of 25 | BX=Box | 6 |
| Albuterol Inhaler 90mcg 200 actuations | EA=Each | 16 |
| Alcohol Prep Pads Box of 200 | BX | 2 |
| ALTEPLASE FOR INJECTION 58000000 INTERNATIONAL UNITS | EA | 2 |
| ALUMINUM HYDROXIDE GEL DRIED MAGNESIUM TRISILICATE TABLETS 100S | BT | 2 |
| AMIODARONE HCL Inj. 150mg/3ml vial pkg of 25 | PG | 2 |
| AMMONIA INHALANT SOLUTION AROMATIC 0.333ML AMPUL 10 PER PACKAGE | PG | 4 |
| AMOXICILLIN AND CLAVULANATE POTASSIUM TABLETS USP 20 TABS/BOTTLE | BT | 24 |
| AMPICILLIN AND SULBACTAM FOR INJECTION USP 3GM VIAL 10/PG | PG | 16 |
| ARTIFICIAL TEARS SOLUTION 15 ML DROPPER BOTTLE | BT | 72 |
| ASPIRIN 81 MG TABLETS | BT | 4 |
| ASPIRIN TABLETS USP 0.325GM 100S | BT | 20 |
| ATENOLOL TABLETS USP 50MG 100 TABLETS PER BOTTLE | BT | 2 |
| ATROPINE SULFATE INJECTION USP 0.1MG/ML 10ML ANSYR PLAS SYR 10S | PG | 4 |
| Atropine 0.4mg/mL 20ml 10S | PG | 4 |
| Atropine Inj 1ml Vial 25 vials per pg | PG | 4 |
| Azithromycin Suspension 200mg/5mL, 30mL | BT | 8 |
| AZITHROMYCIN TABLETS 250MG 18 TABLETS PER PACKAGE (3 Z PAKS) | PG | 48 |
| AZITHROMYCIN TABLETS 250MG 30 TABLETS PER BOTTLE | BT | 6 |
| Azithromycin 500mg/vial 10S | PG | 4 |
| BACITRACIN OINTMENT USP 500UN/GM .87GM PACKET I.S. 144PACKETS/PG | PG | 4 |
| BACITRACIN ZINC OINTMENT USP 500 UNITS PER GRAM 14.2 GM .5 OZ | TU=Tube | 72 |
| BELLADONNA ALKALOIDS WITH PHENOBARBITAL ELIXIR 4FL OZ/118ML BT | BT | 12 |
| BENZOCAINE GEL USP 10% ZILACTIN-B 0.25 OZ | TU | 50 |
| Benzocaine Spray 20% 2FLOZ or 60 mL container | EA | 2.5 |
| BENZOCAINE MENTHOL CETYLPYRIDINIUM THROAT LOZENGES SUGAR FREE 16 | PG | 8 |
| BENZONATATE CAPSULES USP 100 MG 100S | BT | 24 |
| BENZOIN TINCTURE SWAB STICK INDIV PKG 500S | | 2 |
| BENZOYL PEROXIDE GEL USP 10% 1.5OZ OR 42.5GM TUBE | TU | 20 |
| BETADINE PAINT 4 OZ BOTTLE | | 30 |
| Betadine scrub 4oz bottle | bt | 6 |
| Bisacodyl Suppositories 10mg box of 12 | bx | 4 |
| BISMUTH SUBSALICYLATE TABLETS CHEWABLE SUGAR FREE I.S. 30/PG | PG | 30 |
| BUPIVACAINE AND EPINEPHRINE INJECTION USP 1.8ML CARTRIDGE 50/CAN | CN | 2 |
| BUPIVACAINE HYDROCHLORIDE INJECTION USP .50% 30ML VIAL 10S | PG | 2 |
| BUPIVACAINE HYDROCHLORIDE INJECTION USP 50ML VIAL | VI=Vial | 6 |
| BUPROPION HYDROCHLORIDE SUSTAINED RELEASE TABLETS 150MG 60S | BT | 10 |
| BUPROPION HYDROCHLORIDE TABLETS 150MG 60 TABLETS PER BOTTLE | BT | 10 |
| CALAMINE LOTION USP 6 FL OZ BOTTLE | BT | 20 |
| CALCIUM CHLORIDE INJECTION USP 100MG/ML 10ML SYRINGE 10/PACKAGE | PG | 2 |
| CARBAMIDE PEROXIDE OTIC SOLUTION 0.5FL OZ BOTTLE | BT | 12 |
| CEFAZOLIN INJECTION USP 1GM CEFZOLIN 10ML VIAL 25S | PG | 4 |
| CEFTRIAZONE SODIUM STERILE USP 1GM VIAL 10 VIALS PER PACKAGE | PG | 12 |
| CEPHALEXIN CAPSULES USP EQUIVALENT TO 250MG 100 PER BOTTLE | BT | 8 |
| CHARCOAL ACTIVATED SUSPENSION 50GM 240ML BOTTLE | BT | 6 |
| CLINDAMYCIN INJECTION USP 150MG/ML 6ML VIAL 25 VIALS/PACKAGE | PG | 2 |
| CLOTRIMAZOLE CREAM USP TOPICAL 1% 15GM | TU | 48 |
| CLOTRIMAZOLE CREAM USP TOPICAL 1% 30 GRAM | TU | 10 |
| CYCLOBENZAPRINE HYDROCHLORIDE TABLETS USP 10MG 100TABLETS/BOTTLE | BT | 8 |
| CYCLOPENTOLATE HYDROCHLORIDE OPHTHALMIC SOLUTION USP 5ML BOTTLE | BT | 12 |

| Acute Care / 50-bed / Pharmacy Recommendations | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| DEXAMETHASONE SODIUM PHOSPHATE INJECTION USP 4MG/ML 30 ML VIAL | VI | 2 |
| DEXTROAMPHETAMINE SULFATE TABLETS USP 5MG 100 TABLETS PER BOTTLE | BT | 4 |
| DEXTROMETHORPHAN HYDROBROMIDE AND GUAIFENESIN SYRUP 118ML BOTTLE | BT | 48 |
| Dextrose 5% & Sodium Chloride 0.45% Inj., 1000mL IV bag case of 12 | CS | 8 |
| Dextrose 5% & Sodium Chloride 0.9% Inj., 1000mL IV bag case of 12 | CS | 8 |
| Dextrose Inj. 5%, 50mL IV bag case of 80 | CS | 4 |
| DEXTROSE Inj. 50%, 50mL syringe pkg of 10 | PG | 4 |
| DIAZEPAM INJECTION USP 5MG/ML 2 ML UNIT 10 PER PACKAGE | PG | 2 |
| DIAZEPAM TABLETS USP 5MG INDIVIDUALLY SEALED 100S | PG | 4 |
| Dietary Supplement Therapeutic INDIV 250ml/container 24S | PG | 2 |
| Dietary Supplement Therapeutic Vanilla Flavor 8 oz can 24S | PG | 2 |
| Dietary Supplement Therapeutic powder form vanilla 14oz can 6S | PG | 2 |
| DIBUCAINE OINTMENT USP 1% WITH RECTAL APPLICATOR 1OZ COLLAPSIBLE | PG | 6 |
| DIGOXIN INJECTION USP 0.25MG/ML 2ML AMPUL 10 AMPULS PER PACKAGE | PG | 2 |
| DILTIAZEM HYDROCHLORIDE CAPSULES 60MG 100 CAPSULES PER BOTTLE | BT | 2 |
| DIMENHYDRINATE TABLETS USP 50MG 100 TABLETS PER BOTTLE | BT | 2 |
| Diphenhydramine HCl Inj. 50mg/mL, 1mL vial pkg of 25 | PG | 2 |
| Diphenhydramine Elixir 12.5mg/5mL, 120ml | EA | 4 |
| DIPHENHYDRAMINE HYDROCHLORIDE CAPSULES USP 25MG 1000 CAPS/BOTTLE | BT | 2 |
| Dobutamine for Inj. 12.5mg/mL 20ml vial 10s | PG | 4 |
| Dopamine HCL and Dextrose Inj. 250mL bag 12 S | PG | 2 |
| DOXYCYCLINE HYCLATE TABLETS 100MG FILM COATED 100S | BT | 20 |
| Droperidol Inj. 2.5mg/mL 2ml Syringe needle Unit 10mL 10S | PG | 6 |
| Enalapril Inj. 1.25mg/mL, 2mL vial pkg of 10 | BX | 2 |
| Enoxaparin Inj. 40mg/0.4mL syringe box of 10 | BX | 2 |
| EPINEPHRINE INJECTION 1MG/ML, 1ML, 25S | PG | 4 |
| EPINEPHRINE INJECTION USP 0.1 MG/ML 10ML LIFESHIELD SYRINGE 10S | PG | 4 |
| Epinephrine Inj. 1:1,000 (1mg/mL), 30mL vial | VI | 10 |
| Epinephrine Auto Injector, Jr, 0.15mg | PG | 6 |
| Epinephrine Auto Injector 0.3mg | PG | 6 |
| ERYTHROMYCIN OPHTHALMIC OINTMENT USP 5MG/GM 1GM TUBE 50/PACKAGE | PG | 2 |
| ESMOLOL HYDROCHLORIDE INJECTION STERILE 10MG/ML 10ML VIAL 25S | PG | 4 |
| ETOMIDATE INJECTION 2 MG/ML 20ML SINGLE DOSE VIAL 10S | PG | 2 |
| FAMCICLOVIR TABLETS 125MG 30 TABLETS PER BOTTLE | BT | 12 |
| FENTANYL CITRATE INJECTION USP 0.05MG/ML 5ML AMPUL 10S | PG | 4 |
| FLUCONAZOLE TABLETS 150MG I.S. 12S | PG | 4 |
| FLUMAZENIL INJECTION 0.1MG/ML 10ML VIAL 10 VIALS PER PACKAGE | PG | 2 |
| FLUOCINONIDE CREAM USP 0.05% TOPICAL ADMINISTRATION 15GM COLLAPS | TU | 12 |
| FLUORESCEIN SODIUM OPHTHALMIC STRIPS USP 1MG STERILE 100S | PG | 6 |
| FLUTICASONE PROPIONATE INHALATION AERSOL HFA/110MCG/12GM/120DOSE | EA | 16 |
| FLUTICASONE PROPIONATE INHALATION AERSOLHFA220MCG/12GM/120 DOSES | EA | 16 |
| FLUTICASONE PROPIONATE NASAL SPRAY 16GM 120 ACTUATIONS | EA | 40 |
| FOSPHENYTOIN SODIUM INJECTION,USP 10S | PG | 4 |
| Furosemide Inj. 10mg/mL, 10mL vial pkg of 25 | PG | 2 |
| GENTAMICIN SULF OPHTH SOL USP EQUIV 3.0MG GENTAMICIN PER ML 5ML | BT | 20 |
| GENTAMICIN SULFATE INJECTION USP 40MG EQUIV/ML 2ML VIAL 25/PG | PG | 2 |
| GENTAMICIN SULFATE OPHTHALMIC OINTMENT USP 3.5 GRAM TUBE | TU | 10 |
| GLOBULIN TETANUS IMMUNE USP SYRINGE 250 UNITS PREFILLED | EA | 2 |
| GLYCOPYRROLATE INJECTION USP 0.2MG PER ML 20ML MULTI-DOSE VI 10S | PG | 2 |
| GUAIFENESIN AND CODEINE PHOSPHATE SYRUP 4FL OZ OR 120ML BOTTLE | BT | 48 |
| HAEMOPHILUS B POLYSACCHARIDE CONJUGATE VACCINE 5 VIALS/PACKAGE | PG | 4 |
| HALOPERIDOL INJECTION USP 5MG/ML 1ML AMPUL 10 AMPULES/PACKAGE | PG | 2 |
| HEPARIN SODIUM INJECTION USP 10000 UNITS PER ML 1ML VIAL 25S | PG | 2 |
| HETASTARCH IN SODIUM CHLORIDE INJECTION 500ML BAG 12 BAGS/PG | PG | 0.5 |
| HYDROCODONE BITARTRATE AND ACETAMINOPHEN TABLETS USP 5MG/325MG 1 | BT | 10 |

| Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| HYDROCORTISONE & ACETIC ACID OTIC SOL USP 1%/2% 10ML DROPPER BTL | BT | 16 |
| HYDROCORTISONE CREAM USP 1% 1 OZ (28.35 GM) TUBE | TU | 96 |
| HYDROGEN PEROXIDE TOPICAL SOLUTION USP 1PINT (473 ML) | BT | 24 |
| HYDROXYZINE HYDROCHLORIDE INJECTION USP 50MG/ML 1ML VIAL 25S | PG | 2 |
| HYDROXYZINE HYDROCHLORIDE TABLETS USP 25MG 500 TABLETS/BOTTLE | BT | 2 |
| IBUPROFEN TABLETS USP 800 MG 500 TABLETS PER BOTTLE | BT | 20 |
| IMIPENEM AND CILASTATIN SODIUM F/INJ 500MG-500MG 25S | PG | 2 |
| INDINAVIR SULFATE CAPSULES 400 MG 180 CAPSULES PER BOTTLE | BT | 2 |
| Inhalation Chamber Spacer for MDI | EA | 10 |
| Inhalation Chamber with Mask, size Medium | EA | 10 |
| INSULIN HUMAN INJECTION USP 100UN/ML 10ML MULTIPLE DOSE VIAL | VI | 8 |
| INSULIN HUMAN ISOPHANE SUSPENSION 100USP UN/ML 10ML VIAL | VI | 8 |
| INSULIN GLARGINE, 10ML | VI | 4 |
| IPRATROPIUM BROMIDE INHAL AEROSOL W/HYDROFLUOROALKANE 17MCG 13GM | EA | 12 |
| Ipratropium Bromide Inhalation Solution 0.2%, 2.5mL ampoule box of 25 | BX | 2 |
| ISONIAZID TABLETS USP 300 MG 100S | BT | 2 |
| Isentress (raltegravir)--HIV prophylaxis | BT | 2 |
| Truvada (emtricitabine/tenofovir)--HIV prophylaxis | BT | 2 |
| KETAMINE HYDROCHLORIDE INJECTION USP 10ML VIAL 10 VIALS/PG | PG | 4 |
| KETOCONAZOLE CREAM 2% 15GM TUBE | TU | 20 |
| KETOROLAC TROMETHAMINE INJECTION USP 30MG/ML 1ML UNIT 10/PACKAGE | PG | 8 |
| LEVAlBUTEROL TARTRATE 45MCG INHALATION WITH ADAPTER 15GM | PG | 48 |
| LEVOFLOXACIN SOLUTION FOR INJECTION 750MG/30ML SINGLE USE VIAL | VI | 40 |
| LEVOFLOXACIN TABLETS 500 MG 50 TABLETS PER BOTTLE | BT | 16 |
| LEVONORGESTREL AND ETHINYL ESTRADIOL TABLETS USP 168S | PG | 12 |
| LIDOCAINE HCL and Dextrose Inj. 500ml Bag 24S | PG | 2 |
| Lidocaine HCL and Epinephrine Inj. 20ml Vial 5S | PG | 2 |
| LIDOCAINE HYDROCHLORIDE INJECTION USP 10ML BOTTLE 5 PER PACKAGE | PG | 4 |
| LIDOCAINE HYDROCHLORIDE JELLY USP 2% 30 ML TUBE W APPLICATOR 12S | PG | 2 |
| Lidocaine HCL Injection USP 50ml vial 25S | PG | 2 |
| Lidocaine/Prilocaine Cream 2.5%/2.5%, 5gm pkg of 5 | PG | 2 |
| LIDOCAINE OINTMENT USP 5% 35 GM TUBE | TU | 8 |
| LISINAPRIL TABLETS 10MG 100 TABLETS PER BOTTLE | BT | 20 |
| LOPERAMIDE HYDROCHLORIDE CAPSULES USP 2MG 100 CAPSULES/BOTTLE | BT | 8 |
| LORAZEPAM 1mg BTL of 100 | BT | 2 |
| LORATADINE TABLETS,10MG BT 90S | BT | 8 |
| LUBRICANT OPTHALMIC TOPICAL STERILE MINERAL OIL 0.125 OZ OR 3.5 | TU | 8 |
| LUBRICANT SURGICAL 5 GRAM 144S | PG | 2 |
| Magnesium Sulfate Inj. 50% (500mg/mL), 10mL syringe pkg of 10 | PG | 2 |
| MANNITOL INJECTION USP 25% 50ML SINGLE DOSE VIALS 25 VIALS/PG | PG | 2 |
| MECLIZINE HYDROCHLORIDE TABLETS USP CHEWABLE 25 MG 100S | BT | 2 |
| MENINGOCOCCAL POLYSACCHARIDE DIPHTHERIA TOX CONJUGATE VIAL 5S | PG | 4 |
| MEPERIDINE HYDROCHLORIDE INJECTION USP 50MG/ML 1ML UNIT 10/PG | PG | 24 |
| METFORMIN HYDROCHLORIDE TABLETS 500MG 100 TABLETS PER BOTTLE | BT | 4 |
| METHOCARBAMOL TABLETS USP 500MG 500 TABLETS PER BOTTLE | BT | 2 |
| METHYLPREDNISOLONE SOD SUCCINATE F/INJ USP 2GRAMS IN 50ML VIAL | PG | 4 |
| METHYLPREDNISOLONE SODIUM SUCCINATE FOR INJECTION USP POWDER INT | VI | 2 |
| METOCLOPRAMIDE INJECTION USP 5MG/ML 2ML VIAL 25 PER PACKAGE | PG | 2 |
| METOCLOPRAMIDE TABLETS USP 10MG 100 TABLETS PER BOTTLE | BT | 2 |
| Metoprolol Inj. 1mg/mL, 5mL vial pkg of 10 vials | PG | 2 |
| METOPROLOL TARTRATE TABLETS 50MG 100 TABLETS PER BOTTLE | BT | 20 |
| METRONIDAZOLE INJECTION USP STERILE 5MG/ML 100ML BAG 24/PACKAGE | PG | 2 |
| METRONIDAZOLE TABLETS USP 250MG 250 TABLETS PER BOTTLE | BT | 2 |
| MIDAZOLAM HYDROCHLORIDE INJECTION 5MG/ML 1ML VIAL 10/PACKAGE | PG | 8 |
| MILK OF MAGNESIA USP 12 FL OZ (355 ML) | BT | 6 |
| MORPHINE SULFATE INJECTION 10MG/ML 1ML 10S | PG | 8 |
| MOXIFLOXACIN OPTHALMOLIDE OPTHALMIC SOL 5MG/ML 0.5% 3ML BOTTLE | BT | 12 |
| NALOXONE HCL Inj. 0.4mg/mL, 1ml vial pkg of 10 | PG | 6 |
| NAPHAZOLINE HCL AND PHENIRAMINE MALEATE OPTH SOL USP 15ML | BT | 30 |

| Acute Care / 50-bed / Pharmacy Recommendations | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| NAPROXEN TABLETS USP 500 MG 500S | BT | 8 |
| NEOMYCIN AND POLYMYXIN B SULFATES AND HYDROCORTISONE OTIC SUSPEN 12/pkg | PG | 2 |
| NEOSTIGMINE METHYLSULFATE INJECTION, FOR INTRAVENOUS USE | PG | 2 |
| NICOTINE TRANSDERMAL SYSTEM 14 MG FOR 24 HOURS 7 PER PACKAGE | PG | 10 |
| NICOTINE TRANSDERMAL SYSTEM 21 MG FOR 24 HOURS 7 PER PACKAGE | PG | 10 |
| NICOTINE TRANSDERMAL SYSTEM 7 MG FOR 24 HOURS 7 PER PACKAGE | PG | 10 |
| NITROGLYCERIN LINGUAL AEROSOL 0.4MG 200 SPRAYS PER BOTTLE | EA | 10 |
| NITROGLYCERIN TABLETS USP 0.4MG 25 TABLETS PER BOTTLE 4 BOTTLES | PG | 4 |
| NITROPRESS 50 MG PER 2ML, VIAL | VI | 6 |
| NORETHINDRONE AND ETHINTL ESTRADIOL TABLETS USP 168S | PG | 6 |
| Norepinephrine Bitartrate Inj USP 4mL ampul 10S | PG | 2 |
| Oral Electrolyte Solution (Gatorade or Equivalent) powder formulation (pkg of 8) | PG | 6 |
| ONDANSETRON INJECTION USP 2MG/ML 2ML SINGLE DOSE VIAL 25 VIALS P | PG | 4 |
| OPHTHALMIC IRRIGATION 120 ML | BT | 8 |
| OXYCODONE AND ACETAMINOPHEN TABLETS USP 100 TABLETS PER PACKAGE | PG | 8 |
| OXYMETAZOLINE HYDROCHLORIDE NASAL SOLUTION USP 15ML SPRAY BOTTLE | BT | 96 |
| Pantoprazole 40mg po Tablet BTL | BT | 4 |
| Pantoprazole 40mg IV Inj vial pkg of 10 | PG | 2 |
| Pedialyte 1L bottle 12 per case | CS | 2 |
| Penicillin G Potassium for Inj. USP 20MU | BT | 10 |
| PENICILLIN V POTASSIUM 250MG TABLETS USP 100 TABLETS/BT | BT | 16 |
| PERMETHRIN CREAM 60GM TUBE | TU | 10 |
| PETROLATUM WHITE USP 1 OZ (28.35 GM) | TU | 10 |
| PHENAZOPYRIDINE HYDROCHLORIDE TABLETS USP 100MG 100 TABLETS/BT | BT | 2 |
| PHENYLEPHRINE HYDROCHLORIDE INJECTION USP 1% 1 ML 25S | BX | 2 |
| PHENYTOIN SODIUM Inj. 50mg/mL, 5mL vial | PG | 2 |
| PNEUMOCOCCAL VACCINE 10S | PG | 4 |
| POTASSIUM CHLORIDE FOR INJECTION CONCENTRATE USP 50ML BAG 24/PG | PG | 2 |
| PREDNISOLONE ACETATE OPTHALMIC SUSPENSION 1% 5 ML | BT | 12 |
| PREDNISON TABLETS USP 20MG I.S. 100 TABLETS PER PACKAGE | PG | 2 |
| PROCAINAMIDE HYDROCHLORIDE INJECTION USP 100MG/ML 10ML VIAL 25S | PG | 2 |
| PROMETHAZINE HYDROCHLORIDE INJECTION USP 25MG/ML 1ML AMPUL 25/BX | BX | 4 |
| PROPOFOL INJECTION 10MG/ML 50ML VIAL 20 VIALS PER PACKAGE | PG | 4 |
| PSEUDOEPHEDRINE HYDROCHLORIDE/GUAIFENESIN EXTENDED-RELEASE TABLET | PG | 60 |
| PYRIDOXINE HYDROCHLORIDE TABLETS USP 50MG 100 TABLETS PER BOTTLE | BT | 20 |
| RANITIDINE INJECTION USP 25MG/ML 2ML SINGLE DOSE VIAL 10/PACKAGE | PG | 4 |
| RANITIDINE TABLETS USP 150MG 60 TABLETS PER BOTTLE | BT | 24 |
| RINGER'S INJECTION LACTATED USP 1000ML BAG 12 BAGS PER PACKAGE | PG | 12 |
| SELENIUM SULFIDE LOTION USP 2.5% TOPICAL 120 ML BOTTLE | BT | 8 |
| SERTRALINE HYDROCHLORIDE TABLETS 100MG 30S | BT | 30 |
| SEVOFLURANE LIQUID FOR INHALATION 250 ML BOTTLE | BT | 8 |
| SIMETHICONE TABLETS USP 80MG 100 TABLETS PER PACKAGE | PG | 2 |
| SODIUM BICARBONATE INJ USP 8.4% SYRINGE-NEEDLE UNIT 50ML 10S | PG | 2 |
| SODIUM CHLORIDE INHALATION SOLUTION USP 5ML CONTAINER 100/PG | PG | 2 |
| SODIUM CHLORIDE INJ USP 3% 500 ML PLASTIC BAG 24s | PG | 2 |
| SODIUM CHLORIDE INJECTION USP 0.9% 100ML BAG 64 BAGS PER PACKAGE | PG | 2 |
| SODIUM CHLORIDE INJECTION USP 0.900% 10ML VIAL 25 VIALS/PACKAGE | PG | 2 |
| SODIUM CHLORIDE INJECTION USP 1000ML BAG 12 BAGS PER PACKAGE | PG | 12 |
| SODIUM CHLORIDE IRRIGATION USP 0.9% 1000 ML BOTTLE 12/PACKAGE | PG | 6 |
| Sodium Chloride Inj. 0.9%, 250mL IV bag 24/case | CS | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag 24/case | CS | 2 |
| Sodium Chloride Inj. 0.9%, 50mL IV bag 80/case | CS | 2 |
| Sodium Chloride Inj. 0.9%, Bacteriostatic, 30mL vial pkg of 25 | PG | 2 |
| Sodium phosphates Enema USP Disp Rect (4.5OZ) (133ML) | BT | 6 |
| Solu Cortef Hydrocortisone Sodium Succinate for Inj. 250mg 2ml vial | vials | 4 |
| SUCCINYLCHOLINE CHLORIDE INJECTION USP 20MG/ML 10ML VIAL 25/PG | PG | 4 |
| SUCRALFATE TABLETS 1GM 100 TABLETS PER BOTTLE | BT | 2 |
| SULFADIAZINE SILVER CREAM 1% TOPICAL 85GM TUBE | TU | 40 |

| Acute Care / 50-bed / Pharmacy Recommendations | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| SUMATRIPTAN SUCCINATE TABLETS 100MG 9TT | PG | 10 |
| TERAZOSIN HYDROCHLORIDE CAPSULES EQUIVALENT TO 1 MG 100 TABS/BT | BT | 2 |
| TERBINAFINE CREAM 1% TOPICAL 30 GRAM TUBE | TU | 24 |
| Tetanus & Diphtheria Toxoids Abs Inj., Adult, 0.5mL syringe pkg of 10 | PG | 2 |
| Tetanus & Diphtheria Toxoids Abs Inj., Peds, 1mL vial pkg of 10 | PG | 2 |
| TETRACAINE HYDROCHLORIDE OPHTHALMIC SOLUTION 0.5% 15 ML | BT | 10 |
| TIMOLOL MALEATE OPHTHALMIC SOLUTION USP 5ML BOTTLE WITH TIP | BT | 10 |
| TOBRAMYCIN OPHTHALMIC OINTMENT USP 3.5GM TUBE | TU | 10 |
| TRAMADOL ACETAMINIPHEN TABLETS 100S | BT | 6 |
| TRIAMCINOLONE ACETONIDE CREAM USP TOPICAL 0.1% 15 GM | TU | 24 |
| TRIAMCINOLONE ACETONIDE DENTAL PASTE USP 5GM | TU | 20 |
| VANCOMYCIN HYDROCHLORIDE STERILE USP 1GM VIAL 10 VIALS/PACKAGE | PG | 2 |
| VECURONIUM BROMIDE FOR INJECTION 10 MG 10ML VIALS 10/PKG | PG | 2 |
| VENLAFAXINE HYDROCHLORIDE CAPSULES EXTENDED RELEASE 24-HRS 90S | BT | 20 |
| VERAPAMIL HYDROCHLORIDE EXTENDED-RELEASE TABLETS USP 240MG 100S | BT | 2 |
| WARFARIN SODIUM TABLETS USP 5MG 100 TABLETS PER BOTTLE | BT | 2 |
| WATER FOR INJECTION STERILE USP VIAL WITH FLIP TOP 20 ML 25/PG | PG | 4 |
| WATER FOR IRRIGATION STERILE USP 1000ML BOTTLE 16 PER PACKAGE | PG | 6 |
| ZINC OXIDE OINTMENT USP 1 OZ (28.35 GM) | TU | 20 |
| ZOLPIDEM TARTRATE TABLETS 10 MG 100 TABLETS PER PACKAGE | PG | 4 |

Emergency Resuscitation Capability

Mobile Lifesaving Kit

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Marker, Permanent, Black, Regular Tip (Sharpie Type) | each | 4 |
| Notebook, Spiral, 3" x 5" | each | 2 |
| Stethoscope, Single Head, Black (Latex Free) | each | 2 |
| Oxygen, Cylinder, "D", Regulator (0-15L) | each | 2 |
| Oxygen, Cylinder, "D", Wrench | each | 2 |
| Oxygen, Cylinder, "D",Regulator (0-15L),Gasket | each | 6 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 2 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 6 |
| Laryngoscope, Handle (GR Spec Fiber Optic) | each | 2 |
| Battery, Alkaline, Size C (1.5 Volt) | each | 8 |
| ET Tube Holder, Thomas, Adult | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Intubation Indicator Kit, CO ² , Disposable, Adult | each | 2 |
| Laryngoscope, Mac Blade, #3 (GR Spec FO) | each | 2 |
| Laryngoscope, Mac Blade, #4 (GR Spec FO) | each | 2 |
| Shield, Full Faceguard, Clear | each | 2 |
| Stylete, Intubation, Adult | each | 2 |
| Syringe, 10cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Tube, Endotracheal, 6.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 7.0, with Cuff (Latex Free) | each | 2 |

| Mobile Lifesaving Kit | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Tube, Endotracheal, 8.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, Introducer 15Fr x 70cm | each | 2 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 2 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 6 |
| Laryngoscope, Handle (GR Spec Fiber Optic) | each | 2 |
| Battery, Alkaline, Size C (1.5 Volt) | each | 8 |
| ET Tube Holder, Thomas, Adult | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Intubation Indicator Kit, CO ² , Disposable, Adult | each | 2 |
| Laryngoscope, Mac Blade, #3 (GR Spec FO) | each | 2 |
| Laryngoscope, Mac Blade, #4 (GR Spec FO) | each | 2 |
| Shield, Full Faceguard, Clear | each | 2 |
| Stylete, Intubation, Adult | each | 2 |
| Syringe, 10cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Tube, Endotracheal, 6.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 7.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 8.0, with Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, Introducer 15Fr x 70cm | each | 2 |
| Forceps, Magill, Adult | each | 2 |
| Laryngoscope, Miller Blade, #2 (GR Spec FO) | each | 2 |
| Laryngoscope, Miller Blade, #3 (GR Spec FO) | each | 2 |
| Airway, King LTS-D, #3, (Yellow) (Latex Free) | each | 2 |
| Airway, King LTS-D, #4, (Red) (Latex Free) | each | 2 |
| Airway, King LTS-D, #5, (Purple) (Latex Free) | each | 2 |
| Airway, Laryngeal Mask (LMA), #2, Disposable (Latex Free) | each | 2 |
| Airway, Laryngeal Mask (LMA), #3, Disposable (Latex Free) | each | 2 |
| Emergency Cricothyrotomy Kit (QuickTrach), Adult (Latex Free) | each | 2 |
| Emergency Cricothyrotomy Kit (QuickTrach), Ped (Latex Free) | each | 2 |
| Syringe, 60cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Airway, Management, Tracheal Hook | each | 2 |
| Scalpel, #10, Disposable | each | 2 |
| Tube, Endotracheal, 5.5, with Cuff (Latex Free) | each | 2 |
| Catheter, (IV), 14G x 3¼", Chest Decompression (Latex Free) | each | 4 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |
| Tube, Drainage, Surgical, Heimlich Valve (Latex Free) | each | 4 |
| Tube, Extension (Cook) (For Use with Hemlich Valve) (Latex Free) | each | 4 |
| Airway, Nasopharyngeal, 12 Fr (Latex Free) | each | 2 |
| Airway, Nasopharyngeal, 14 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 2 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 6 |
| Laryngoscope, Handle, Pediatric (GR Spec Fiber Optic) | each | 2 |
| Battery, Alkaline, Size AA (1.5 Volt) | each | 8 |

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| ET Tube Holder, Thomas, Pediatric | each | 2 |
| Forceps, Magill, Pediatric | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Intubation Indicator Kit, CO ₂ , Disposable, Pediatric | each | 2 |
| Laryngoscope, Miller Blade, #0 (GR Spec FO) | each | 2 |
| Laryngoscope, Miller Blade, #1 (GR Spec FO) | each | 2 |
| Laryngoscope, Mac Blade, #2 (GR Spec FO) | each | 2 |
| Shield, Full Faceguard, Clear | each | 2 |
| Suction, Bulb, Neo-natal (For Irrigation & Suction), 1 oz, Sterile (Latex Free) | each | 2 |
| Stylete, Intubation, Pediatric | each | 2 |
| Tube, Endotracheal, 2.5, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 3.0, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 3.5, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 4.0, w/o Cuff (Latex Free) | each | 2 |
| Tube, Endotracheal, 4.5, w/o Cuff (Latex Free) | each | 2 |
| Suction, Handheld, Disposable (Easy Suction) | each | 2 |
| Suction, Handheld, Disposable (Easy Suction), Catheter, Pediatric | each | 2 |
| Mask, Bag Valve, Pocket, Adult (Hockey Puck) | each | 2 |
| PEEP Valve, Adjustable, Disposable | each | 2 |
| Mask, Bag Valve, Pocket, Adult (Hockey Puck) | each | 2 |
| PEEP Valve, Adjustable, Disposable | each | 2 |
| Mask, Bag Valve (Ambu Bag), Pediatric (Latex Free), with Adjustable Peep Valve | each | 2 |
| PEEP Valve, Adjustable, Disposable | each | 2 |
| Mask, Oxygen, Non-Rebreather, Pediatric (Latex Free) | each | 4 |
| Oxygen, Nasal Cannula, with 7' Tubing, Latex Free | each | 4 |
| Mask, Oxygen, Non-Rebreather, Adult (Latex Free) | each | 4 |
| Oxygen, Nebulizer, Inline, Handheld (Latex Free) | each | 4 |
| Pulse Oximeter, Fingertip | each | 2 |
| Battery, Alkaline, Size AAA (1.5 Volt) | each | 4 |
| Oxygen, Cylinder, "D", Aluminum w/Toggle Valve | each | 4 |
| Oxygen Case, CART | each | 2 |
| Tie Down, Ratchet (1" Strap, 'S' Hook) | each | 2 |
| Defibrillator, Zoll Propaq MD, Surepower Single Bay Charger | each | 2 |
| Defibrillator, Zoll Propaq, Battery, Lithium Ion, Surepower II | each | 4 |
| Razor, Disposable | each | 4 |
| Swabs, Betadine | each | 12 |
| Defibrillator, Propaq-MD, Paper, Thermal, 80mm Roll | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Thigh (13) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Lg Adult (12) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Adult (11) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Sm Adult (10) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Child (9) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Sm Child (8) | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Cuff, Infant (7) | each | 2 |

| Mobile Lifesaving Kit | | |
|---|------------------------|-----------------|
| Item Description | Unit of Measure | Quantity |
| Defibrillator, Zoll Propaq, Power Cord (For Propaq MD) | each | 2 |
| Defibrillator, Propaq-MD, AC Power Adapter/Charger | each | 2 |
| Defibrillator, Zoll Propaq, Cable, Multi-Function (red) | each | 2 |
| Defibrillator, Zoll Propaq, Electrodes, EKG (may be in pkgs of 3,4 or 6) | each | 16 |
| Defibrillator, Propaq-MD, Filter Line H Set, Adult/Ped | each | 2 |
| Defibrillator, Propaq-MD, Filter Line, Adult/Ped | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Adult (Smart Capno) | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Ped (Smart Capno) | each | 2 |
| Defibrillator, Zoll Propaq, Skin Temperature Probe, Adult, Reusable | each | 2 |
| Defibrillator, Zoll Propaq, Cable, Multi-Function (red) | each | 2 |
| Defibrillator, Zoll Propaq, Electrodes, Multi Function, Adult | each | 4 |
| Defibrillator, Zoll Propaq, Electrodes, Multi Function, Pedi | each | 4 |
| Defibrillator, Zoll Propaq MD | each | 2 |
| Defibrillator, Propaq, Cable Sleeve, Blue | each | 2 |
| Defibrillator, Zoll Propaq, NIBP Dual Lumen Tubing Assembly | each | 2 |
| Defibrillator, Zoll Propaq, Cable, 12 Lead ECG (6 Wire & 4 Wire Combo) | each | 2 |
| Defibrillator, Zoll Propaq, Sensor, SPO2, SpCO and SpMet Sensor, Reusable | each | 2 |
| Defibrillator, Zoll Propaq, Sensor, SPO2, Cable Extension, Reusable | each | 2 |
| Defibrillator, Zoll Propaq, Electrodes, EKG (may be in pkgs of 3,4 or 6) | each | 32 |
| Defibrillator, Zoll Propaq, Electrodes, Multi Function, Adult | each | 2 |
| Defibrillator, Propaq-MD, Filter Line H Set, Adult/Ped | each | 2 |
| Defibrillator, Propaq-MD, Filter Line, Adult/Ped | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Adult (Smart Capno) | each | 2 |
| Defibrillator, Propaq-MD, Nasal Filter Line, Ped (Smart Capno) | each | 2 |
| Defibrillator, Propaq-MD, Paper, Thermal, 80mm Roll | each | 2 |
| << SUPPLEMENTAL REQUIREMENTS >> << Advanced Cardiovascular Life Support Drug Bag (ACLS)(QTY-1) Must Be Added Prior To Deployment >> | each | |
| Seal, Tug Tight, 12", Consecutively Numbered, Green | each | 24 |
| << SUPPLEMENTAL REQUIREMENTS >> << Advanced Cardiovascular Life Support Drug Bag (ACLS)(QTY-1) Must Be Added Prior To Deployment >> | each | |
| Bandage, Kerlix, Sterile, 4.5" x 4.1 Yd | each | 8 |
| QuikClot ACS Plus | each | 4 |
| Tourniquet, CAT, Military Type | each | 8 |
| Shield, Full Faceguard, Clear | each | 10 |
| Syringe, Toomey, with Luer-Lok Adapter, Disposable (60 or 70 cc) (Latex Free) | each | 2 |
| Patient Treatment Forms | each | 100 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |

| Mobile Lifesaving Kit | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Catheter, (IV), 14G x 3¼", Chest Decompression (Latex Free) | each | 4 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 4 |
| Airway, Nasopharyngeal, 24 Fr (Latex Free) | each | 2 |
| Airway, Oral, 100 mm (Adult) | each | 2 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |
| Catheter, (IV), 14G x 3¼", Chest Decompression (Latex Free) | each | 4 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 4 |
| Airway, Nasopharyngeal, 12 Fr (Latex Free) | each | 2 |
| Airway, Nasopharyngeal, 14 Fr (Latex Free) | each | 2 |
| Airway, Oral, 40 mm (Neonatal/Infant) | each | 4 |
| Airway, Oral, 80 mm (Sm Adult/Child) | each | 2 |
| Chest Seal, BOLIN (May contain Latex) | each | 2 |
| Gauze, Vaseline, Sterile, 3" x 36" | each | 4 |
| Lubricant, Surgical, Single Use Packets, 3-5 grams each | each | 4 |
| Tape, Broselow | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Mask, Surgical, Cupped | each | 8 |
| Shears, Trauma | each | 2 |
| Bandage, Flexible, Small (Band-Aid Type) (Latex Free) | each | 40 |
| Bandage, Flexible, X-Large (Band-Aid Type) (Latex Free) | each | 20 |
| Bandage, Moleskin, Small | each | 12 |
| Pad, Gauze, Non Adherent, Sterile, 3" x 4" (Telfa) | each | 8 |
| Pad, ABD/COMBINE, Sterile | each | 4 |
| Sponge, Gauze, 4" x 4", Sterile (may contain 1 or 2 per pack) | pack | 20 |
| Bag, Infectious Waste, Red, 25" x 34" | each | 6 |
| Blanket, Mylar | each | 4 |
| Marker, Permanent, Black, Regular Tip (Sharpie Type) | each | 4 |
| Notebook, Spiral, 3" x 5" | each | 2 |
| Pen, Ball Point, Black, Medium Point (NO GEL) | each | 2 |
| Sharps Shuttle, Small Conical | each | 2 |
| Tag, Triage | each | 40 |
| Bandage, Elastic, 2" (Latex Free) | each | 8 |
| Bandage, Elastic, 4" (Latex Free) | each | 4 |
| Bandage, Triangular | each | 4 |
| Splint, SAM | each | 4 |
| Dressing, Multi Trauma, 12" X 30" | each | 2 |
| Gloves, Examination, Nitrile, Medium (Powder Free & Latex Free) | each | 16 |
| Gloves, Examination, Nitrile, Large (Powder Free & Latex Free) | each | 16 |
| Needle, Spinal, 18G x 6", Non-Safety Tip | each | 2 |
| Sharps Shuttle, Small Conical | each | 2 |
| Needle, 18G x 1½", Safety Tip | each | 10 |
| Needle, 25G x 5/8", Safety Tip | each | 10 |
| Syringe, 10cc, Luer-Lok, Disposable (Latex Free) | each | 10 |
| Syringe, 35cc, Luer-Lok, Disposable (Latex Free) | each | 2 |
| Syringe/Needle, 1cc, w/25g x 5/8" Needle (Safety Tip), TB (Latex Free) | each | 10 |

| Mobile Lifesaving Kit | | |
|--|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Syringe/Needle, 3cc, w/21g x 1½" Needle (Safety Tip) (Latex Free) | each | 10 |
| Syringe/Needle, 5cc or 6cc, w/20g x 1½" Needle (Latex Free) | each | 4 |
| Arm Board, Padded, Short | each | 4 |
| Dial-a-Flow Extension Set (Latex Free) | each | 2 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | each | 2 |
| Sodium Chloride Inj. 0.9%, 100mL IV bag | each | 8 |
| Needle, Intraosseous (IO), EZ-IO, Adult (Inc needle, fluid transfer line & armband) | each | 2 |
| Needle, Intraosseous (IO), EZ-IO, Pediatric (Inc needle, fluid transfer line & armband) | each | 2 |
| Needle, Intraosseous (IO), EZ-IO, Power Driver | each | 2 |
| Needle, Intraosseous (IO), EZ-IO, Extra Long (Inc needle, fluid transfer line & armband) | each | 2 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | each | 20 |
| Bandage, Tegaderm, IV Op Site Dressing | each | 4 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 22G x 1", Blue, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 24G x 3/4", Yellow, Safety Tip (Latex Free) | each | 4 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | each | 4 |
| Sponge, Gauze, 4" x 4", Sterile (may contain 1 or 2 per pack) | pack | 4 |
| Tape, Surgical, Durapore, 1" | each | 2 |
| Tourniquet, 1" x 18", Disposable (Latex Free) | each | 2 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | each | 20 |
| Bandage, Tegaderm, IV Op Site Dressing | each | 4 |
| Catheter, (IV), 18G x 1.16", Green, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 20G x 1.16", Pink, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 22G x 1", Blue, Safety Tip (Latex Free) | each | 4 |
| Catheter, (IV), 24G x 3/4", Yellow, Safety Tip (Latex Free) | each | 4 |
| IV, Admin Set, Gravity, 15 Drop, Needleless (Latex Free) | each | 2 |
| Sodium Chloride Inj. 0.9%, 500mL IV bag | each | 4 |
| Sponge, Gauze, 4" x 4", Sterile (may contain 1 or 2 per pack) | pack | 4 |
| Tape, Surgical, Durapore, 1" | each | 2 |
| Tourniquet, 1" x 18", Disposable (Latex Free) | each | 2 |
| Flashlight, Penlight | each | 2 |
| Thermometer, Digital, Battery Powered | each | 2 |
| Thermometer, Digital, Sheaths, Disposable | each | 200 |
| Tongue Blades, 6", Sterile | each | 8 |
| Tweezers | each | 2 |
| Alcohol Pad, Isopropyl, 2" x 2", Sterile | each | 20 |
| Glucometer Kit (One-Touch Ultra): Battery, Lithium (3.0 Volt) | each | 4 |
| Glucometer Kit (One-Touch Ultra): Glucose Meter | each | 2 |
| Glucometer Kit (One-Touch Ultra): Lancets | each | 20 |
| One Touch Ultra Control Solution | bottle | 2 |
| One Touch ULTRA Test Strips, 50 strips | bottle | 2 |
| Sphygmomanometer, Aneroid Set, w/Case, Adult (Latex Free) | each | 2 |

| Mobile Lifesaving Kit | | |
|---|-----------------|----------|
| Item Description | Unit of Measure | Quantity |
| Sphygmomanometer, Aneroid Set, w/Case, Child (Latex Free) | each | 2 |
| Stethoscope, Single Head, Black (Latex Free) | each | 2 |
| Pack, Cold, Crush Activated, Urea Based, 4" x 6" | each | 4 |
| Suture, Stapler Remover | each | 2 |
| Suture, Surgical Stapler, 15 pack, Regular | each | 2 |
| Suture, Skin Adhesive, Individual Packets | each | 6 |
| Tape, Surgical, Durapore, 1" | each | 2 |
| Tape, Surgical, Durapore, 3" | each | 2 |
| Cervical Collar, Adjustable, Plastic | each | 4 |

Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy

| Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy | | | |
|--|------------------|-----------------|----------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Adenosine Inj. 3mg/mL, 2mL vial | Adencard | EA | 6 |
| Albuterol Inhalation Solution 0.083%, 3mL ampoule | Proventil | EA | 10 |
| Alcohol Prep Pad | Alcohol | EA | 10 |
| Amiodarone HCl Inj., 150mg/3mL vial | Cordarone | EA | 6 |
| Aspirin Chewable Tablets 81mg | Aspirin | EA | 72 |
| Atropine Sulfate Inj. 0.1mg/mL, 10mL syringe | Atropine | EA | 6 |
| Calcium Chloride Inj. 10% (100mg/mL), 10mL syringe | Calcium Chloride | EA | 4 |
| Dextrose Inj. 50%, 50mL syringe | Dextrose | EA | 2 |
| DHHS Prescription Blanks, 20/pad (#'s xx-xx) | Rx Pad | EA | 2 |
| Digoxin Inj. 0.25mg/mL, 2mL ampoule | Lanoxin | EA | 4 |
| Diphenhydramine HCl Inj. 50mg/mL, 1mL vial | Benadryl | EA | 2 |
| Epinephrine Auto Injector 0.3mg | Epi-Pen Adult | EA | 2 |
| Epinephrine Auto Injector, Jr, 0.15mg | Epi-Pen Jr | EA | 2 |
| Epinephrine Inj. 1:10,000 (0.1mg/mL), 10mL syringe | Adrenalin | EA | 10 |
| Etomidate HCl Inj. 2mg/mL, 20mL vial | Amidate | EA | 4 |
| Furosemide Inj. 10mg/mL, 10mL vial | Lasix | EA | 2 |
| Lidocaine HCl Inj. 2%, (20mg/mL), 5mL syringe | Lidocaine | EA | 4 |
| Magnesium Sulfate Inj. 50% (500mg/mL), 10mL syringe | Magnesium | EA | 2 |
| Metoprolol Inj. 1mg/mL, 5mL vial | Lopressor | EA | 6 |
| Naloxone HCl Inj. 0.4mg/mL, 1mL vial | Narcan | EA | 10 |
| Needle, 18G, 1.5inch | Needle | EA | 10 |
| Needle, Filter 19G, 1.5inch | Needle | EA | 4 |
| Nitroglycerin Sublingual Tablets 0.4mg, 25's | Nitro-Stat | EA | 2 |
| Norepinephrine Inj. 1mg/mL, 4mL vial | Levophed | EA | 4 |
| Ondansetron Inj. 2mg/mL, 2mL vial | Zofran | EA | 4 |
| Phenylephrine Inj. 10mg/mL, 1mL vial | Phenylephrine | EA | 4 |
| Phenytoin Sodium Inj. 50mg/mL, 5mL vial | Dilantin | EA | 8 |
| Sodium Bicarbonate Inj. 8.4% (50mEq/50mL) syringe | Sodium Bicarb. | EA | 4 |
| Syringe, 5cc, Luer Slip Tip, Disposable (Latex Free) | | EA | 4 |
| Syringe, 10mL | Syringe | EA | 4 |
| Syringe, 30cc, Luer-Lok, Disposable (Latex Free) | | EA | 4 |
| Vecuronium Bromide Inj. 10mg/10mL vial | Norcuron | EA | 4 |
| Verapamil Inj. 2.5mg/mL, 2mL vial | Calan | EA | 2 |

| Mobile Lifesaving Kit – Advanced Cardiac Life Support Pharmacy | | | |
|---|-------------------|------------------------|-----------------|
| Item Description | Brand Name | Unit of Measure | Quantity |
| Water For Inj., Sterile, 20mL vial | Sterile Water | EA | 2 |
| Fentanyl Citrate Inj. 50mcg/mL, 2mL vial | Sublimaze | EA | 10 |
| Ketamine HCl Inj. 50mg/mL, 10mL vial | Ketalar | EA | 2 |
| Midazolam Inj. 1mg/mL, 2mL vial | Versed | EA | 10 |
| Morphine Sulfate Inj. 10mg/mL, 1mL vial | Morphine | EA | 10 |

TEAR SHEET: ALTERNATE CARE SITE CHECKLIST

The following guide is intended to be used when setting up an Alternate Care Site (ACS) in response to COVID-19. This guide should not be viewed as comprehensive and final. It should be adapted and amended to accommodate the unique circumstances of each ACS. Refer to *Appendix B: Sample ACS Execution Plan*.

Identify Potential Sites

- May reach out to FEMA representative to determine available sites for conversion

Conduct Site Assessment

- Refer to *Appendix C: Sample Alternate Care Site Assessment Form*
- Physical Considerations:
 - Must comply with the Architectural Barriers Act (ABA) and Americans with Disabilities Act (ADA) to the greatest extent possible
 - Should not be in the Special Flood Hazard Area (SFHA), but acknowledge that there may not be a practical location outside the floodplain
 - Should be clear of contaminants including mold, toxic chemicals, and vermin
 - Must be capable of being adequately secured on perimeter
 - Should not have structural issues or be in a state of unsafe disrepair
 - Identify location for aeromedical transport if available/needed
 - Should have a fire sprinkler system or equivalent in accordance with local regulations
 - Should have elevator access for patients, if the building is more than one floor
 - Should have a designated, secure ambulation/exercise area for patients
 - Should have a functional kitchen
 - Should have bathrooms in each room
 - Should have an individual HVAC in each room
- Logistical Considerations:
 - Should be otherwise vacant of patrons
 - Should allow for photocopier, fax, printer, and internet setup
 - Should be able to accommodate a tent or structural barrier for ambulance arrival at entrance to protect patients' privacy from photography/drones
 - Should allow for the separation of COVID-19 and non-COVID-19 patients;
 - Should have a dedicated space for a 24/7 dispatch center with one dedicated phone number
 - Should have area(s) for donning and doffing personal protective equipment (PPE)

- Should be able to accommodate a team staging area at least 12 feet away from patients
- Should have an arrival and cleaning and disinfecting area for Emergency Medical Services (EMS), if EMS is not already on-site
- Should have access to a medical and non-medical supply chain for sustainment support
- Should have a loading area/dock for receipt of equipment and supplies
- Should have a location identified for the receipt, staging, and secure storage of medical and non-medical supplies for sustainment/replenishment operations
- Should determine potential oxygen needs
- Operational Considerations:
 - Obtain building engineer contact information
 - Walk site with building manager and engineer to understand key systems in the building and emergency procedures for each such as water, power, phone, internet for patients and fire suppressions systems
 - Work with the local Fire Marshal to ensure the building meets local fire safety codes, identify fire exits, and ensure site floor plan is in step with evacuation plans as they are developed
 - Identify the delta between what is at the site and what will be provided by the wraparound service contractor
 - Develop map layout of the site with bed types, suite types, ADA-compliant rooms, and adjoining rooms for family units
 - Identify closed-circuit television systems that are disabled with no way to activate remotely
 - Identify a process for maintenance at the site, as maintenance providers in the Operational Area will need to be in all appropriate PPE
 - Ensure cable and internet capability works on patient floors
 - Understand site key system
 - Obtain keys to elevators for security
 - Close public bathrooms in patient areas
 - Remove food in common areas
 - If applicable, ensure pool area is secured or blocked off
- Infection Prevention and Control Considerations:

- Consideration should be given to conducting routine surveillance for potentially transmissible infectious diseases (e.g., Infectious diarrhea) to ensure clusters are detected early and addressed
- Pharmaceutical Considerations:
 - Medical supply storage in a secure climate-controlled environment near patient treatment area
 - Refrigeration/freezer units appropriate for medication storage in secured area

Secure Funding

- Refer to *Appendix D: Funding Solutions Graphic* for additional information on funding solutions
- Funding is secured after specific site is selected

Secure Property

- Lease site
- Consider using *Appendix E: Right of Entry*, if applicable

Convert Site for Healthcare Use

- Determine extent of modifications required
- Determine what agency will make required modifications

Secure Wraparound Services

- Obtain Wraparound Service Contract
- Ensure fencing or other line of demarcation is installed around perimeter to enforce the isolation/quarantine order and prevent unauthorized access to the site
- Ensure the site is secured with onsite guard force
- Establish the appropriate number of fire-compliant access points to the site depending on local regulations
- Establish a separate staging/ingress/egress point for patients and EMS
- Establish a separate ingress/egress point for staff
- Determine safe evacuation routes with designated rally point
- Establish Command Post/Administrative Area in Lobby or other suitable location.
- Delineate between Zone/Operational Area and Clean/Support Area, mark with signage
- Clearly designate Clean/Support Areas for both staff staging and PPE donning

- Clearly identify Transition Area for PPE doffing
- Clearly identify Zone/Living Quarters in individual rooms for patients
- Designate separate floors for COVID-19-positive patients and Persons Under Investigation (PUI)
- Conduct safe isolation practices in common areas, stairwells, and elevators
- Utilize plastic dividers to effectively demarcate and reinforce site footprint
- Establish designated media area

Staff, Equip, and Supply Site

- Determine which model will be used for ACS site: Non-Acute Care ACS Model, Hospital Care ACS Model, or Acute Care ACS Model
- Assess key considerations related to:
 - Staffing Strategy
 - Ventilator Strategy, if applicable
 - Oxygen Strategy
 - PPE Strategy
 - Pulse Oximeter Strategy

Operate Site

- Ensure that all onsite staff are provided with proper oversight and supervision
- Ensure that patients are under quarantine/isolation orders and release criteria is based on the most current Centers for Disease Control and Prevention (CDC) guidance
- Define roles and responsibilities of key personnel
- Develop site flow plan
- Develop site security plan
- Develop site communications plan
- Develop onsite plan for Caregivers and Family Members
- Develop plan for service and companion animals

Restore Site

- Maintain the site until site is deactivated or the responsibility is turned over to another appropriate authority**
- Conduct standard decontamination cleaning in accordance with CDC guidelines prior to turning it back over**